REVIEW OF GEOTECHNICAL INVESTIGATIONS OF LOESS IN NORTH AMERICA

Alan J. Lutenegger George R. Hallberg Richard L. Handy



IOWA GEOLOGICAL SURVEY Dr. Stanley C. Grant Director and State Geologist 123 North Capitol Street Iowa City, Iowa 52242

Open File Report September 1979

FOREWARD

ŧ

This paper, in slightly modified form was compiled as part of the North American Committee Report to the INQUA (International Quaternary Association) Subcommission on Loess; Dr. R. V. Ruhe, Indiana University, North American chairman. Loess is an important engineering material in Iowa. Consequently, this paper is being reproduced for limited distribution.

Review of Geotechnical Investigations

of Loess in North America

by

Alan J. Lutenegger Research Associate Dept. of Civil Engineering Iowa State University Ames, Iowa 50011

George R. Hallberg Chief, Geological Studies Iowa Geological Survey

Richard L. Handy Professor Dept. of Civil Engineering Iowa State University

Loess deposits mantle wide areas of North America, particularly the United States (see Thorp and Smith, 1952). (In Iowa, loess soils form about 38% of the land surface, and range in thickness to well over 60 feet along the Missouri River.) The inherently unique but somewhat overgeneralized geotechnical characteristics typically associated with loess include the ability to maintain near-vertical slopes both naturally and in roadcuts, low density, sudden collapse of structure upon saturation, relatively high permeability, and severe erosion potential. The past forty years have seen substantial research devoted to investigating these problems, and other factors influencing

 A joint publication of the Engineering Research Institute, Iowa State University, and the Iowa Geological Survey. This work in part sponsored by the National Science Foundation, under Grant No. ENG-76-24589. engineering properties and behavior of loessial soils <u>in situ</u>. The widespread distribution and thickness of loess have led to a second emphasis in geotechnical research, where loess is regarded as a construction material, to be treated, or stabilized, or otherwise dealt with for use in roads, embankments, etc.

Figure 1 shows a histogram summarizing the number of publications dealing with geotechnical properties of North American loess by 5-year intervals, through early 1979. The plot produces an interesting distribution, which is near-Gaussian in appearance, with the lowest 5-year total occurring in the last interval, 1975-1979. We believe that the decrease in publications in recent years may not reflect a decline in interest so much as a pause for reflection and reassessment of the problems. Certainly not all of the problems are solved.

The bibliography which follows includes all the publications known to the authors which deal with geotechnical properties of North American loess deposits. The references have also been annotated to indicate the type of studies or data compiled in each publication. The references presented in the bibliography have been divided by subject matter into two sections; (1) characization and (2) performance. Characterization deals with identification of particulate composition and associated properties, e.g. -- specific gravity, Atterberg limits, particle size, density, shear strength, etc. Performance includes case histories of foundations and embankments utilizing natural deposits and/or remolded loess. Property variations between undisturbed and reworked loess occur as a result of the alteration of natural structure. When loess is reworked by slope processes, it is

2



Figure I. Number of publications dealing with geotechnical properties of North American loess.

ω

effectively an alluvial or colluvial material, and studies of these materials have not been included. Only a few unpublished theses are recorded in the bibliography. They have been included only where the data has not appeared in a published paper and the information would otherwise be inaccessible.

DISCUSSION

Although extensive research has been conducted dealing with certain geotechnical problems in loess, the gaps in our knowledge, and in our applied approach to loess problems, are numerous as well. For example, among the classic geotechnical properties of loess, the potential for sudden collapse or rapid consolidation upon saturation has the greatest notoriety. Cases of excessive settlement of building foundations have been reported in the U.S. leaving the general impression that collapse is imminent in all loess deposits, when this is not the case. The authors have observed instances where the opposite has occurred -- heave and "stretching" of single family dwellings from the swelling of expandable clay minerals present in the loess. In general, the amount of clay present is the controlling factor governing swell (Hallberg, 1978), and may be related to the systematics of loess deposition and development of a soil profile.

Perhaps even more hazardous than collapse from a geotechnical design standpoint is the widespread natural occurrence of isolated zones of semi-liquid loess, within an otherwise coherent sequence. These zones occur where the <u>in situ</u> moisture-content approximates, and often is above, the liquid limit. This material has tenta-tively been termed "Loess Mush" (Hallberg, et al., 1978), which

4

is descriptive of its natural consistency. The possibility of shear failure and/or excessive settlement of foundations placed on this material are obvious hazards to be considered. Although research is continuing in this area, it appears that this phenomenon may be attributed to capillary saturation above perched water tables. The extent of the mush is then also a function of overburden stress, i.e. -- density and thickness of the loess deposit. It is interesting to note that in Europe this phenomena has been recognized (Stefanoff and Ivanov, 1971); however it has gone unmentioned in the North American literature.

Perhaps no other geologic deposit exhibits such well-defined, systematic property variations as loess, primarily because it has been dispersed and transported by the wind. The variations in thickness and particle size distribution with increasing distance from a source have been extensively documented, and can be quantified with a high degree of precision. (A review is presented by Ruhe [1973], and those references will not be included in this paper except where other pertinent engineering properties are discussed. The reader is urged to consult specific references cited by Ruhe for a background of geologic and pedologic investigations of loess.) More recently, a mathematical explanation rather than simply an empirical description of the systematic loess thickness relationship has been attempted (Handy, 1976) and this general approach appears to have an application in exploring properties such as particle size distribution as well. Most of the geotechnical properties of loess are controlled or affected by the thickness and particle size distribution of the deposit. Further documentation of the relationship of geotechnical

5

properties with the systematic changes in these variables would certainly be useful.

The effect of sampling procedures on engineering properties, as shown in other parts of the world (Milovic 1971) needs further investigation. In light of more advanced techniques in both laboratory and <u>in situ</u> testing methods, the use of certain standard tests for loess soils may be inadequate (Varga 1965).

The state of the science of geotechnical engineering requires continual updating, to make the application of research a reality. Even though the knowledge acquired over the past decade has increased our understanding and appreciation of loess soils, current practices leave a variety of areas open for important and productive research.

REFERENCES CITED

- Hallberg, G. R., 1978. Calibration of Cole-Calculated Engineering Data for Montmorillonite Soils. Agronomy Abstracts, Ann. Meetings Soil Sci. Soc. Amer., p. 169.
- Hallberg, G. R., Fenton, T. E., Miller, G. A., and Lutenegger, 1978. The Iowan Erosion Surface: an old story, an important lesson, and some new wrinkles; in Anderson, R. (ed.), 42nd Annual Tri-State Geol. Field Conf. Guidebook, p. 2-1 to 2-94.
- Handy, R. L., 1976. Loess Distribution by Variable Winds. Geol. Soc. Amer. Bull., 87, p. 915-927.
- Milovic, D. M., 1971. Effect of Sampling on Some Loess Characteristics. Proc. Specialty Session on Quality in Soil Sampling, 4th Asian Reg. Conf. Soil Mech. Found. Engrg., p. 17-20.
- Ruhe, R. V., 1973. Background of Model for Loess-Derived Soils in the Upper Mississippi River Basin. Soil Science, 115, p. 250-253.
- Stefanoff, G. and Ivanov, I.P., 1971. On the Evaluation of the Shear Strength of Loess. Proc. 4th Conf. on Soil Mech., Budapest, p. 315-324. (in German)
- Thorp, J. and Smith, H. T. U., 1952. Pleistocene Eolian Deposits of the United States, Alaska, and parts of Canada: New York, Geol. Soc. Amer. map.
- Varga, L., 1965. The Compressibility of Loess Soils. Proc. 6th Int. Conf. Soil Mech. and Found. Engrg., 1, p. 395-397.

BIBLIOGRAPHY

References organized by main topic. Indexed subject matter follows reference listing:

- a. Composition-chemical, mineralogical, textural
- b. Moisture density relations-insitu, remolded
- c. Consistency Atterberg limits
- d. Shear strength
- e. Compressibility consolidation, collapse
- f. Permeability
- g. Stabilization chemical, mechanical
- h. Slope stability
- i. Settlement observations
- j. Field testing pile loadtest, plate bearing

Cross-indexing of main topic is denoted by an asterisk preceding the reference.

I. Engineering Characterization of Loess.

Abdun-Nur, E. A., 1959. Plastic Limit-Comparison of Cube and Standard Thread Test Methods. Am. Soc. Test. Mat., Spec. Tech. Publ., No. 254, p 212-215. (c)

Akiyama, Frank, 1964. Shear Strength Properties of Western Iowa Loess. Unpubl. M.S. Thesis, Iowa State Univ. Libr., Ames, Iowa. (a,b,c,d,e)

Arman, A., and Thornton, S. I., 1972. Collapsible Soils In Louisiana. Louisiana State Univ. Div. Eng. Res. Bull. No. 111. (a,b,c,e,g)

Badger, W. W., and Lohnes, R. A., 1972. Structure of Friable Iowa Loess. Hwy. Res. Rec., No. 429, p 14-23. (a,b,c,d) Discussion by: Huang, R. J. and Mahmood, A., p 23-25.

Bara, J. P., 1960. Laboratory Studies on Loessial Foundation and Embankment Samples-Sherman Dam-Farewell Unit, Nebraska. U.S. Bur. Reclamation, Earth Lab. Rept. EM-572.

*Benak, J. V., 1967. Engineering Properties of the Late Pleistocene Loess in the Omaha-Council Bluffs Area. Unpubl. Ph.D. Thesis, University of Illinois, Urbana. (a,b,c,d,e,f, i,j) Dahl, A. R., Davidson, D. T., and Roy, C. J., 1960. Petrography and Engineering Properties of Loess and Kansan Till in Southern Iowa. Ia. Eng. Exp. Sta. Bull., 191, p 93-132. (a,c)

Davidson, D. T., and Chu, T. Y., 1952. Dispersion of Loess for Mechanical Analysis. Hwy. Res. Bd. Proc., 31, p 500-510. (a,c)

Davidson, D. T., and Handy, R. L., 1952. Property Variations in the Peorian (Wisconsin) Loess of Southwestern Iowa. Ia. Acad. Sci. Proc., 59, p 248-265. (a,b,c)

Davidson, D. T. and Handy, R. L., 1953. Studies of the Clay Fraction in Southwestern Iowa Loess. 2nd Nat. Clay Min. Conf. on Clays and Clay Minerals, p 190-208. (a,c)

Davidson, D. T., Handy, R. L., and Chu, T. Y., 1953. Depth Studies of the Wisconsin Loess in Southwestern Iowa: Particle Size and In-Place Density. Ia. Acad. Sci. Proc., 60, p 333-353. (a,b)

Davidson, D. T., and Sheeler, J. B., 1952. Studies of the Clay Fraction in Engineering Soils: III. Influence of Amount of Clay on Engineering Properties. Hwy. Res. Bd. Proc., 31, p 558-563. (a,b,c)

Davidson, D. T. and Sheeler, J. B., 1952. Cation Exchange Capacity of Loess and its Relation to Engineering Properties. Am. Soc. Test. Mat. Special Tech. Pub. 142, p 1-19. (a,b,c)

Davidson, D. T., and Sheeler, J. B. 1953. Cation Exchange Capacity of the Clay Fraction of Loess in Southwestern Iowa. Ia. Acad. Sci. Proc., 60, p 354-361. (a,c)

Demirel, T., and Davidson, D. T., 1960. Stabilization of a Calcareous Loess with Calcium Lignosulfonate and Aluminum Sulfate. Ia. Acad. Sci. Proc., 67, p 290-314. (a,c,g)

Dudley, John H., 1970. Review of Collapsing Soils. Am. Soc. Civil Eng. Jour. of Soil Mech. and Found. Div., 96, SM3, p 925-947. (e)

Fox, N. S., Lohnes, R. A., and Handy, R. L., 1966. Depth Studies of Wisconsin Loess in Southwestern Iowa: IV Shear Strength. Ia. Acad. Sci. Proc., 73 p 193-204. (b,d,h)

Gibbs, H. J., 1961. Properties which divide loose and dense uncemented soils. U.S. Bur. Reclamation, Earth Lab. Rept. EM-608. (a,b,c,e) Gibbs, H. J., Hilf, J. W., Holtz, W. G. and Walker, F. C., 1960. Shear Strength of Cohesive Soils-Chapter VI, B: Loessial Soils. Proc. Am. Soc. Civil Engr. Res. Conf. on Shear Strength, p 121-127. (a,b,c,d)

*Gibbs, H. J., and Holland W. Y., 1960. Petrographic and Engineering Properties of Loess. Bureau of Reclamation Eng. Mon. No. 28. (a,b,c,d,e,f,i)

Handy, R. L., 1973. Collapsible Loess in Iowa. Soil Sci. Soc. Am. Proc., 37, No. 2, p 281-284. (a,b,c,e)

Handy, R. L., and Davidson, D. T., 1956. Evidence of Multiple Loess Deposition in Western Iowa. Ia. Acad. Sci. Proc., 63, p 470-476. (a,b)

Handy, R. L., and Davidson, D. T., 1957. Portland Cement Contents Required to Stabilize Eastern and Western Iowa Loesses. Ia. Acad. Sci. Proc., 64, p 276-313. (a,b,c,g)

Handy, R. L., Davidson, D. T., and Chu, T. Y., 1955. Effect of Petrographic Variation of Southwestern Iowa Loess on Stabilization with Portland Cement. Hwy. Res. Bd. Bull., 98, p 1-20. (a,b,c,d,g)

Handy, R. L., Lyon, D. A., and Davidson, D. T., 1955. Comparisons of Petrographic and Engineering Properties of Loess in Southwest, East Central, and Northeast Iowa. Ia. Acad. Sci. Proc., 62, p 279-297. (a,c)

Hansen, J. A., Dahl, A. R., and Davidson, D. T., 1958. Further Studies of Loess in Iowa: Thickness, Clay Content and Engineering Classification. Ia. Acad. Sci. Proc., 65, p 317-322. (a,c)

Haung, R. J. and Demirel, T., 1972. Micro-Pore-Size Analyses of a Friable Loess. Hwy. Res. Rec., No. 429, p 1-13. (a,b,c,d)

Hoover, J. M., Davidson, D. T., and Roegiers, J. V., 1958. Miniature Triaxial Shear Testing of a Quaternary Ammoniumchloride Stabilized Loess. Ia. Acad. Sci. Proc., 65, p 323-331. (a,b,c,d,g)

Kane, H., 1969. Consolidation of Two Loessial Soils. Hwy. Res. Rec. No. 284, p 26-36. (a,b,c,e)

Kane, H., 1973. Confined Compression of Loess. Proc. 8th Int. Conf. Soil Mech. and Found. Engrg., 2, p 115-122. (a,b,c,d,e) Kardoush, F. B., Hoover, J. M., and Davidson, D. T., 1957. Stabilization of Loess with a Promising Quaternary Ammonium Chloride. Hwy. Res. Bd. Proc., 36, p 736-754. (a,b,c,d,g)

Kolb, C. R., 1960. Physical Properties and Engineering Characteristics of Mississippi Loess (Abs). Geol. Soc. Am. Bull., 71, p 1906. (a,b,c)

*Krinitsky, E. L. and Turnbull, W. J., 1967. Loess Deposits of Mississippi. Geol. Soc. Am. Spec. Paper 94. (a,b,c,d,e,h)

Laguros, J. G., Davidson, D. T., Handy, R. L. and Chu, T. Y., 1956. Evaluation of Lime for Stabilization of Loess. Am. Soc. Test. Mat. Proc., 56, p 1301-1315. (a,c,d,g)

Liu, T. K., and Thornburn, T. H., 1965. Engineering Index Properties of Some Surficial Soils in Illinois. Univ. of Ill. Eng. Exp. Sta. Bull. 477. (a,c)

Lutton, R. J., 1969. Fractures and Failure Mechanics in Loess and Applications to Rock Mechanics. Waterways Experiment Sta., U.S. Army, Corps of Engrs., Res. Rep. No. S-69-1. (a,b,c,d,e,h)

Lyon, C. A., Handy, R. L., and Davidson, D. T., 1954. Property Variations in the Wisconsin Loess of East-Central Iowa. Ia. Acad. Sci. Proc., 61, p 291-312. (a,b,c)

Matalucci, R. V., Abdel-Hady, M., and Shelton, J. W., 1970. Influence of Grain Orientation on Direct Shear Strength of a Loessial Soil. Engrg. Geol., 4, No. 2, p 121-132. (a,d)

Matalucci, R. V., Abdel-Hady, M. and Shelton, J. W., 1970. Influence of Micro-Structure of Loess on Triaxial Shear Strength. Engrg. Geol. 4, p 341-351. (a,b,c,d)

Mielenz, R. C., Holland, W. T., and King, M. E., 1949. Engineering Petrography of Loess. Geol. Soc. Am. Bull. (Abs), 60, p 1909. (b)

Morrow, J. H., Harvey, I. W., Chaney, E. L., and Hendee, W. R., 1964. Permeability Measurements on Loess from the Vicksburg Area (Abs). Jour. Miss. Acad. Sci., 10, p 166.

Odell, R. T., Thornburn, T. H., and McKenzie, L. J., 1960. Relationship of Atterberg Limits to Some Other Properties of Illinois Soils. Soil Sci. Soc. Amer. Proc., 24, p 297-300. (a,c) Olson, Gerald, 1958. Direct Shear and Consolidation Tests of Undisturbed Loess. Unpubl. M.S. Thesis, Iowa State Univ. Libr., Ames, Iowa. (a,b,d,e)

Royster, D. L., 1963. Engineering Characteristics of the Loessial Soils of West Tennessee. Proc. 45th Annual Tenn. Hwy. Conf., Knoxville. (a,b)

Sheeler, J. B., 1968. Summarization and Comparison of Engineering Properties of Loess in the United States. Hwy. Res. Rec. No. 212, p 1-9. (a,b,c,d,e,f)

Sheeler, J. B., and Davidson, D. T., 1957. Further Correlation of Consistency Limits of Iowa Loess with Clay Content. Ia. Acad. Sci. Proc., 64, p 407-412. (a,c)

Sheeler, J. B., Ogilvie, J. C. and Davidson, D. T., 1957. Stabilization of Loess with Aniline-furfuryl. Hwy. Res. Bd. Proc., 36, p 755-772. (a,b,c,d,g)

Sinha, S. P., Davidson, D. T., and Hoover, J. M., 1957. Lignins as Stabilizing Agents for Northeastern Iowa Loess. Ia. Acad. Sci. Proc., 64, p 314-347. (a,b,c,d,g)

Sneddon, R. V., 1975. Stress-Strain Characterization of Two Compacted Soils. Trans. Res. Rec., No. 548, p 97-103. (a,b,c,d)

Terzaghi, K., 1955. The Influence of Geological Factors on the Engineering of Sediments. Economic Geology, 50th Anniversary Volume, II, p 557-618.

Thornburn, T. H., 1969. Analysis of Published Data: Loess-Derived Pedologic Soil Types. Specialty Session on Engineering Properties of Loess and Other Collapsible Soils. Paper 7, 7th Int. Conf. Soil Mech. and Found. Engrg. (a,c)

U.S. Bur. Reclamation, 1949. Petrographic Characteristics of Loess - Trenton Dam - Frenchman - Cambridge Division -Missouri River Basin Project: Petr. Lab. Proj. No. Pet. 93.

U.S. Bur. Reclamation, 1955. Engineering Properties of Loessial Soils. Earth Lab. Rept. EM-426.

U.S. Waterways Experiment Station, 1940. Results of Triaxial Compression Tests of Loess from Foundation and Abutments of Mill Creek Dam, Walla Walla, Wash. Res. Rept. 156-2.

II. Engineering Performance of Loess.

Bassett, J. R., McDaniel, A. R., and Knight, S. J., 1966. Variation in Trafficability of Four Loess Soils. U.S. Waterways Experiment Station Res. Rept. 4-830. (a,b,c,d)

*Bollen, R. E., 1945. Characteristics and Uses of Loess in Highway Construction. Am. Jour. Sci., 243, p 283-293. (a,c)

Campen, W. H., Erickson, L. G., Mertz, L. R., and Smith, T. A., 1967. Retention of Density in Loess Subgrades and Soil-Aggregate Base Mixtures. Hwy. Res. Rec., No. 177, p 210-218. (a,b,c)

*Clevenger, William, A., 1958. Experiences with Loess as Foundation Material. Am. Soc. Civil Engr. Trans., 123, p 151-170. (a,c,d,e,i,j)

Discussions by: Cedergren, H. R., p 170-171 Clevenger, W. A., p 179-180 Peck, R. B. and Ireland, H. O., p 171-179 (b,i,j)

Gibbs, H. J., 1955. Summary of Research Studies on Loess for Uses as Foundations and Construction Material. U.S. Bur. Reclamation, Earth Lab. Rept. No. EM-424.

Gwynne, C. S., 1950. Terraced Highway Side Slopes in Loess, Southwestern Iowa. Geol. Soc. Amer. Bull., 61, p 1347-1354. (a,c,h)

Holtz, W. G., and Gibbs, H. J., 1953. USA Field Tests to Determine the Behavior of Piles in Loess. Proc. 3rd Int. Conf. Soil Mech. and Found. Engrg., 2, p 51-56. (a,b,j)

*Holtz, W. G., and Gibbs, H. J., 1951. Consolidation and Related Properties of Loessial Soils. Am. Soc. Test. Mat. Spec. Tech. Pub. 126, p 9-33. (a,b,c,d,e,f,i) Discussions by: Palmer, L. A. p 27

Closure by: Holtz, W. G., and Gibbs, H. J., p 32-33.

Holtz, W. G. and Hilf, J. W., 1961. Settlement of Soil Foundations Due to Saturation. Proc. 5th Int. Conf. Soil Mech. and Found. Engr., 1, p 673-679. (a,b,c,d,e,f,i) Iowa Road Carved Through Loess Bluffs. Engineering News Record, 125, p 277-279, 1940. (h)

Johnson, G. E., 1953. Stabilization of Soil by Silt Injection Methods. Am. Soc. Civil Engr. Proc., 79, No. 325. (a,g)

Judd, W. R., 1950. Loess as a Foundation Material (Abs). Geol. Soc. Amer. Bull., 61, p 1554.

Judd, W. R. and King, M. E., 1952. Loess-its Petrography, Physical Behavior and Relationship to Engineering Structures (Abs). Geol. Soc. Amer. Bull., 63, p 1268-1269.

Keene, K. R., 1970. Problems with Highway Cuts in Loess Near East St. Louis, Illinois. 20th Ann. Hwy. Geol. Symp., Ill. Univ., Urbana, p 30-47. (h)

Leonards, G. A., et.al., 1973. Problems of Soil Mechanics and Construction on Soft Clays and Structurally Unstable Soils (collapsible, Expansive and Others). Proc. 8th Int. Conf. Soil Mech. and Found. Engrg., 4.2, p 97-133.

Lofgren, B. E., 1969. Land Subsidence Due to the Application of Water, Reviews in Engineering Geology - 2, Geol. Soc. Am., p 271-303. (a,b,e,i)

Lohnes, R. A., and Handy, R. L., 1968. Slope Angles in Friable Loess. Jour. Geol., 76, p 247-258. (b,d,h)

Lutton, R. J., 1971. A Mechanism for Progressive Rock Mass Failure as Revealed by Loess Slumps. Int. Jour. Rock Mech. Min. Sci., 8, No. 2, p 143-151. (h)

Morrison, L. L., 1968. Procedures and Problems of Highway Soils Engineering on Loessial Terrain in Alaska. Hwy. Res. Rec. No. 212, p 33-38. (a,c,h)

Peck, O. K., and Peck, R. B., 1948. Settlement of Foundation Due to Saturation of Loess Subsoil. Proc. 2nd Int. Conf. Soil Mech. and Found. Engrg., 4, p 4-5. (a,i)

* Royster, D. L. and Rowan, W. H., 1968. Highway Design and Construction Problems Associated with the Loessial Soils of West Tennessee. Hwy. Res. Rec. No. 212, p 28-32. (a,b,c, d,h) Spigolon, S. J., 1963. Investigation of Size Effect for Circular Footings on Loess. Unpubl. Ph.D. Thesis, Univ. Ill.

Turnbull, W. J., 1941. Steep Slopes Used in Nebraska Loess Soil. Civil Engrg., 11, No. 9, 526-528. (b,d,h)

*Turnbull, W. J., 1948. Utility of Loess as a Construction Material. Proc. 2nd Int. Conf. Soil Mech. and Found. Engrg., 5, p 97-103. (a,b,d,e,f,h,i)

Turnbull, W. J., 1968. Construction Problems Experienced with Loess Soils. Hwy. Res. Rec. No. 212, p 10-27. (a,d,h,i)

Turnbull, W. J., and Hvorslev, M. J., 1967. Special Problems in Slope Stability. Am. Soc. Civil Engr. Jour. Soil Mech. and Found. Div., 93, SM4, p 499-528. (e,h)

U.S. Bur. Reclamation, 1951. Report of Loess Research Studies for the Ashton Pile Testing Program -- Lower Platte River Area - Missouri River Basin Project, Nebraska. Earth Lab Rept. EM-278.

*Watkins, W. I., 1945. Observations on the Properties of Loess in Engineering Structures. Am. Jour. Sci., 243, p 294-303. (a,c)