

A d d e n d u m

Iowa Department of Transportation
Office of Contracts

Date of Letting: March 20, 2012
Date of Addendum: March 13, 2012

B.O.	Proposal ID	Proposal Work Type	County	Project Number	Addendum
151	07-2187-218	HMA PAVEMENT - GRADE AND REPLACE	BLACK HAWK	STPN-218-7(218)--2J-07	20MAR151.A01

Notice: Only the bid proposal holders receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the proposal holder.

Attached is a SCHEDULE OF PRICES for the following items:

Line No. 0841 2599-9999018 TEMPORARY SIDEWALK PAVEMENT

Bid this item as instructed and submit the bid for this item with the Bid Proposal.

Make the following changes to the PROPOSAL SCHEDULE OF PRICES:

Change Line No. 0090 2213-6745500 REMOVAL OF CURB from 12.800 STA to 13.300 STA.

Change Line No. 0260 2504-0114008 SANITARY SEWER GRAVITY MAIN, TRENCHED, POLYVINYL CHLORIDE PIPE (PVC), 8 IN. from 889.000 LF to 938.000 LF.

Change Line No. 0270 2504-0114010 SANITARY SEWER GRAVITY MAIN, TRENCHED, POLYVINYL CHLORIDE PIPE (PVC), 10 IN. from 960.000 LF to 912.000 LF.

Change Line No. 0330 2511-6745900 REMOVAL OF SIDEWALK from 811.700 SY to 967.900 SY.

Change Line No. 0340 2511-7526004 SIDEWALK P.C. CONCRETE, 4 IN. from 811.700 SY to 798.600 SY.

Change Line No. 0360 2511-7526006 SIDEWALK P.C. CONCRETE, 6 IN. from 121.100 SY to 287.200 SY.

Change Line No. 0370 2511-7528101 DETECTABLE WARNINGS from 156.000 SF to 196.000 SF.

Change Line No. 0380 2512-1725256 CURB AND GUTTER, P.C. CONCRETE, 2.5 FT.
from 1,280.000 LF to 1,330.000 LF.

Change Line No. 0400 2515-6745600 REMOVAL OF PAVED DRIVEWAY from
633.000 SY to 633.100 SY.

Change Line No. 0460 2524-9325001 TYPE A SIGNS, SHEET ALUMINUM from
85.000 SF to 409.000 SF.

Change Line No. 0520 2529-5070110 PATCHES, FULL-DEPTH FINISH, BY AREA
from 234.000 SY to 220.500 SY.

Change Line No. 0680 2554-0204107 WATER SERVICE STUB, COPPER, ¾ IN. from
346.000 EACH to 32.000 EACH.

Change Line No. 0690 2554-0204107 WATER SERVICE STUB, COPPER, ¾ IN.,
(DIRECTIONAL DRILLED) from 342.000 EACH to 6.000 EACH.

If the quantities are not changed on the proposal form, the bid amounts will be extended using
the unit price times the correct quantities as shown here.

Make the following change to the Proposal Special Provisions List and the Proposal Special
Provisions Text.:

Add the following Special Provisions:

720.122 NON-POINT 25 UTILITY DATA

*** NON-POINT 25 Utility Data ***

This Estimating Proposal has an attachment of the "NON-POINT 25 Utility
Data". This attachment is for information only.

Attached Utility Bid Attachment (Non-Point 25)

Make the following change to SP-090186 Pedestrian Accessibility Accommodation:

For 090186.02, A:

Replace:

1. The vehicle shall be a minimum seven passenger van equipped with wheel chair lift or another similar vehicle.

With:

1. The vehicle shall be a van equipped with wheel chair lift plus accommodations for two additional passengers or another similar vehicle.

Make the following change to plan sheet C.1:

Replace Tabulation Estimated Project Quantities with attached Tabulation Estimated Project Quantities

Make the following change to plan sheet C.2:

For Item Code 2101-0850002 CLEARING AND GRUBBING replace the existing description with the following description:

Refer to Tabulation MSA-7, Standard Note MSA-21, and Sheets M.1-M.8 for additional information. All trees will be cut to approximately 18 inches above ground line in advance of the project by the DOT. Contractor will be required to clear and grub the remaining tree stumps.

Make the following change to plan sheet C.4:

For Item Code 2599-9999018 TEMPORARY SIDEWALK PAVEMENT add the following Estimate Reference Information:

Refer to Tabulation MSA-26. HMA sidewalk shall be installed to provide temporary access for residents to their properties. Removal of all temporary sidewalk to facilitate final PCC sidewalk construction shall be considered inclusive to the work. Refer to Section 2303 of the Standard Specifications for Description and Construction. Aggregate shall be Type B and pavement shall be a minimum of 2 inches thick. Measurement and payment shall be per square yard of temporary sidewalk satisfactorily installed.

Make the following change to plan sheet C.5:

Tabulation 105-4, delete entry TC-203 Aerial Seeding Operations dated 10-16-07

Tabulation 108-23A, delete “The Iowa DOT will sign and implement the detour.”

Make the following change to plan sheet C.10:

Add attached Tabulation MSA-8

Add attached Tabulation MSA-26

Make the following change to plan sheet C.11:

Replace Tabulation MSA-10 with attached Tabulation MSA-10

Replace Tabulation MSA-11 with attached Tabulation MSA-11

Make the following change to plan sheet C.12:

Replace Tabulation MSA-17 with attached Tabulation MSA-17

Make the following change to plan sheets S.1-S.4:

Replace:

PROVIDE RESIDENT ACCESS TO HOMES AT ALL TIMES. CONSIDERED INCIDENTAL TO THE UTILITY INSTALLATION COST. CONTRACTOR SHALL HMA SIDEWALK 4’ WIDE, DAILY. TEMPORARY HMA SIDEWALK CONSTRUCTION SHALL BE ALL DISTURBED SIDEWALK SHALL BE RESTORED TEMPORARILY WITH 2" THICK (MIN) ALL EXCAVATIONS DISTURBING SIDEWALK SHALL BE BACKFILLED TO GRADE DAILY.

With:

ALL EXCAVATIONS DISTURBING SIDEWALK SHALL BE BACKFILLED TO GRADE DAILY. TEMPORARY SIDEWALK SHALL BE INSTALLED IN THE LOCATIONS IDENTIFIED ON TABLE MSA-26 WITH 2” THICK MINIMUM HMA. PROVIDE RESIDENT ACCESS TO HOMES AT ALL TIMES.

PROPOSAL ADDENDUM - SCHEDULE OF PRICES

Proposal ID No.: 07-2187-218
 Primary Work Type: HMA PAVEMENT - GRADE AND REPLACE
 Primary County: BLACK HAWK

Bid Order No.: 151
 Letting Date: March 20, 2012
 10:00 A.M.

ITEMS LISTED ON THIS PAGE ARE ADDED BY ADDENDUM 20MAR151.A01

Line No	Item Number Item Description	Item Quantity and Unit	Unit Price		Bid Amount	
			Dollars	Cts	Dollars	Cts
Section 0001 (CONTINUED) ROADWAY ITEMS						
0841	2599-9999018 TEMPORARY SIDEWALK PAVEMENT	671.000 SY				
	Total Bid		.		.	

Estimated Project Quantities

Item #	Item Code	Item	Unit	Div. 1	Div. 2	Div. 3	Total
1	2101-0850002	CLEARING AND GRUBBING	UNIT		400	570	970
2	2102-0425070	SPECIAL BACKFILL	TON		4,000.0	629.0	4,629.0
3	2102-2713070	EXCAVATION, CLASS 13, ROADWAY AND BORROW	CY	2,705.0	150.0		2,855.0
4	2105-8425015	TOPSOIL, STRIP, SALVAGE AND SPREAD	CY	18.0	60.0	480.0	558.0
5	2113-0001100	SUBGRADE STABILIZATION MATERIAL, POLYMER GRID	SY	7,353.0	369.0		7,722.0
6	2115-0100000	MODIFIED SUBBASE	CY	2,692.2	142.6		2,834.8
7	2121-7425020	GRANULAR SHOULDERS, TYPE B	TON	14.0			14.0
8	2123-7450000	SHOULDER CONSTRUCTION, EARTH	STA	1.60			1.60
9	2213-6745500	REMOVAL OF CURB	STA	8.10	3.50	1.70	13.30
10	2303-0031750	HOT MIX ASPHALT MIXTURE (1,000,000 ESAL), BASE COURSE, 3/4 IN. MIX	TON	3,072.1	102.5		3,174.6
11	2303-0032500	HOT MIX ASPHALT MIXTURE (1,000,000 ESAL), INTERMEDIATE COURSE, 1/2 IN. MIX	TON	780.1	26.0		806.1
12	2303-0033504	HOT MIX ASPHALT MIXTURE (1,000,000 ESAL), SURFACE COURSE, 1/2 IN. MIX, FRICTION L-4	TON	585.5	19.5		605.0
13	2303-0246422	ASPHALT BINDER, PG 64-22	TON	266.3	8.9		275.2
14	2303-6911000	HOT MIX ASPHALT PAVEMENT SAMPLES	LS	1.00			1.00
15	2303-9093010	HOT MIX ASPHALT, DRIVEWAY	SY			8.4	8.4
16	2315-8275030	SURFACING, DRIVEWAY, CLASS C GRAVEL	TON			4.2	4.2
17	2401-6750001	REMOVALS, AS PER PLAN (FIRE HYDRANTS)	LS			1.00	1.00
18	2401-6750001	REMOVALS, AS PER PLAN (SANITARY SEWER MANHOLES)	LS		1.00		1.00
19	2402-0425031	GRANULAR BACKFILL	TON	170.0	2,485.0	4,900.0	7,555.0
20	2435-0130148	MANHOLE, SANITARY SEWER, SW-301, 48 IN.	EACH		9		9
21	2435-0600010	MANHOLE ADJUSTMENT, MINOR	EACH	12	2	1	15
22	2435-0700010	CONNECTION TO EXISTING MANHOLE	EACH		1		1
23	2435-0700020	CONNECTION TO EXISTING INTAKE	EACH	2			2
24	2503-0114612	STORM SEWER GRAVITY MAIN, TRENCHED, REINFORCED CONCRETE PIPE (RCP), 3750D (CLASS V), 12 IN.	LF	36.0			36.0
25	2503-0200036	REMOVE STORM SEWER PIPE LESS THAN OR EQUAL TO 36 IN.	LF	36			36
26	2504-0114008	SANITARY SEWER GRAVITY MAIN, TRENCHED, POLYVINYL CHLORIDE PIPE (PVC), 8 IN.	LF		938.0		938.0
27	2504-0114010	SANITARY SEWER GRAVITY MAIN, TRENCHED, POLYVINYL CHLORIDE PIPE (PVC), 10 IN.	LF		912.0		912.0
28	2504-0200404	SANITARY SEWER SERVICE STUB, POLYVINYL CHLORIDE PIPE (PVC), 4 IN.	LF		1380		1380
29	2504-0240036	REMOVE SANITARY SEWER PIPE LESS THAN OR EQUAL TO 36 IN.	LF		1153		1153
30	2504-0240236	SANITARY SEWER ABANDONMENT, FILL AND PLUG, LESS THAN OR EQUAL TO 36 IN. DIA.	LF		785		785
31	2506-4984000	FLOWABLE MORTAR	CY	14.0			14.0
32	2510-6745850	REMOVAL OF PAVEMENT	SY	6,889.4	334.3		7,223.7
33	2511-6745900	REMOVAL OF SIDEWALK	SY	266.5	50.3	651.1	967.9
34	2511-7526004	SIDEWALK, P.C. CONCRETE, 4 IN.	SY	0.0	147.5	651.1	798.6
35	2511-7526006	SIDEWALK, P.C. CONCRETE, 6 IN.	SY	124.8	162.4		287.2
36	2511-7526006	SIDEWALK, P.C. CONCRETE, 6 IN. , COLORED/STAMPED	SY	25.6	95.5		121.1
37	2511-7528101	DETECTABLE WARNINGS	SF	196			196
38	2512-1725256	CURB AND GUTTER, P.C. CONCRETE, 2.5 FT.	LF	810.0	350.0	170.0	1,330.0
39	2515-2475006	DRIVEWAY, P.C. CONCRETE, 6 IN.	SY	221.8	96.0	306.8	624.6
40	2515-6745600	REMOVAL OF PAVED DRIVEWAY	SY	221.8	96.0	315.3	633.1
41	2518-6910000	SAFETY CLOSURE	EACH	14			14
42	2520-3350010	FIELD LABORATORY	EACH	1			1
43	2523-0000100	LIGHTING POLES , BASE ONLY, TYPE A	EACH		13		13
44	2524-6765010	REMOVE AND REINSTALL SIGN AS PER PLAN	EACH	6			6
45	2524-9275100	WOOD POSTS FOR TYPE A OR B SIGNS, 4 IN. X 4 IN.	LF	602.0			602.0
46	2524-9325001	TYPE A SIGNS, SHEET ALUMINUM	SF	409			409
47	2526-8285000	CONSTRUCTION SURVEY	LS	1.00			1.00
48	2527-9263109	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED	STA	42.52			42.52
49	2527-9270111	GROOVES CUT FOR PAVEMENT MARKINGS	STA	7.90			7.90
50	2528-8445110	TRAFFIC CONTROL	LS	1.00			1.00
51	2528-8445113	FLAGGERS	EACH				See Prop.
52	2529-5070110	PATCHES, FULL-DEPTH FINISH, BY AREA	SY	25.0		195.5	220.5
53	2529-5070120	PATCHES, FULL-DEPTH FINISH, BY COUNT	EACH	2		2	4
54	2533-4980005	MOBILIZATION	LS	1.00			1.00
55	2554-0112006	WATER MAIN, TRENCHED, DUCTILE IRON PIPE (DIP), 6 IN.	LF			45	45
56	2554-0114012	WATER MAIN, TRENCHED, POLYVINYL CHLORIDE PIPE (PVC), 12 IN.	LF			2051	2051
57	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, 12 IN. 45 DEGREE BEND	EACH			6	6
58	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, 12 IN. CAP	EACH			1	1
59	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, 12 IN. CROSS	EACH			1	1
60	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, 12 IN. TEE	EACH			2	2
61	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, 12 IN. X 6 IN. REDUCER	EACH			2	2
62	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, 12 IN. X 6 IN. TEE	EACH			6	6
63	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, 12 IN. X 8 IN. REDUCER	EACH			1	1
64	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, 8 IN. TEE	EACH			1	1
65	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, CONNECT TO EXISTING WATER MAIN, 12 IN.	EACH			2	2
66	2554-0202200	FITTINGS BY COUNT, DUCTILE IRON, CONNECT TO EXISTING WATER MAIN, 6 IN.	EACH			2	2

LIGHTING INSTALLATIONS

MSA - 8

Location		RM-32			Footing Type	Remarks
No.	Station	Type	A	E		
1	40+01.84, 19.36' RT				TYPE A	
2	48+99.23, 19.78' LT				TYPE A	
3	50+52.87, 19.79' RT				TYPE A	
4	52+21.27, 20.35' LT				TYPE A	
5	53+58.05, 20.14' RT				TYPE A	
6	55+12.49, 20.07' LT				TYPE A	
7	56+22.95, 20.05' RT				TYPE A	
8	57+29.13, 19.86' LT				TYPE A	
9	58+33.11, 19.97' RT				TYPE A	
10	59+58.87, 20.60' LT				TYPE A	
11	60+67.33, 20.02' RT				TYPE A	
12	61+72.70, 19.80' LT				TYPE A	
13	63+05.41, 25.60' RT				TYPE A	

TEMPORARY SIDEWALK

MSA - 26

Begin Station	End Station	SIDE	AREA SY	REMARKS
46+32.7	54+61.5	RT	365	WATERMAIN
46+61.5	46+77.2	LT	8	SANITARY SEWER
48+25.0	48+42.7	LT	8	SANITARY SEWER
48+78.6	48+90.6	LT	5	SANITARY SEWER
50+11.7	50+20.6	LT	4	SANITARY SEWER
51+00.4	51+11.7	LT	6	SANITARY SEWER
51+51.1	51+64.1	LT	6	SANITARY SEWER
52+29.0	52+39.0	LT	5	SANITARY SEWER
53+08.2	53+15.9	LT	4	SANITARY SEWER
53+59.2	53+68.2	LT	4	SANITARY SEWER
54+25.0	54+75.6	LT	27	DOT
55+03.3	59+71.7	LT	54	WATERMAIN
59+92.7	62+63.4	LT	121	WATERMAIN

CURB REPLACE

MSA-10

Begin Station	End Station	Side	Length	Remarks
			FT	
46+67.9	46+75.9	LT	10.0	Sanitary Sewer
46+87.5	46+95.5	RT	10.0	Sanitary Sewer
47+28.3	47+36.3	LT	10.0	Sanitary Sewer
47+62.7	47+70.7	RT	10.0	Sanitary Sewer
48+09.4	48+17.4	RT	10.0	Sanitary Sewer
48+28.6	48+45.5	LT	20.0	Sanitary Sewer
48+30.6	48+38.6	RT	10.0	Sanitary Sewer
48+80.7	48+88.7	LT	10.0	Sanitary Sewer
48+76.7	48+84.7	RT	10.0	Sanitary Sewer
49+46.3	49+54.3	RT	10.0	Sanitary Sewer
50+13.4	50+21.4	LT	10.0	Sanitary Sewer
50+80.5	50+88.5	RT	10.0	Sanitary Sewer
51+02.5	51+09.7	LT	10.0	Sanitary Sewer
51+55.5	51+63.5	LT	10.0	Sanitary Sewer
51+63.6	51+71.6	RT	10.0	Sanitary Sewer
52+06.4	52+12.1	RT	10.0	Sanitary Sewer
52+31.0	52+43.1	LT	10.0	Sanitary Sewer
52+92.8	53+03.7	RT	10.0	Sanitary Sewer
53+10.2	53+22.1	LT	10.0	Sanitary Sewer
53+60.8	53+68.8	RT	10.0	Sanitary Sewer
53+97.4	54+78.5	LT	100.0	DOT Re-alignment
54+01.4	54+61.5	RT	60.0	Watermain
54+61.5	54+62.5	RT	10.0	DOT Curb Ramp
55+03.0	55+19.3	RT	30.0	DOT Curb Ramp
55+19.3	55+49.6	RT	30.0	Watermain
55+01.4	55+03.8	LT	10.0	DOT Curb Ramp
55+03.8	55+14.3	LT	10.0	Watermain
55+14.3	55+24.9	LT	10.0	DOT Curb Ramp
55+73.3	55+81.3	LT	10.0	Sanitary Sewer
56+41.7	56+51.9	RT	10.0	Sanitary Sewer
56+48.5	56+56.5	LT	10.0	Sanitary Sewer
57+59.9	57+67.9	RT	10.0	Sanitary Sewer
57+75.0	57+83.0	LT	10.0	Sanitary Sewer
58+37.2	58+43.5	RT	10.0	Watermain
58+43.5	58+49.9	RT	10.0	Sanitary Sewer
59+16.7	59+24.7	LT	10.0	Sanitary Sewer
59+54.0	59+72.2	LT	20.0	Watermain
59+72.2	59+73.0	LT	10.0	DOT Curb Ramp
59+91.5	59+92.3	RT	10.0	DOT Curb Ramp
59+92.3	60+10.0	LT	20.0	Watermain
59+70.8	59+73.6	LT	10.0	DOT Curb Ramp
59+91.6	59+93.7	RT	10.0	DOT Curb Ramp
60+23.5	60+31.5	LT	10.0	Sanitary Sewer
60+63.5	60+71.5	LT	10.0	Sanitary Sewer
60+69.0	60+77.0	RT	10.0	Sanitary Sewer
61+30.4	61+38.4	RT	10.0	Sanitary Sewer
61+41.0	61+49.0	LT	10.0	Sanitary Sewer
61+76.8	61+84.8	LT	10.0	Sanitary Sewer
62+33.1	62+45.1	LT	10.0	Sanitary Sewer
62+45.1	62+63.8	LT	20.0	Watermain
62+63.8	62+64.6	LT	10.0	DOT Curb Ramp
62+61.8	62+64.4	RT	10.0	DOT Curb Ramp
62+87.6	65+63.6	LT	300.0	DOT Re-alignment
62+85.6	65+65.5	RT	290.0	DOT Re-alignment

SIDEWALK REMOVAL

MSA-11

Begin Station	End Station	Length	Area	Remarks
		FT	SY	
46+58.3	47+43.1	84.8	39.7	Water main
47+59.8	48+08.0	48.2	22.7	Water main
48+23.9	48+80.0	56.1	26.0	Water main
48+91.6	50+00.0	108.4	49.2	Water main
50+22.7	51+76.7	154.0	71.2	Water main
51+91.2	52+49.2	58.0	26.8	Water main
52+61.6	54+53.0	191.4	81.9	Water main
54+53.0	54+61.9	8.9	3.8	DOT Curb Ramp
48+25.0	48+31.3	6.3	2.8	Sanitary Sewer
48+78.8	48+90.7	11.9	5.3	Sanitary Sewer
50+11.7	50+16.7	5.0	2.8	Sanitary Sewer
50+16.7	50+20.7	4.0	1.8	Sanitary Sewer
51+00.5	51+11.8	11.3	5.0	Sanitary Sewer
51+51.2	51+56.2	5.0	2.8	Sanitary Sewer
51+56.2	51+64.2	8.0	3.6	Sanitary Sewer
52+29.0	52+39.0	10.0	4.4	Sanitary Sewer
53+08.2	53+15.9	7.7	3.4	Sanitary Sewer
53+59.2	53+64.2	5.0	2.8	Sanitary Sewer
53+64.2	53+68.2	4.0	1.8	Sanitary Sewer
54+25.1	54+32.4	7.3	3.7	Sanitary Sewer
54+32.4	54+35.8	3.4	1.7	DOT Curb Ramp
54+46.4	54+67.6	21.2	11.3	DOT Curb Ramp
54+67.6	54+75.6	7.9	5.1	DOT Curb Ramp
55+03.5	55+14.6	11.1	6.4	DOT Curb Ramp
55+14.6	55+18.6	4.0	1.8	DOT Curb Ramp
55+14.0	55+19.3	5.3	5.9	DOT Curb Ramp
55+18.6	55+72.9	54.3	24.7	Water main
55+81.4	56+41.7	60.4	27.5	Water main
56+53.1	57+58.0	104.9	52.1	Water main
57+70.7	58+33.5	62.9	32.2	Water main
58+47.3	59+62.9	115.6	51.7	Water main
59+62.9	59+71.9	9.0	4.7	DOT Curb Ramp
55+03.4	55+15.0	11.6	5.7	DOT Curb Ramp
55+15.0	55+19.0	4.0	1.7	DOT Curb Ramp
55+14.4	55+19.8	5.3	4.2	DOT Curb Ramp
55+86.6	55+98.6	12.0	5.3	Water main
56+53.2	56+63.4	10.2	4.6	Water main
57+43.3	57+56.6	13.3	5.9	Water main
57+56.6	57+64.9	8.3	3.7	Sanitary Sewer
57+64.9	57+69.9	5.0	2.8	Sanitary Sewer
58+35.2	58+43.5	8.3	3.7	Water main
58+43.5	58+51.9	8.4	3.7	Sanitary Sewer
58+83.4	58+96.4	13.0	5.8	Water main
59+50.5	59+62.9	12.4	5.6	Water main
59+62.9	59+72.3	9.4	4.8	DOT Curb Ramp
59+92.6	60+01.7	9.0	4.7	DOT Curb Ramp
60+01.7	61+19.1	117.4	52.5	Water main
61+35.9	62+54.5	118.6	62.3	Water main
62+54.5	62+63.5	9.0	4.7	DOT Curb Ramp
62+88.1	65+61.0	272.9	162.5	DOT
62+88.2	63+08.4	20.2	16.1	DOT
65+42.4	65+63.0	20.6	21.3	DOT

SIDEWALKS

MSA-17

See MI-220 and S Sheets

Road Identification	Station to Station		Side	Sidewalk Length	4" PCC Sidewalk	6" PCC Sidewalk	Detectable Warnings	Remarks
				FT	SY	SY	SF	
Commercial St. (Hwy 218)	46+58.3	47+43.1	RT	84.7	39.7			WATER MAIN
Commercial St. (Hwy 218)	47+59.8	48+08.0	RT	48.2	22.7			WATER MAIN
Commercial St. (Hwy 218)	48+23.9	48+80.0	RT	56.1	26.0			WATER MAIN
Commercial St. (Hwy 218)	48+91.6	50+00.0	RT	108.4	49.2			WATER MAIN
Commercial St. (Hwy 218)	50+22.7	51+76.7	RT	154.0	71.2			WATER MAIN
Commercial St. (Hwy 218)	51+91.2	52+49.2	RT	58.0	26.8			WATER MAIN
Commercial St. (Hwy 218)	52+61.6	54+53.0	RT	191.4	81.9			WATER MAIN
Commercial St. (Hwy 218)	54+53.0	54+61.9	RT	8.9		3.8	8	DOT CURB RAMP
Commercial St. (Hwy 218)	48+25.0	48+31.3	LT	6.3	2.8			SANITARY SEWER
Commercial St. (Hwy 218)	48+78.8	48+90.7	LT	11.9	5.3			SANITARY SEWER
Commercial St. (Hwy 218)	50+11.7	50+16.7	LT	5.0	2.8			SANITARY SEWER
Commercial St. (Hwy 218)	50+16.7	50+20.7	LT	4.0	1.8			SANITARY SEWER
Commercial St. (Hwy 218)	51+00.5	51+11.8	LT	11.3	5.0			SANITARY SEWER
Commercial St. (Hwy 218)	51+51.2	51+56.2	LT	5.0	2.8			SANITARY SEWER
Commercial St. (Hwy 218)	51+56.2	51+64.2	LT	8.0	3.6			SANITARY SEWER
Commercial St. (Hwy 218)	52+29.0	52+39.0	LT	10.0	4.4			SANITARY SEWER
Commercial St. (Hwy 218)	53+08.2	53+15.9	LT	7.7	3.4			SANITARY SEWER
Commercial St. (Hwy 218)	53+59.2	53+64.2	LT	5.0	2.8			SANITARY SEWER
Commercial St. (Hwy 218)	53+64.2	53+68.2	LT	4.0	1.8			SANITARY SEWER
Commercial St. (Hwy 218)	54+25.1	54+32.4	LT	7.3	3.7			SANITARY SEWER
Commercial St. (Hwy 218)	54+32.4	54+35.8	LT	3.4		1.7	8	DOT CURB RAMP
Commercial St. (Hwy 218)	54+46.4	54+67.6	LT	21.2		11.3	8	DOT CURB RAMP
Commercial St. (Hwy 218)	54+67.6	54+75.6	LT	8.0		5.1	8	DOT CURB RAMP
Commercial St. (Hwy 218)	55+03.5	55+14.6	LT	11.1		6.4	8	DOT CURB RAMP
Commercial St. (Hwy 218)	55+14.6	55+18.6	LT	4.0		1.8	8	DOT CURB RAMP
Commercial St. (Hwy 218)	55+14.0	55+19.3	LT	5.3		5.9	8	DOT CURB RAMP
Commercial St. (Hwy 218)	55+18.6	55+72.9	LT	54.3	24.7			WATER MAIN
Commercial St. (Hwy 218)	55+81.4	56+41.7	LT	60.3	27.5			WATER MAIN
Commercial St. (Hwy 218)	56+53.1	57+58.0	LT	104.9	52.1			WATER MAIN
Commercial St. (Hwy 218)	57+70.7	58+33.5	LT	62.8	32.2			WATER MAIN
Commercial St. (Hwy 218)	58+47.3	59+62.9	LT	115.6	51.7			WATER MAIN
Commercial St. (Hwy 218)	59+62.9	59+71.9	LT	9.0		4.7	8	DOT CURB RAMP
Commercial St. (Hwy 218)	55+03.4	55+15.0	RT	11.6		5.7	8	DOT CURB RAMP
Commercial St. (Hwy 218)	55+15.0	55+19.0	RT	4.0		1.7	8	DOT CURB RAMP
Commercial St. (Hwy 218)	55+14.4	55+19.8	RT	5.4		4.2	8	DOT CURB RAMP
Commercial St. (Hwy 218)	55+86.6	55+98.6	RT	12.0	5.3			WATER MAIN
Commercial St. (Hwy 218)	56+53.2	56+63.4	RT	10.2	4.6			WATER MAIN
Commercial St. (Hwy 218)	57+43.3	57+56.6	RT	13.3	5.9			WATER MAIN
Commercial St. (Hwy 218)	57+56.6	57+64.9	RT	8.3	3.7			SANITARY SEWER
Commercial St. (Hwy 218)	57+64.9	57+69.9	RT	5.0	2.8			SANITARY SEWER
Commercial St. (Hwy 218)	58+35.2	58+43.5	RT	8.3	3.7			WATER MAIN
Commercial St. (Hwy 218)	58+43.5	58+51.9	RT	8.4	3.7			SANITARY SEWER
Commercial St. (Hwy 218)	58+83.4	58+96.4	RT	13.0	5.8			WATER MAIN
Commercial St. (Hwy 218)	59+50.5	59+62.9	RT	12.4	5.6			WATER MAIN
Commercial St. (Hwy 218)	59+62.9	59+72.3	RT	9.4		4.8	8	DOT CURB RAMP
Commercial St. (Hwy 218)	59+92.6	60+01.7	LT	9.1		4.7	8	DOT CURB RAMP
Commercial St. (Hwy 218)	60+01.7	61+19.1	LT	117.4	52.5			WATER MAIN
Commercial St. (Hwy 218)	61+35.9	62+54.5	LT	118.6	62.3			WATER MAIN
Commercial St. (Hwy 218)	62+54.5	62+63.5	LT	9.0		4.7	8	DOT CURB RAMP
Commercial St. (Hwy 218)	59+92.8	60+02.2	RT	9.3		4.9	8	DOT CURB RAMP
Commercial St. (Hwy 218)	60+67.0	60+79.0	RT	12.0	5.2			SANITARY SEWER
Commercial St. (Hwy 218)	61+27.9	61+31.9	RT	4.0	1.8			SANITARY SEWER
Commercial St. (Hwy 218)	61+31.9	61+36.9	RT	5.0	2.8			SANITARY SEWER
Commercial St. (Hwy 218)	61+36.9	61+40.9	RT	4.0	1.8			SANITARY SEWER
Commercial St. (Hwy 218)	62+53.8	62+63.2	RT	9.3		4.8	8	DOT CURB RAMP
Commercial St. (Hwy 218)	62+87.6	65+62.3	RT	274.7		162.4		SANITARY SEWER
Commercial St. (Hwy 218)	62+88.5	63+08.4	LT	19.9		16.2	8	DOT CURB RAMP
Commercial St. (Hwy 218)	63+67.8	63+85.1	RT	17.3		11.5		DOT
Commercial St. (Hwy 218)	63+85.1	64+15.2	RT	30.1	20.0			SANITARY SEWER
Commercial St. (Hwy 218)	64+15.2	64+31.2	RT	16.0		10.7		DOT
Commercial St. (Hwy 218)	64+31.2	64+56.5	RT	25.3	16.6			SANITARY SEWER
Commercial St. (Hwy 218)	64+56.5	64+68.4	RT	11.9		6.7	36	DOT
Commercial St. (Hwy 218)	64+68.4	65+42.3	RT	73.9	49.1			SANITARY SEWER
Commercial St. (Hwy 218)	65+42.4	65+63.0	RT	20.6		3.5	24	DOT

Utility Bid Attachment:

Include the Utility Bid Attachment provided below:



UTILITY BID ATTACHMENT

County: **Black Hawk**

Project Classification: **Non-Point 25**

Project No.: **STPN-218-7(218)--2J-07**

District Utility Coordinator:

Dean Wiebke

Iowa Department of Transportation

District Utility Coordinator

1420 Fourth St. SE

Mason City, IA 50401-4438

Highway Route Number or Name: **US 218**

Segment or Section: **In The City Of La Porte City From Poplar St. To Main St.**

Utilities:

Some of the utility work described below may be dependent on prior work being performed by the Contractor at a specific site. In such situations the Contractor shall provide the Engineer and the affected utility a good faith notice of when the utility is to start work at the site. The notice shall be given 14 calendar days in advance of when the Contractor expects to complete the prior work and the site will be available to the utility. The Contractor shall follow up with a confirmation notice to the Engineer and the utility not less than 3 working days before the site will be ready for the utility to begin its' work.

Additional detailed information regarding the location of relocated utility facilities is available on the permits issued to the utility companies. These permits can be viewed at the District office during normal working hours. Contact the **District Utility Coordinator at 641-423-7584.**

Facilities- Not Affected: Alliant Energy (Electric):

Facilities- Affected:

Black Hills Energy (Gas): Email note received 2-20-12 from Black Hills Energy "We've reviewed this project and decided we will replace the service lines that cross the highway before construction is started; but would like to work just ahead of the construction crew if we need to move our gas main that crosses the highway in the alley between Main and First St. We think our mains might be deep enough that you won't disturb them but aren't 100% sure.

We will also need to move our main that runs parallel to the highway for the light poles in three locations. This offset of the main along the highway will also be done prior to construction."

A local contact is Stacy Splittstoesser of Black Hills Energy, 563-585-4035,
Stacy.Splittstoesser@blackhillscorp.com

La Porte City Telephone Company (Telephone): Email note received 7-28-2011 "We really don't have much for facilities in that area. We do have one cable that crosses 218 at the very south end of your project." Reminded the utility of the project on 2-21-12.

LaPorte City Utilities (Electric): Notes in the plan referencing working with the utility during construction.

MediaCom (Cable TV): 7-27-11, "MediaCom reviewed their facilities, some are on La Porte City Electric poles some is underground. MediaCom will work with La Porte City Electric for the facilities on the poles."
Status of the underground work is undetermined.
Reminded the utility of the project on 2-21-12.

-- END --