## Addendum

Iowa Department of Transportation Office of Contracts Date Date of Letting: January 16, 2013 of Addendum: December 28, 2012

B.O.	Proposal ID	Proposal Work Type	County	Project Number	Addendum
102	57-3432-606	PCC PAVEMENT - GRADE & REPLACE	LINN	STP-U-3432(606)70-57	16JAN102.A01

Notice: Only the bid proposal holders receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the proposal holder.

Make the following changes to the PROPOSAL SCHEDULE OF PRICES:

Delete Proposal Line No. 0040 2113-0001000 SUBGRADE STABILIZATION MATERIAL, MACADAM STONE SY 4,050.000

Add Proposal Line No. 0661 2102-0425071 SPECIAL BACKFILL CY 2,700.000

If the above changes are not made, they will be made as shown here.

Make the following change to plan sheet B.1:


Replace plan sheet B.1 with attached plan sheet B.1

Make the following change to plan sheet C.1:

Replace plan sheet C.1 with attached plan sheet C.1

Make the following change to plan sheet C.2:

Replace plan sheet C.2 with attached plan sheet C.2



L		MOTTANGOUNT TONIGOTING TEAMITIES		MOTTANGOLINI TONIGOTHA STANTING
		This Data Entry Sheet fills Tab 180-4A effective 10-29-02		Sheet fills Tab 100
Ite	Item No.		No.	$\vdash$
	-	ZMO1408C002 CLEAR-CREBBBB CANDER AND FIELD FEWER REPONDALS WITH ASSOCIATED UNITS.  B. REFER TO STANDARD NOTE 222-9 ON SKEET U.1 REGARDING THE INDIANA BAT.		+++
	2	SPECIAL BACKFILL  A. EID QUANTITY MAY BE ADJISTED UPON A. EID QUANTITY MAY BE ADJISTED UPON STITSACTORY PROPE ROLL TESTING. B. SPECIAL BACKFILL SHALL WEIT THE REQUISEMENTS FOR WACADAM CRISHED STONE IN ACCROBANCE RITH STANDAMO SPECIFICATION SECTION 4122.		
	6	280-27100P EXCANATION, CL. 10, ROWY-BORROW A. 61D TIEN INCLUSES THE FOLLOWING QUANTITIES:	16 2435-0251218	88 INTAKE, SWASELY BY A. REFERS TO BY SHETES FOR TABLISH-SB AND LOCATIONS. B. USED AS A SUBDIALN CLEANORT.
		2000 CY OF CUT MATERIAL FROM CROSS SECTIONS. EXCLUDES EXCAMPTION FOR SPECIAL BACKFILL. 400 CY OF FILL (1-38K SHEINN) TO BE PLACED BENIUD BOYSON ROAD CUIRSS. 11600 OF CLASS 10 MASER MATERIAL TO BECOUR THE PROPERTY OF THE CONTRACTOR. 8. TOPSOLI VADUME WAT PALLUDED BY HHIS QUANTITY.	17 2435.0600020	AA. MAN
	4	2065429006 TOPSOIL FURIN-SPREAD		<ol> <li>VERIFY ADJUSTMENT PLAN WITH ENKINEER PRIOR TO CONSTRUCTION.</li> <li>QUANTITY INCLUDES THE FLENISHING AND INSTALLATION OF PARMOLE CONE SECTION, CASTING AND ADJUSTING RINGS.</li> </ol>
		A, BIO QMATILY TS ARED DATHE VOLUE REQUISED TO MARE S-INVEST, OS TOPSOIL TOWN ALL DISTURBINED MARKS, TOPSOIL WITERLAL SHALL BE A PILABLE COMMENDED FOR THE ORGANIC OWINDER CAPABLE OF STRAILSTING AND SUSTAINANT VEGETATION. TOPSOIL SHALL DE TAKEN FROM MATIRALLY WELL-LOATINGD MARKS, AND BE FREE OF STONES, WED SEED, MARMELL DISECTS, CALY LUNES AND OTHER DEBATS GREATER THAN 0.5. TIKCH IN DIABETER. C. BIO QUANTITY TAKLLIDES CORPORETE UNITINE PLUS 498.	16 2502.8.21.2206	SUBDORANN PERFORATED PLASTIC PIDE, 8" A. THIS ITEM IS FOR SUBDORAIN CONSTRUCTION BEHIND THE BOYSON MOND CURES. B. THIS ITEM INFLUENCES PROMOS BACKFILL. C. PIDE SHALL BE DULK-WALL HIPE.
		D. THIS THE INCLUDES CUTTING AND REMOVING 6-THORIS OF ENGINE WHERLAL ALONG MITCH-ITE LINES PRICE TO TOSCUL PACKETER.  E. THIS THEN SHALL BE PAID FOR BASE ON THE PLAN QUANTITY OF CREEK YARIS OF TOSCOL, FLENCISED AND SPREAD.  F. THE CONTRACTOR WILL BE PAID THE CONTRACT UNIT PRICE PER CREEK YARD. THIS SHALL BE CONSIDERED FILL COMPRISING WILL BE PAID THE CONTRACTOR FOR THIS SHALL BE CONSIDERED FILL.  COMPRISITION FOR FURNISHING. THE MASSORITING AND PLACING TOSCOLI.	19 2503.0114215 20 2503.0114218	STO STO B.
	5	2H3400H100 SUBGRADE STABIL MATT, POLYMER GRID A. BID QUANTITY ASSURES BRITEE SUBGRADE AREA WILL REQUIRE STABILIZATON. QUANTITY MAY BE ADJUSTED UPON		
	9		22 2504.0220000	DO SAMINEMESTREMER ENDOCATION  A. RELOCATION OF SANITARY SEMEN SENICE FOR 1864 ROBINS ROMD. INCLUDES 6" DIA PIPE AND 6"/4" REDICEN TO  EXISTING SENICE.
 	#	A. HELSE TO THOLE ONE OF OTHER DESIGNATION OF SHEET AND THE PRISHED (TOP) SURFACE. C. NOOTFIED SHEBACE VOLVINE IS BACED ON PLAN DIMENSIONS FOR THE FINISHED (TOP) SURFACE.	23 2507.6800061	
ige 4	7	ZON-LOUXDO STORS FOR EDUCATIVA CLI CCLL 3.5"  ZON-LOUXDO A. THEN STEM SEE BROKSOM ROAD ROAD PARKEWITS.  G. THICLORS OD DOIN'NS.  C. THICLORS OD DOIN'NS.	24 2510.6745850	
   of		D. REFER TO LAND SEETS FOR GOMERICA AND JOINTHE PLAN.  E. PARKEHTI SHORTHES SCHEDLE B PER STANDAND SPECIFICATION, SECTION 2316 SHALL APPLY.  F. GERTISTED PLANT RESPECTION SHALL BE PHE RESPONSIBILITY OF HE COUNSACION.  G. BID QUANTITY INCLUDES 315 SQUARE YARIS OF BA17 RED DYBO CONCRETE FOR GOGSWALES.	25 2510.6750600	+++
		II. ACCEPTABLE OF THE ARTHER TS CONTINGENT UND NO CACACS (OTHER THAN SAW CUTS) ON GOIGES PRESENT.  REPLAT OF DAWNER DANGERS THE SET SET, REPLACING BITTIE CONCRETE PAREL(S).  A. 2017 TS CALANT SET, LE SET-LEVELLIS AND UNALASHILTIC, COOK GREY  ACCEPTABLE PRODUCTS CS, SILILORES CS, 336, LYMAI, 1050-FIX 835, SIAM-FIR-S, IM S, GAME, CO	26 2511.6745900	HH
		111		C. THIS TER INCLUDES ALL FULL-OFFH AMOUNTING NECESSARY FOR REMOVING SIDEWALK AND CREATING A CLEAN EDGE BETHERN EXISTING AND NEW SIDEWALKS.
	o o		27 2511-7256004 28 2511-756006	++++
		B. HAR DRICHAR ONSERTICED IN SQUAR VARIES, BLILL BY RE QUARTITY SOMEN IN THE CONNECT DOCUMENTS. C. HAR DANNERE HIXTURE MILL BE 18ME KEAL, 12T, FILE, BINGER AS 59 20 IN ACCORDANCE MITH. STAMMAD SPECTIFICATION SECTION 2008.		6. NETR 10. SHEETS FOR JUILLIAN DATIONALISM.  1. ARTH TO SHEETS FOR COUNTY AND DATIONALISM.  1. ARTH TO SHEETS FOR COUNTY AND CONTROLLIANS.  1. ARTH TO SHEETS FOR COUNTY AND C
		D. PAWENT IS FULL COMPENSATION FOR FURNISHING WATERIAL, EQUIPMENT AND LABOR TO CONSTRUCT THE IMA DRIVEMENT IN ACCORDANCE WITH THE CONTRACT DOLINGWITS.		6. THE PCC 6" TIPE IS USED FOR PEDESTRAIN AND AND INTERCOLABLE WARNINGS. H. CERTIFIED PLANT INSPECTION SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
	10	A "THICK HAM TOR TEMPORARY PAUT TO 45 ROYSON ROAD DURING COOR TRUCTION STAGE 3 (SEE SHEET 3,9),  A "A" THICK HAM TOR TEMPORARY ACCESS TO 45 ROYSON ROAD DURING COOR TRUCTION STAGE 3 (SEE SHEET 3,9),  B. BED PRICE TRUCLORS INSTALLATION, REPORT AND A SHLL BE THE QUANTITY SOON TO THE COOLDEN'S,  C. THAN ANDERNIT MITTING KILL BE 1988, CASA, 127" NITE, BRIDGE RS 28 21 MA COORDING KITH THE COOLDEN'S,  THICK ADDITING THE THICK THE CONTROL OF THICK ADDITING THE THICK ADDITI	29 2511-758101	N DITCHARLY WARRING THE C SWEETS AND S SWEETS FOR LOCATIONS AND DETAILS.  A. REFER TO THE BE BRICK RED FERENL COLOR F22144 (OR APPROPED RQMA).  C. THE OFFICIALE WARRING PANELS SHALL BE DISTAILED AT THE OF PLACEHENT OF THE PCC SIDEMALK FOR PEDSTRIAR COMB ANNESS WHILE THE CHARCHES AT PUBLIC AT THE THE OF PLACEHENT OF THE PCC SIDEMALK FOR
		MIGHAN LIFT PHOCNESS SHALL BE 2 INCIGS.  F. PARMET IS THE CONFESS SHALL BE 2 INCIGS.  F. PARMET IS THE CONFESSION FOR VANISHING MIGHALL, EQUIPMENT AND LABOR TO CONSTRUCT AND REPORT  THE TREPORARY PARKEWIT IN ECONOMICS WITH HE CONTRACT DOCUMENTS.	30 2515.2475006	+
	11	4	31 2515.6745600	+++
		C. SURKELING HITCHESS SWALL BE 6-THENESS. STARL BE PRIORIDED BY THE COMMENCE.  D. MATERIAL QUANTITY SHALL BE MASSINED BY METGHT PRIOR TO PLACEMENT PER STANDARD SPECIFICATIONS SECTION 2014.		A. THE EXISTING NAMED RATIONAL THICKENS IS ASSUDED TO BE A TO S TRAKES.  B. REFR TO C SHEETS FOR CANSILICATION SEQUENCE AND OFFICE. C. REFR TO S SHEETS FOR CONSTRUCTION SEQUENCE. D. THAS THEN TRELINES ALL LADEPH AMOUNTS OF CONSTRUCTION DEPOSITION OF THE STANDARD CREATING A CLEAN EDGE.
	72	2401-6TROOM REMAIL A. REFER TO TABLAND DISSOSAL NOTES IN THE C. SHEETS.  B. REFER TO PLAN SHEET U.1	32 2518-8910000	++++
ā	ESIGN	DESIGN BY: HALL AND HALL ENGINEERS, INC. ENGLISH CITY OF HAWATHA LINN CO	COUNTY PROJECT NUMBER STP-U-	STP-U-3432(606)70-57 SCALE: NONE SHEET NUMBER C.2