

# A d d e n d u m

Iowa Department of Transportation  
Office of Contracts

Date of Letting: January 16, 2013  
Date of Addendum: January 4, 2013

<b>B.O.</b>	<b>Proposal ID</b>	<b>Proposal Work Type</b>	<b>County</b>	<b>Project Number</b>	<b>Addendum</b>
102	57-3432-606	PCC PAVEMENT - GRADE & REPLACE	LINN	STP-U-3432(606)--70-57	16JAN102.A02

---

Notice: Only the bid proposal holders receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the proposal holder.

---

Make the following change to plan sheet J.2:

Additional sign and note added to the right-hand side of sheet J.2. Replace plan sheet J.2 with the attached plan sheet J.2.

Make the following change to plan sheet N.3:

Add the following specifications for the 160 Watt LED Luminaires:

Lateral Light Distribution - IES Type V  
Vertical Light Distribution - Short  
Correlated Color Temperature - 4000K  
Backlight-Uplight-Glare Rating - B3-U0-G2 (full cutoff)  
Input Voltage - 120V  
Efficacy - 66 lm/W  
Maintenance of lumen output - 90,000 hours minimum  
Driver lifetime - 100,000 hours

