Addendum

Iowa Department of Transportation Date of Letting: August 20, 2013

Office of Contracts Date of Addendum: August 14, 2013

B.O.	Proposal ID	Proposal Work Type	County	Project Number	Addendum
202	00-0002-742	PCC Patching	Statewide	MP-000-2(742)076-00	20aug202.a01

Notice: Only the bid proposal holders receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the proposal holder.

Make the following changes to the PROPOSAL SCHEDULE OF PRICES:

Change Proposal Line No. 0040 2529-2242304 CD JOINT ASSEMBLY:

From: 11.000 EACH To: 13.000 EACH

Change Proposal Line No. 0050 2529-5070110 PATCHES, FULL-DEPTH FINISH, BY AREA:

From: 623.300 SY To: 928.200 SY

Change Proposal Line No. 0070 2529-5070120 PATCHES, FULL-DEPTH FINISH, BY COUNT:

From: 29.000 EACH To: 43.000 EACH

Change Proposal Line No. 0080 2529-8174010 SUBBASE (PATCHES):

From: 309.100 EACH To: 346.600 EACH

If the above changes are not made, they will be made as shown here.


See the attached Tabs for additional information for the increased quantities.


														102-6C modified
		1	ABULATI	ON OF FI	JLL-DEF	TH PAT	CHES-	CERR	O GORD	TABULATION OF FULL-DEPTH PATCHES - CERRO GORDO COUNTY	> -			
	LOCATION			DIMENSION		Not a bold from	PCC PATCHES			3".6				Τ
COUNT	STATION OR MILEPOST	LANE	Length	Width	Patch Thinkness	WITH DOWELS	WITHOUT	CRC	SUBBASE (PATCHES)	SUBDRAIN OUTLET PIPE*	'CD' JOINTS	'CT' JOINTS	REMARKS	
·		L, R or B	(Feet)	(Feet)	(Inches)	Sq. Yds.	Sq. Yds.	Sq. Yds.	Sq. Yds.	Lin FL	Number	Number		
	Cerro Gordo / I-35													
Т	MP 192.78	NB Rt.	8	12	16			10,7	10.7					
1	MP 193.77	NB Rt.	22	12	16			29.4						
	Cerro Gordo / US 65													
1	MP 183.22	ī	6	14	91	14								
1	MP 183.22	×	ō,	14	16	14								-
2	MP 195.46	L	16	25	16	44,5						Д	Both NB Lanes	
7	MP 195.46	ĸ	16	25	16	44.5						E	Both SB Lanes	
	Cerro Gordo / US 18													
1	MP 171.12	Far Rt.	15	15	12		25					O	Clark Road Intersection	


202-201	Rodified		REMARKS					105-501 modifia
			JOINTS	Number				
		L	'CD' JOINTS	Number				
	COUNTY	3"PF	SUBDRAIN OUTLET PIPE*	Lin Fi.				TABULATION OF FULL-DEPTH PATCHES - HANCOCK COUNTY
	ATION OF FULL-DEPTH PATCHES - WORTH COUNTY		SUBBASE (PATCHES)	Sq. Yds.		13.4 13.4	13.4	ANCOCK
	ES - V		CRC	Sq. Yds.		13.4	13.4	/H - S
	PTH PATCH	PCC PATCHES	WITHOUT	Sq. Yds.				I'H PATCHE
	-DEPTH	_	WITH	Sq. Yds.				DEPTH F
	JF FULL		Patch Thìnkness	(luches)		16	16	- FULL-I
	- 1	DIMENSION	Width	(Feet)		12	12	ATION OF
	TABUI		Lenglh	(Feet)		10	10	TABUL
			LANE	LRorB		NB Rt.	NB Lt.	
		LOCATION	STATION OR MILEPOST		Worth / I-35	MP 212.31	MP 212.31	
			COUNT			1	1	


			TABUL/	TION OF	FULL-E	EPTH PAT	PATCHES	S - HA	NCOCK	ATION OF FULL-DEPTH PATCHES - HANCOCK COUNTY				102-6C modified
	LOCATION			DIMENSION		PG	PCC PATCHES			3" P.F.		_		
COUNT	STATION OR MILEPOST	LANE	Length	Width	Patch Thinkness	WITH	WITHOUT	CRC	SUBBASE (PATCHES)	SUBDRAIN 'CD' OUTLET PIPE" JOINTS	'CD' JOINTS	CT	REMARKS	
		L, R or B	(Feet)	(Feet)	(luches)	Sq. Yds.	Sq. Yds.	Sq. Yds.	Sq. Yds.	Lìn, FL	Number	Number		
	Hancock / US 69													
т	MP 182.92	NB Rt.	36	12	13.5	48					H			
Т	MP 182.92	SB Lt.	36	12	13.5	48					Н			


102-5 dified					П			П	T	Τ					П						П	П			П	
102-5 modified			Remarks											& QUARTZITE			CRC WEPKTNG/STRTCKER	& OUARTZITE								
		Reinforcement	Туре										CRC				CRC									
		gate	Durability Class		2								9									2				
		Coarse Aggregate	Туре		GRAVEL	C.LST	C.LST	GRAVEL			C.LST		C.LST	C. LST	C.LST		DOLOM	C. LST	OUARTZ			GRAVEL	C.LST	C.LST	C, LST	
		Coar	Source		GENEVA	GENEVA	QUIMBY	PETERS PIT			QUIMBY		FERTILE	FERTILE	HARRIS		WFP/STRIC	FERTILE	BIG STONE			MASON CITY	GARNER	GARNER	GARNER	
	-16-1	Removal	Type Depth		1						1					2.5				. 2		_		_	_	
	ive 10	Re	th Type						+		MIL		_		_	MIL	+			MIL						-
EXISTING DAVEMENT	This Data Entry Sheet fills Tab 102-5 offective 10-16-13	Subbase	Type Depth				_	_	+		_	_											_		_	
0	Tab 192	Base	Depth				_	2					4			3	4			3			1.5		4	
I V	1111		Type			-	2	1.5 ACC					8 ATB	2		2 HMA	8 ATB	2		2:HMA			1.5 ACC		1.5[RAC	
 	v Sheet	Surface	Depth	L	9.5	,		1.5	1.0	4	1.5	_	 			``	ľ					7	1.5	7	1.5	
"	ta Entr	<u>্</u>	Туре	L	PCC	ACC	ACC.	ACC	٥	BAC	ACC	_	βÇ	ACC	8 MSS	8 HMA	1.1PCC	ACC	7 MSS	7 HMA		PC7	ACC	ACC	Ϋ́	
	This Da		pe Project Number		FN-115	DF-115(5)	FN-65-8(17)21-17	STP-65-7(31)2C-35	NA	VNA	V FN-65-8(31)21-17		1-35-8(9)20601-98	IR-35-7(43)192	IMN-35-8(34)2030E-98[MSS	IMX-35-8(44)20502-9:	1-16-35-7(11)19304-11PCC	IR-35-7(43)192	MP-35-2(703)19376-17 MSS	IMN-35-7(63)1930E-17 HMA		FA-139A&B	FN-139	FN-69-8(6)21-41	STP-69-7(20)2C-99	
		-	Year Type		1931	1958	1978	2001	1964	1981	1990		1972	1991	1999	2012	1971	1991	1999	2008		1930	1961	1978	1999	_
			End Y		ll	186.58		186.58	- 1	196.87	196.87	- 1			212.95		194.88		ı	194.88					191.52	_
		Ĕ	Begin Milepost M	-	179.59	179,59	179.59	179.59	195 22	195.22	195.22		204.69	204.69	204.69	204.69	192,79	192.79	192,79	192.79		178.9	178.9	178.9	178.9	
		Location	Dir. of Travel			80				m					NB.		- BN		9N				8		69	
			Route		S		SI	US 65	115 65		US 65		I 35	I 35	I 35	I 35	I 35	I 35	I 35	I 35		US 69	US 69	US 69	NS 69	
			County		17	17	17	17	17	17	17		98	96	86	86	17	17	17	17		41	41	41	41	
<u> </u>			Š		1	7	3	4	-	7	3		1	2	3	4	₩	7	٣	4		П	2	έÑ	4	














HANCOCK COUNTY