

# A d d e n d u m

Iowa Department of Transportation  
Office of Contracts

Date of Letting: December 17, 2013  
Date of Addendum: December 12, 2013

<b>B.O.</b>	<b>Proposal ID</b>	<b>Proposal Work Type</b>	<b>County</b>	<b>Project Number</b>	<b>Addendum</b>
603	35-0352-508	Bridge Painting	Franklin	MBIN-035-2(508)165--0M-35	17dec603.a02

---

Notice: Only the bid proposal holders receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the proposal holder.

---

Make the following change to the PROPOSAL:

REPLACE the attached proposal attachment SHEET 2 OF 4.

<b>ESTIMATE REFERENCE INFORMATION</b>	
Data listed below is for informational purposes only and shall not constitute a basis for any extra work orders.	
<b>ITEM NO.</b>	<b>DESCRIPTION</b>
	<p>All steel to be painted shall be blasted to SP-10. The paint system shall be the Epoxy system. This includes a Zinc-rich Epoxy, an Aluminum Epoxy Mastic intermediate coat, and an Aliphatic Polyurethane topcoat.</p> <p><b>BRIDGE # 3565.2L035</b> This bridge is to be painted. Painting includes all steel.</p> <p>The total area of structural steel in the zones designated to be painted is estimated to be 15,602 sq. ft. This estimate is given only for the contractor's information. There will be no additional payment if the actual areas in the zones vary from the estimated amounts shown. The contractor may obtain a copy of the original construction plans for the bridge from the Office of Contracts, Iowa Department of Transportation, 800 Lincoln Way, Ames, IA 50010 (Phone: 515-239-1414).</p> <p><b>BRIDGE # 3565.2R035</b> This bridge is to be painted. Painting includes all steel.</p> <p>The total area of structural steel in the zones designated to be painted is estimated to be 15,602 sq. ft. This estimate is given only for the contractor's information. There will be no additional payment if the actual areas in the zones vary from the estimated amounts shown. The contractor may obtain a copy of the original construction plans for the bridge from the Office of Contracts, Iowa Department of Transportation, 800 Lincoln Way, Ames, IA 50010 (Phone: 515-239-1414).</p> <p><b>NOTE:</b> Abrasives shall be steel shot and/or grit, aluminum oxide, or garnet abrasives. Do not use sand or coal slag.</p>