

# A d d e n d u m

Iowa Department of Transportation  
Office of Contracts

Date of Letting: March 18, 2014  
Date of Addendum: March 5, 2014

<b>B.O.</b>	<b>Proposal ID</b>	<b>Proposal Work Type</b>	<b>County</b>	<b>Project Number</b>	<b>Addendum</b>
161	59-0652-019	HMA RESURFACING / COLD IN-PLACE RECYCLING	LUCAS	NHSX-065-2(19)--3H-59	18MAR161.A01

---

Notice: Only the bid proposal holders receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the proposal holder.

---

Make the following change to the Plan Sheet C.5 and C.6:

Replace Tabulation 102-6C FULL-DEPTH PATCHES, with attached Tabulation 102-6C FULL-DEPTH PATCHES

**FULL-DEPTH PATCHES**

Refer to Standard Road Plans RR-1, RR-2, RR-3, RR-4, RR-1B, and RR-26

Count	Location Station or Milepost	Lane L, R, or B	Dimension		Patch Thickness IN	PCC Patches		Without Dowels RR-2 SY	C R C RR-1B SY	HMA Patches SY	Composite HMA TON	Subbase Patches RR-26 SY	Subbase Patch w/ 'EF' Joint RR-1 SY	Patch Subdrain RR-1 or RR-26 No.	'CD' Joints No.	'CT' Joints No.	'EF' Joints RR-1 No.	Anchor Lugs Removal No.	Remarks
			Length FT	Width FT		With Dowels RR-4 SY													
<b>Full-Depth Repair Patches</b>																			
<b>Lucas County</b>																			
2,44+80		B	7.0	12.0	13.0	18.6													
1,56+90		L	9.4	12.0	13.0	12.5													
1,81+85		L	8.0	12.0	13.0	10.7													
1,82+15		L	6.0	12.0	13.0	8.0													
1,94+90		R	7.0	12.0	13.0	9.3													
1,95+15		L	6.0	12.0	13.0	8.0													
1,11+10		L	6.0	12.0	13.0	8.0													
1,11+90		R	6.5	12.0	13.0	8.7													
1,12+10		B	6.0	12.0	13.0	16.0													
1,12+25		R	7.5	12.0	13.0	10.0													
1,12+40		R	6.0	12.0	13.0	16.0													
2,13+15		B	6.0	12.0	13.0	16.0													
1,159+80		R	13.0	12.0	13.0	17.3									1				
1,159+80		R	6.7	12.0	13.0	8.9													
1,169+20		L	6.5	12.0	13.0	8.7													
1,185+30		R	7.3	12.0	13.0	9.7													
1,202+80		R	6.0	12.0	13.0	8.0													
1,203+60		R	9.0	12.0	13.0	12.0													
1,218+90		L	7.0	12.0	13.0	9.3													
1,228+95		R	14.0	12.0	13.0	18.7									1				
1,229+25		L	6.3	12.0	13.0	8.4													
2,23+00		B	6.0	12.0	13.0	16.0													
1,240+15		R	8.0	12.0	13.0	10.7													
1,241+00		R	7.5	12.0	13.0	10.7													
1,250+90		L	6.7	12.0	13.0	8.9													
1,262+85		S	7.9	12.0	13.0	20.2													
2,268+80		B	7.0	12.0	13.0	18.6													
1,281+25		B	7.8	12.0	13.0	10.4													
1,293+80		R	10.8	12.0	13.0	14.4									1				
1,294+25		L	6.9	12.0	13.0	9.2													
1,302+45		R	8.5	12.0	13.0	11.3													
1,304+15		L	13.0	12.0	13.0	17.3									1				
1,318+25		R	6.0	12.0	13.0	8.0													
1,319+10		L	11.0	12.0	13.0	14.7									1				
1,324+00		R	6.0	12.0	13.0	8.0													
1,362+50		R	6.0	12.0	13.0	8.0													
2,374+70		B	6.0	12.0	13.0	16.0													
1,378+80		R	6.0	12.0	13.0	8.0													
2,401+20		B	13.0	12.0	13.0	34.6													
1,432+15		L	6.0	12.0	13.0	8.0													
1,433+90		R	6.0	12.0	13.0	16.0													
1,453+80		L	6.0	12.0	13.0	8.0													
1,455+80		L	6.0	12.0	13.0	8.0													
2,462+20		B	6.0	12.0	13.0	16.0													
1,471+15		R	7.3	12.0	13.0	9.7													
1,474+80		L	6.4	12.0	13.0	8.5													
<b>Warren County</b>																			
2,04+50		B	6.0	12.0	13.0	16.0													
2,14+30		B	6.0	12.0	13.0	16.0													
2,34+0		B	6.0	12.0	13.0	16.0													
2,204+50		B	6.0	12.0	13.0	16.0													
2,24+0		B	6.0	12.0	13.0	16.0													

