
Iowa's Jordan Aquifer: Current Status and Future Conditions

Bob Libra
State Geologist of Iowa
Iowa DNR - Geological Survey







Cambrian, Jordan Sandstone McGregor, Clayton Co.

Managing our Water Resources

- · What Are Our Water Resources?
- · How Much Water Do We Have?
- · How Much Water Do We Will We Use?
- · Is it Sustainable for the Long Term?









Need for a Water Resource Management Program

- · Characterization of our Major Aquifers and Watersheds out of date.
- · Energy Related Water Impacts
- · Climate Change and Water Impacts
- · Allocation and Planning Beyond One Permit at a Time.







Water Management-A Comprehensive Program

- · Updated Assessment of Current Demand:
 - -- Last Major Use Assessments, by Aquifer and Watershed, in 1995.
- · Resume and Enhance Groundwater Level Monitoring:
 - -- Regional Aquifer Trends and Local Hotspots.
- · Add and Maintain Additional Stream Gages:
 - -- Gages needed for accurate surface water allocation, reservoir studies.
- · Updated Assessments of Aquifers—Geologic and Hydrologic Properties:
 - -- Last Major Efforts in the 1960's 1980's.
- · Upgraded Assessment Techniques:
 - -- Need to Utilize Modern Modeling and Predictive Analysis.
- · More Thorough Hydrogeologic Reviews of Permits:
 - -- Well/Stream Interference and Sustainability Questions. Assistance in Drought and Conservation Planning for Water Supplies.
- · Update the State Water Plan—The Road Map for Water Use:
 - -- Last update in 1985. Do our rules, regs, policies need reworking?

Water Resource Management for Long-Term Sustainability




Original Water Resource Management Program Proposal -- \$1.65 M annually DNR Strategy -- \$2M for FY10

Legislative Appropriation --\$480K FY08 (\$495K FY's 09 and 10)
Water Allocation Permit Fees - up to \$500K annually

Main Activities


- Developed aquifer characterization methodology.
- Data Mining Characterization of Dakota Sandstone and Jordan Aquifers.
- Predictive Models developed for Dakota and Jordan Aquifers.


What is the Jordan Aquifer?



Cambrian, Jordan Sandstone McGregor, Clayton Co.

What is the Jordan Aquifer?









FORM NO. 79—in slock and for sale by Rosa-Martin Co., Tuhn. W- 22/23	
STATE IOWA	Harper (Keokuk)
NW,NE	Town of HARPER.
sec. 30	well No. 3
76N 10W	Feb 9 Feb 12.1970
	Latta & Sons INC.
	163 of 6"csg set@ 162"
	163'4"
	5-12-70 Gilmare
EL. 80525	ROTORY Tools
7D. 322'	SWL-107', PL-150'
	Yield - 20 apm
	Source 240'-310'
P18-189	10' Samples
distriction of	Locas, yelgr, now cale, grating into granucation, in alive or, scattered at grains.
Pleist.	Gladest 11, 40 gr, 11 gr, 604 Till, palestal oras, oxid, unlown, ody, few publics.
	This was a second secon
50	Sed & Grassil + 7111, shoe, blue, an inheach, sizy, peblike
	Till, It diverse, unload, amound, sty, stipebbly.
8 22	Till so + 3d, unricolored.
100	
MJan.	ind, pale - dk yel bru, f shrayd, sakhed, v sli sugay. * Dal, pale - wpale wellowi, f slightd, say.
W1.5	
Wares	Dol, in pale yell brighter, 4 sili grå, inrojudy, as cuto, gerdinan o sila, grange, a dy ficile Colt, with the officer party a sili date. Our comparting, cuto, we silver combinations the programmy
Ktown .	Calc
	Chi t h Saa. Sh, it other sy, cheerly, cale, et al., while servines. A Sal relation of while servines. A Sal relations of the file of the file of the sal the sale of the sale
Cedia Control	oth as Dod, pule yet love, and sillingth, Seed, persons, glace. 45, arm, frog , St. Wicond. Bol as.
Heigh Co.	ord, without medige, wally is, the date. Dai, it com- med this god, successful field, pt silvicous.
200	
	City with, it greates many to kild to do to . Doi not + yet or much they be been discoved the sec. City, with they is did to Doi to to come they be set to all contents in the come.
7.5	Chely High, It May S. Del and " Dely damb puls yet
An apr.	Park draw the vest break, and all and sale sace, make.
EC. 200	Dolon & LS, com, con to Seus embros 51 + 64,

Analysis and Interpretation




Water Withdrawals, Aquifer Tests, GW Quality Data....

Locations, Analysis, Specific Sources






Geology, Aquifer Properties, Groundwater Elevations, Recharge, Pumping History.....all go in here:




Jordan Aquifer: Long Term Use - "Memory" - Pumping History Needed USGS Model Efforts late 70's - early 80's archived older data


Groundwater Withdrawal from the Cambrian-Ordovician Aquifer Billion Gallons per Year (bgy)




Locations of Water Use Permits for Wells tapping the Jordan Aquifer




The Jordan is a "Confined Aquifer"





What has occurred since we started using the Aquifer?





Pumping results in lowering or "drawdown" of the pressure surface.













Change in Head (Drawdown) from Pre-Development to 2008




Sustainability Criteria: IAC 567 Chapter 52.4(3)c.

Two hundred (200) foot limit on the decline of groundwater piezometric levels. The maximum collective long-term decline in groundwater piezometric levels in the Cambrian Jordan Sandstone Aquifer in any high use area will not be permitted to exceed 200 feet from the 1977 baseline as determined from available records of the department's Iowa Geological Survey (IGS).

Horick and Steinhilber 1978 Potentiometric surface



Drawdown from Horick and Steinhilber (1978) Compared to 2007 Simulated




Predictive Simulations


Drawdown based on Horick and Steinhilber (1978) potentiometric map

2009-2029


Constant Pumping rates 2009-2029




25% Increase in Pumping Rates 2009-2029



50% Increase in Pumping Rates 2009-2029



Change in Head (Drawdown) from Pre-Development to 2029 (50% increase in water usage)




Modeling Needs Projections of Future / Planned Use




Example: City of Marion

Predicted Drawdown in 2029 Using Horick (1978) as a Baseline Pumping Rates Based on City's 30 year Water Plan




Sustainability Criteria:

- --One allowable drawdown for the entire Aquifer (i.e., 200 feet from 1977?)
- --Percent of original "Pressure Head"?
- --MN DNR uses Pressure (Available) Head approach. At 50% loss, submit a plan to assure Available Head will not fall below 25% of original.
- --MN DNR applies this at the well, not in a mapped zone around it.



Land surface

Percent of Original Available Head 2008




Percent of Original Available Head 2029 (50% increase in Water usage) LYON OSCEOLA WINNEBAGO MITCHELL WINNESHIEK ALLAMAKEE KOSSUTH (0) SIOUX CHICKASA CLAYTON PLYMQ HUMBOLD BREMER WRIGHT FRANKLIN BUTLER GRUNDY JACKSON **JONES** TAMA BENTON BOONE MARSHALL STORY CLINTON CEDAR POLK ASPER POWESHIEK IOWA JOHNSON MARION MAHASKA KEOKU MONROE CLARKE HENRY DES MOINE FREMONT Legend Manson Impact Structure Percent of Original Available Head 2029 25 50 Miles 50-60% 80-90% 90-100%

Consequences?

- · Quantity and Production Capability: How much should be reserved for the long term?
- · What do we mean by <u>long term?</u> Life of investments? 100 years? "Forever"?
- Pumping Costs: Estimated increase of \$25K annually for a 500 GPM well with 200 feet of additional drawdown.
- Quality Impacts: Vertical and Lateral GW Movement are a question of concern.

Bedrock Aquifer Systems across Iowa

Southwest to Northeast



Jordan Status - Future Conditions

- Pressure Surface Well Levels have declined 150 ft over a broad area of Central IA, and over 250 ft locally.
- · With no increase in use, Well Levels will exceed the 200 ft drawdown limit locally.
- With a 50% increase in use, Declines of over 450 ft will occur locally, about $\frac{1}{2}$ of the original available head.
- · Quality Impacts a concern that needs to be addressed.

Reports, Data, Model Input Files are Available on the IGWS Website at:


http://www.igsb.uiowa.edu/

Additional Information on Water Quantity/Supply Issues is Available at:

http://www.iowadnr.gov/water/quantity.html

FY10: West Nishnabotna Alluvial Aquifer


GW-SW Interactions come into play
 Drought - Climate Impacts
 Water Quality - Source Water




Additional Program Needs

- · Expand GW level network
- · Build and maintain stream gages
- Create Water Resource data-base and web applications
- · Input/Refinement of Future Use Estimates
- · Additional characterization support needed
 - 3D Aquifer mapping (alluvial systems)
 - Quality Pumping relationships
 - Geologic characterization





Goal: Break the Cycle



Water Resource Sustainability:

Assuring plentiful, clean water for community, business, and ecological needs, today and into the future.

Questions?

Bob Libra, State Geologist

Mike Gannon, Hydrogeologist

DNR -- Iowa Geological Survey
319-335-1575

robert.libra@dnr.iowa.gov

http://www.igsb.uiowa.edu/