

Extracted from the Americans with Disabilities Act Accessibility Guidelines (ADAAG) and Chapter 321L of the Iowa Code. See ADAAG and Chapter 321L for details.

**ADAAG 4.6.2 Location**

Accessible parking spaces...shall be located on the shortest accessible route of travel...to an accessible entrance

**ADAAG 4.6.3 Parking Spaces**

Accessible parking spaces...shall be at least 96 inches wide. Two accessible parking spaces may share a common access aisle (60 inches wide minimum).

**ADAAG 4.1.2 (5)(b) Van Access**

One in every eight accessible spaces, but not less than one, shall be served by an access aisle 96 inches wide minimum and shall be designated "VAN ACCESSIBLE" as required by ADAAG 4.6.4.

**ADAAG 4.6.4 Signage**

Accessible parking spaces...shall be designated as reserved by a sign showing the symbol of accessibility. Such signs shall be located so they cannot be obscured by a vehicle parked in the space.

**Chapter 321L.6(2) Signage**

The persons with disabilities parking sign shall be affixed vertically...readily visible.

**Chapter 321L.7**

Failure to provide proper persons with disabilities parking spaces as provided in section 321L.5 or to properly display persons with disabilities parking signs as provided in section 321L.6 is a misdemeanor for which a fine of one hundred dollars shall be imposed for each violation.

**For more information contact:**

Division of Persons with Disabilities  
 Lucas State Office Building  
 Des Moines, IA 50319  
 (515) 888-219-0471 (V/TTY)  
[dhr.disabilities@dhr.state.ia.us](mailto:dhr.disabilities@dhr.state.ia.us)

Total Parking in Lot	Minimum Number of Accessible Spaces
1 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1000	2 percent of total
1001 and over	20 plus 1 for each 100 over 1000

