

A d d e n d u m

Iowa Department of Transportation
Office of Contracts

Date of Letting: June 19, 2012
Date of Addendum: May 30, 2012

B.O.	Proposal ID	Proposal Work Type	County	Project Number	Addendum
106	40-0204-049	PCC Pavement - Grade & Replace	Hamilton	NHSX-020-4(49)--3H-40	19jun106.a01

Notice: Only the bid proposal holders receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the proposal holder.

Make the following changes to the PROPOSAL SCHEDULE OF PRICES:

Change Line No. 0010 2102-0425071 SPECIAL BACKFILL from 68,170.000 CY to 68,205.000 CY.

Change Line No. 0030 2102-2713090 EXCAVATION, CLASS 13, WASTE from 125,344.000 CY to 125,431.000 CY.

Change Line No. 0150 2304-0100000 DETOUR PAVEMENT from 977.000 SY to 1,185.000 SY.

Change Line No. 0340 2510-6745850 REMOVAL OF PAVEMENT from 139,700.000 SY to 139,908.000 SY.

If the quantities are not changed on the proposal form, the bid amounts will be extended using the unit price times the correct quantities as shown here.

Make the following change to the Plan Sheet B.2:

Add attached Tab. DP-1 ENTRANCE RAMP:

Make the following change to the Plan Sheet C.1:

Tabulation for ESTIMATED PROJECT QUANTITIES:

	ITEM	UNITS	DIV. 1	DIV. 2	TOTAL
Replace:	Special Backfill	CY	10,675.0	57,495.0	68,170
With:	Special Backfill	CY	10,710.0	57,495.0	68,205
Replace:	Excavation, Class 13, Waste	CY	20,552.0	104,792.0	125,344
With:	Excavation, Class 13, Waste	CY	20,639.0	104,792.0	125,431
Replace:	Detour Pavement	SY	977.0	-	977
With:	Detour Pavement	SY	1,185.0	-	1,185

Replace:	Removal of Pavement	SY	27,572.0	112,128.0	139,700
With:	Removal of Pavement	SY	27,780.0	112,128.0	139,908

Make the following change to the Plan Sheet C.3:

Add the following note to the reference notes for the item 2102-0425071, SPECIAL BACKFILL:

Also includes 35 cu. yds. for placement under the detour pavement as per Typical DP-1 on sheet B.2.

Add the following note to the reference notes for the item 2102-2713090, EXCAVATION, CLASS 13, WASTE:

Item also includes 87 cu. yds. for placement of the detour pavement as per Typical DP-1 on sheet B.2.


Add the following note to the reference notes for the item 2304-0100000, DETOUR PAVEMENT:

Item also includes 208 sq. yds. as per Typical DP-1 on sheet B.2.

Make the following change to the Plan Sheet C.8:

Replace:	Tab. 110-1 REMOVAL OF PAVEMENT	Dated 08-01-08
With attached:	Tab. 110-1 REMOVAL OF PAVEMENT	Dated 08-01-08

DP-1
Special



Note:
Detour pavement is for routing traffic on while ramp taper is reconstructed.
Remove detour pavement when ramp taper reconstruction has been completed.

**RAMP TAPER SECTION
DETOUR PAVEMENT DETAILS**

DETOUR PAVEMENT OPTIONS: 9" PCC or 12" HMA

TABLE OF DESIGN QUANTITIES Per Location

LOCATION		DETOUR PAVEMENT Sq. Yds.	CLASS 13 EXCAVATION		SPECIAL BACKFILL Cu. Yds.	REMARKS
INTERCHANGE	RAMP ①		Cu. Yds.	Cu. Yds.		
US 20/1A 17 E. Jct.	325+00 Div. 1	208	87	35	Ramp D (EB Entrance Ramp) Place special backfill at a depth of 6" beneath the detour pavement.	

110-1
08-01-08

REMOVAL OF PAVEMENT

Refer to Tabulation 102-5

* Not a Bid Item

Begin Station	End Station	Pavement Type	Area		Saw Cut* LF	Intakes and Utility Accesses No.	Remarks
			SY	LF			
305+00	Med. X-Over	Detour Pav't	2133.0	1402.0			
329+50	Med. X-Over	Detour Pav't	2448.0	1670.0			
760+00	Med. X-Over	Detour Pav't	2133.0	1402.0			Div. 1 Div. 1 Div. 2 (A) Existing Bridge End Drain is present, Drain to be used as constructed. Contractor to use due caution when removing the existing pavement to avoid damaging the drain. (B) Existing Reinforced PCC shoulder. Assumed reinforcing is similar to Standard Road Plan BA-106.
324+25	325+00	Detour Pav't	208.0				Div. 1 Detour pav't in gore area of EB US 20 Entrance Ramp at the US 20/Ia 17 E. Jct. Interchange, refer to Typical DP-1 on sheet B.2