

# A d d e n d u m

Iowa Department of Transportation  
Office of Contracts

Date of Letting: December 17, 2013  
Date of Addendum: November 27, 2013

<b>B.O.</b>	<b>Proposal ID</b>	<b>Proposal Work Type</b>	<b>County</b>	<b>Project Number</b>	<b>Addendum</b>
103	47-1753-050	PCC PAVEMENT - GRADE & REPLACE	IDA	STPN-175-3(50)--2J-47	17DEC103.A01

---

Notice: Only the bid proposal holders receive this addendum and responsibility for notifying any potential subcontractors or suppliers remains with the proposal holder.

---

Make the following change to Plan Sheet C.3:

For bid items:

2599-9999009 STORM SEWER GRAVITY MAIN, TRENCHED, REINFORCED  
CONC. ELLIPTICAL PIPE (RCEP), 2000D (CLASS A-III), 23 IN X 14 IN  
2599-9999009 STORM SEWER GRAVITY MAIN, TRENCHED, REINFORCED  
CONC. ELLIPTICAL PIPE (RCEP), 2000D (CLASS A-III), 30 IN X 19 IN  
2599-9999009 STORM SEWER GRAVITY MAIN, TRENCHED, REINFORCED  
CONC. ELLIPTICAL PIPE (RCEP), 2000D (CLASS A-III), 38 IN X 24 IN  
2599-9999009 STORM SEWER GRAVITY MAIN, TRENCHED, REINFORCED  
CONC. ELLIPTICAL PIPE (RCEP), 3000D (CLASS A-IV), 30 IN X 19 IN

Add the following Estimate Reference Information:

C. Provide pipe bedding according to Class R-5 of the Standard Road Plan  
SW-102. The top 6" can be reduced if it gets into the Modified Subbase  
material.