

A d d e n d u m

Iowa Department of Transportation
Office of Contracts

Date of Letting: January 20, 2016
Date of Addendum: January 6, 2016

B.O.	Proposal ID	Proposal Work Type	County	Project Number	Addendum
107	57-1187-703	PCC - PAVEMENT - GRADE & REPLACE	LINN	STP-U-1187(703)--70-57	20JAN107.A01

Make the following changes to the PROPOSAL SCHEDULE OF PRICES:

Change Proposal Line No. 0350:

From: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT
MARKING TAPE 24 IN. WHITE STOP BAR (UNIT LF)

To: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT
MARKING TAPE 24 IN. WHITE STOP BAR

From: 315.000 STA

To: 18.910 STA

Change Proposal Line No. 0360:

From: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT
MARKING TAPE 4 IN. WHITE (UNIT LF)

To: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT
MARKING TAPE 4 IN. WHITE

From: 3,104.000 STA

To: 31.040 STA

Change Proposal Line No. 0370:

From: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT
MARKING TAPE 4 IN. YELLOW (UNIT LF)

To: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT
MARKING TAPE 4 IN. YELLOW

From: 1,715.000 STA

To: 17.150 STA

Change Proposal Line No. 0380:

From: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT
MARKING TAPE 8 IN. YELLOW (UNIT LF)

To: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT
MARKING TAPE 8 IN. YELLOW

From: 113.000 STA

To: 2.260 STA

Change Proposal Line No. 0390:

From: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE WHITE CROSSWALK (UNIT LF)

To: 2527-9263126 PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE WHITE CROSSWALK

From: 810.000 STA

To: 24.300 STA

Change Proposal Line No. 0410:

From: 2527-9263180 PAVEMENT MARKINGS REMOVED(UNIT SF)

To: 2527-9263180 PAVEMENT MARKINGS REMOVED

From: 350.000 STA

To: 10.500 STA

Change Proposal Line No. 0420:

From: 2527-9270111 GROOVES CUT FOR PAVEMENT MARKINGS FOR 24 IN. STOP BAR (UNIT LF)

To: 2527-9270111 GROOVES CUT FOR PAVEMENT MARKINGS FOR 24 IN. STOP BAR

From: 315.000 STA

To: 18.910 STA

Change Proposal Line No. 0430:

From: 2527-9270111 GROOVES CUT FOR PAVEMENT MARKINGS FOR 4 IN. WHITE AND YELLOW (UNIT LF)

To: 2527-9270111 GROOVES CUT FOR PAVEMENT MARKINGS FOR 4 IN. WHITE AND YELLOW

From: 4,819.000 STA

To: 48.190 STA

Change Proposal Line No. 0440:

From: 2527-9270111 GROOVES CUT FOR PAVEMENT MARKINGS FOR 8 IN. YELLOW (UNIT LF)

To: 2527-9270111 GROOVES CUT FOR PAVEMENT MARKINGS FOR 8 IN. YELLOW

From: 113.000 STA

To: 2.260 STA

Change Proposal Line No. 0450:

From: 2527-9270111 GROOVES CUT FOR PAVEMENT MARKINGS FOR WHITE CROSSWALK (UNIT LF)

To: 2527-9270111 GROOVES CUT FOR PAVEMENT MARKINGS FOR WHITE CROSSWALK

From: 810.000 STA

To: 24.300 STA

If the above changes are not made, they will be made as shown here.

Replaces Plan Sheets C.01, C.03, & C.06 with the attached:

Sheet C.01 has been revised to note the unit of measurement of STA for bid items 35-39, and 42-45. The quantities have been revised appropriately as well.

Sheet C.03 has been revised. The Estimate Reference notes for the aforementioned items have been revised. The Note regarding the unit of measurement being lineal feet or square feet (Note E for all these items) has been deleted.

Sheet C.06. The pavement marking tab has been revised to reflect STA for unit of measurement, and the quantities have been revised appropriately.

ESTIMATE REFERENCE INFORMATION

Item No.	Item Code	Description
28	2511-7528101	<p>DETECTABLE MARKING - CURB RAMP</p> <p>A. REFER TO TAB 108-22 IN C SHEETS AND L SHEETS FOR LOCATIONS</p> <p>B. CONTRACTOR SHALL PROVIDE CERTIFIED PLANT INSPECTION PER IOWA DOT SPECIFICATIONS</p> <p>C. REFER TO L SHEETS FOR GEOMETRIC STAKING AND JOINTING DETAILS. REFER TO S SHEETS FOR CURB RAMP DETAILS.</p> <p>D. REFER TO IOWA DOT STANDARD ROAD PLAN M1-220 FOR CURB RAMP DETAILS.</p> <p>E. DETECTABLE MARKING PANELS SHALL BE PLASTIC (INTEGRALLY RED).</p> <p>F. CONSTRUCTION OF SUBGRADE CURB RAMP SHALL MEET CURRENT ADA REQUIREMENTS.</p> <p>G. PREPARATION OF SUBGRADE IS INCIDENTAL TO THIS ITEM. EXISTING MATERIAL SHALL BE MECHANICALLY COMPACTED TO PROVIDE A LEVEL AND STABLE BASE PRIOR TO PLACEMENT OF PCC. BACKFILLING IS INCIDENTAL TO THIS ITEM.</p>
29	2519-3300600	<p>FENCE, SAFETY</p> <p>A. REFER TO STAGING AND TRAFFIC CONTROL J-SHEETS FOR INSTALLATION LOCATION.</p> <p>B. THE CONTRACTOR WILL BE PAID THE CONTRACT UNIT PRICE PER LINEAL FOOT. THIS SHALL BE CONSIDERED FULL COMPENSATION FOR FURNISHING ALL MATERIAL, EQUIPMENT AND LABOR FOR THE INSTALLATION AND REMOVAL FOLLOWING CONSTRUCTION ACTIVITIES.</p>
30	2524-9276010	<p>PERFORATED SQUARE STEEL TUBE POST</p> <p>A. THIS ITEM IS FOR THE INSTALLATION OF PERFORATED SQUARE STEEL TUBE POSTS REQUIRED FOR THE INSTALLATION OF THE TYPE A SIGNS (BID ITEM 31).</p> <p>B. POSTS SHALL COMPLY WITH THE REQUIREMENTS FOR TYPE 1 POSTS AS SPECIFIED IN PART 4186-10, PARAGRAPH C.1 OF SECTION 4186 SIGN MATERIALS OF THE IOWA DOT SPECIFICATIONS.</p> <p>C. FURNISHING AND FABRICATING THE SIGN POST ALONG WITH ALL LABOR, MATERIALS, AND EQUIPMENT NECESSARY FOR THE INSTALLATION OF THE POST ARE INCIDENTAL TO THE COST OF THIS ITEM.</p>
31	2524-9325001	<p>TYPE A SIGN, SHEET ALUM</p> <p>A. SEE K SHEETS FOR LOCATIONS.</p> <p>B. REFER TO TAB 190-51 IN C SHEETS.</p> <p>C. ALL SIGN INSTALLATIONS SHALL CONFORM WITH THE 2009 MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).</p> <p>D. SIGN SHEETING SHALL BE DIAMOND GRADE REFLECTIVE MEETING THE REQUIREMENTS OF SECTION 2A.08 OF THE 2009 MUTCD.</p> <p>E. THIS ITEM INCLUDES FURNISHING AND INSTALLING MOUNTING HARDWARE FOR EACH SIGN.</p> <p>F. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO ENGINEER FOR NON-STANDARD TRAFFIC CONTROL SIGNS.</p>
32	2525-0000100	<p>TRAFFIC SIGNALIZATION</p> <p>A. REFER TO N SHEETS FOR TRAFFIC SIGNAL QUANTITY TAKE-OFFS AND DETAILS.</p> <p>B. REFER TO SPECIAL PROVISIONS FOR TRAFFIC SIGNALIZATION.</p>
33	2525-0000120	<p>REMOVAL OF TRAFFIC SIGNALIZATION</p> <p>A. THIS ITEM INCLUDES THE REMOVAL OF ALL TRAFFIC HAWK SIGNAL COMPONENTS AT THE MID-BLOCK INCLUDING: POLES, SPAN WIRE, SIGNAL HEADS, CABINET, PUSHBUTTONS, ETC.</p> <p>B. REMOVAL AND DISPOSAL OF CONCRETE FOOTINGS ARE INCIDENTAL TO THIS ITEM.</p> <p>C. COORDINATE WITH ALLIANT TO SHUT OFF POWER.</p> <p>D. STAKEOUT AND DELIVERY OF SALVAGED EQUIPMENT TO THE CITY SHALL BE PAID AS A SEPARATE BID ITEM.</p> <p>E. REFER TO N SHEETS FOR LOCATION OF THE HAWK SIGNAL TO BE REMOVED THAT IS COVERED UNDER THIS ITEM.</p>
34	2526-8285000	<p>CONSTRUCTION SURVEY</p> <p>A. REFER TO CONTROL POINT AND ALIGNMENT TABULATIONS ON SHEET G.01.</p> <p>B. THIS ITEM INCLUDES ALL SURVEY WORK NECESSARY FOR THE CONSTRUCTION OF THIS PROJECT AS INTENDED BY THE CONTRACT DOCUMENTS AND APPROVED REVISIONS, AND PER THE CONSTRUCTION SURVEY NOTES ON SHEET G.01.</p> <p>C. CONTRACTOR SHALL STAMP THE PROFESSIONAL SURVEY BLOCK PROVIDED ON SHEET G.01 WITH A LICENSED STATE OF IOWA SURVEYOR'S SIGNATURE AND SEAL. THE SURVEY WORK SHALL BE PROVIDED IN SHEET G.01.</p> <p>D. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND ILLUSTRATED ON THE H-SHEETS.</p> <p>E. ADDITIONAL SURVEY WORK REQUIRED TO RESTAKE SURVEY POINTS DISTURBED DURING CONSTRUCTION WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED INCIDENTAL TO THIS ITEM. CONTRACTOR SHALL PROTECT SURVEY STAKES OR REPLACE AS NEEDED WITH NO ADDITIONAL COMPENSATION.</p>
35	2527-9263126	<p>PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, 24" WHITE STOP BAR.</p> <p>A. REFER TO TAB 108-22 IN C SHEETS.</p> <p>B. REFER TO K SHEETS FOR LOCATIONS OF STOP BARS.</p> <p>C. PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, 24" WHITE STOP BAR SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS.</p>
36	2527-9263126	<p>PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, 4" WHITE</p> <p>A. INCLUDES THE QUANTITY FOR BROKEN WHITE CENTERLINE MARKINGS AND WHITE SOLID LANE LINES.</p> <p>B. REFER TO IOWA DOT STANDARD ROAD PLANS PM-110 FOR PAVEMENT MARKING DETAILS.</p> <p>C. REFER TO K SHEETS FOR LOCATION OF 4" WIDE WHITE PAVEMENT MARKINGS</p> <p>D. PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, 4" WHITE SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
37	2527-9263126	<p>PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, 4" YELLOW</p> <p>A. REFER TO TAB 108-22 IN C SHEETS.</p> <p>B. REFER TO IOWA DOT STANDARD ROAD PLANS PM-110 FOR PAVEMENT MARKING DETAILS.</p> <p>C. REFER TO K SHEETS FOR LOCATION OF 4" WIDE YELLOW PAVEMENT MARKINGS.</p> <p>D. PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, 4" YELLOW SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
38	2527-9263126	<p>PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, 8" YELLOW</p> <p>A. REFER TO TAB 108-22 IN C SHEETS.</p> <p>B. REFER TO IOWA DOT STANDARD ROAD PLANS PM-110 FOR PAVEMENT MARKING DETAILS.</p> <p>C. REFER TO K SHEETS FOR LOCATION OF 8" WIDE YELLOW PAVEMENT MARKINGS.</p> <p>D. PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, 8" YELLOW SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS.</p>

ESTIMATE REFERENCE INFORMATION

Item No.	Item Code	Description
39	2527-9263136	<p>PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, WHITE CROSSWALK BARS</p> <p>A. REFER TO TAB 108-22 IN C SHEETS</p> <p>B. REFER TO IOWA DOT STANDARD ROAD PLANS PM-110 FOR PAVEMENT MARKING DETAILS.</p> <p>C. REFER TO K SHEETS FOR LOCATION OF WHITE CROSSWALK BARS PAVEMENT MARKINGS</p> <p>D. PERMANENT TAPE MARKINGS, PROFILED PAVEMENT MARKING TAPE, WHITE CROSSWALK BARS SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
40	2527-9263136	<p>PRE CUT SYMBOLS AND LEGENDS, PROFILED PAVEMENT MARKING TAPE</p> <p>A. REFER TO TAB 108-22 IN C SHEETS</p> <p>B. REFER TO IOWA DOT STANDARD ROAD PLANS PM-110 FOR PAVEMENT MARKING DETAILS.</p> <p>C. REFER TO K SHEETS FOR LOCATIONS OF SYMBOLS</p>
41	2527-9263180	<p>PAVEMENT MARKINGS REMOVED</p> <p>A. REFER TO K SHEETS FOR LOCATIONS OF PAVEMENT MARKINGS TO BE REMOVED ON THE NORTH AND SOUTH ENDS OF</p> <p>B. PAVEMENT MARKINGS TO BE REMOVED SHALL BE REMOVED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
42	2527-9270111	<p>GROOVES CUT FOR 24" STOP BAR PAVEMENT MARKING TAPE</p> <p>A. REFER TO TAB 108-22 IN C SHEETS</p> <p>B. REFER TO DETAIL ON B SHEETS</p> <p>C. GROOVES CUT FOR 24" STOP BAR PAVEMENT MARKING TAPE SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
43	2527-9270111	<p>GROOVES CUT FOR 4" WHITE AND YELLOW PAVEMENT MARKING TAPE</p> <p>A. REFER TO TAB 108-22 IN C SHEETS</p> <p>B. REFER TO DETAIL ON B SHEETS</p> <p>C. GROOVES CUT FOR 4" WHITE AND YELLOW PAVEMENT MARKING TAPE SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
44	2527-9270111	<p>GROOVES CUT FOR 8" YELLOW PAVEMENT MARKING TAPE</p> <p>A. REFER TO TAB 108-22 IN C SHEETS</p> <p>B. REFER TO DETAIL ON B SHEETS</p> <p>C. GROOVES CUT FOR 8" YELLOW PAVEMENT MARKING TAPE SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
45	2527-9270111	<p>GROOVES CUT FOR WHITE CROSSWALK BARS PAVEMENT MARKING TAPE</p> <p>A. REFER TO TAB 108-22 IN C SHEETS</p> <p>B. REFER TO DETAIL ON B SHEETS</p> <p>C. GROOVES CUT FOR WHITE CROSSWALK BARS PAVEMENT MARKING TAPE SHALL BE INSTALLED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
46	2527-9270120	<p>GROOVES CUT FOR SYMBOLS AND LEGENDS</p> <p>A. REFER TO K SHEETS FOR LOCATIONS OF SYMBOLS</p> <p>B. GROOVES CUT FOR SYMBOLS AND LEGENDS SHALL BE CONSTRUCTED IN ACCORDANCE WITH APPLICABLE SECTIONS OF THE IOWA DOT SPECIFICATIONS SECTION 2527 - PAVEMENT MARKINGS</p>
47	2528-9400256	<p>TEMPORARY TRAFFIC SIGNAL</p> <p>A. REFER TO SHEETS J.03 AND J.08 FOR THE LOCATIONS OF TEMPORARY TRAFFIC SIGNAL HEAD INSTALLATIONS FOR THE FERRY ROAD DURING PHASE 2 CONSTRUCTION.</p> <p>B. TRAFFIC SIGNAL FOR NB C AVENUE AT COLLINS ROAD DURING PHASE 1 CONSTRUCTION, AND SB C AVENUE AT BLAIRS FERRY ROAD DURING PHASE 2 CONSTRUCTION.</p> <p>C. THIS ITEM INCLUDES THE REMOVAL OF THE EXISTING TRAFFIC SIGNAL HEADS, MATERIAL FOR THE TEMPORARY SIGNAL HEADS, AND REINSTALLATION OF THE EXISTING HEADS UPON COMPLETION OF PHASE 1 AND PHASE 2, RESPECTIVELY.</p>
48	2528-9445110	<p>TRAFFIC CONTROL</p> <p>A. REFER TO J SHEETS FOR STAGING, TRAFFIC CONTROL DETAILS, AND DETOUR PLAN.</p> <p>B. INCLUDES ALL TRAFFIC CONTROL DEVICES AND EQUIPMENT NECESSARY TO MAINTAIN TRAFFIC IN ACCORDANCE WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND THE IOWA DOT STANDARD ROAD PLANS.</p> <p>C. A WRITTEN TRAFFIC CONTROL PLAN SHALL BE SUBMITTED TO THE ENGINEER FOR REVIEW BEFORE WORK BEGINS.</p>
49	2528-9200050	<p>PORTABLE DYNAMIC MESSAGE SIGN (PDMS)</p> <p>A. PORTABLE DYNAMIC MESSAGE SIGN SHALL MEET THE REQUIREMENTS OF IOWA DOT SPECIFICATIONS SECTION 2528</p> <p>B. AUTHORIZATION OF THE ENGINEER IS REQUIRED PRIOR TO IMPLEMENTING THE PORTABLE DYNAMIC MESSAGE SIGN.</p>
50	2533-4900005	<p>MOBILIZATION</p> <p>A. PAVEMENT MOBILIZATION SHALL BE IN ACCORDANCE WITH SECTION 2533 OF THE IOWA DOT STANDARD SPECIFICATIONS.</p>
51	2555-0000010	<p>DELIVER + STOCKPILE SALVAGED MATERIAL</p> <p>A. THIS ITEM WILL BE MEASURED AND PAID FOR AT THE LUMP SUM CONTRACT PRICE. THIS SHALL BE CONSIDERED FULL COMPENSATION FOR SALVAGING, DISASSEMBLING, CLEANING, MATCH MARKING, BUNDLING, DELIVERING, BLOCKING AND STOCKPILING.</p> <p>B. THE CONTRACTOR SHALL COORDINATE WITH THE PROJECT ENGINEER AND THE FOLLOWING CONTACTS TO DETERMINE THE LOCATION OF SALVAGED MATERIAL TO BE DELIVERED TO THE STOCKPILE. THE STOCKPILE SHALL BE LOCATED AT THE FOLLOWING LOCATIONS: - CEDAR RAPIDS STREET SUPERINTENDENT MIKE DUFFEY (319)286-5802; - 900 15TH AVENUE SW CEDAR RAPIDS, IA. - CEDAR RAPIDS WATER DIVISION, KEN RUSSELL (319) 286-59820, 1111 SHAVER ROAD NE, CEDAR RAPIDS, IA.</p>

