

A d d e n d u m

Iowa Department of Transportation
Office of Contracts

Date of Letting: June 21, 2016
Date of Addendum: June 20, 2016

B.O.	Proposal ID	Proposal Work Type	County	Project Number	Addendum
007	77-1945-813	BRIDGE REPLACEMENT - PPCB	POLK	STP-U-1945(813)--70-77	21JUN007.A03

Make the following changes to the plan, Sheet V.42:

Add Note to the Ornamental Metal Rail Notes:

Fittings at cable terminations and connection points shall be stainless steel, and shall be one of the following products or an approved equal:

Manufacturer: Feeney Architectural

Description: Standard Assembly for 1/4" cable through-post tension connection

<http://www.feeneyinc.com/Architectural/CableRail-Custom-Assemblies#Quick-Connect>

Manufacturer: The Cable Connection

Description: Tensioning cable railing hardware- for 1/4" cable through-post tension connection

Invisiware Receiver, Adjust-a-Body Threaded Bolt

<http://thecableconnection.com/hardware-cable.html>

Manufacturer: American Metal Specialties, Inc.

Description: CableLoc or Swaged/Hand Crimp fittings; Budget for 1/4" cable through-post tension connection

<http://www.cablerailings.com/cables-fittings-directory.html>

Manufacturer: Stainless Cable and Railing

Description: Classic Button Assembly for 1/4" cable through-post tension connection

<http://stainlesscablerailing.com/cable-rail-thru-post-fittings.html>