

# A d d e n d u m

Iowa Department of Transportation  
Office of Contracts

Date of Letting: October 18, 2016  
Date of Addendum: October 13, 2016

<b>B.O.</b>	<b>Proposal ID</b>	<b>Proposal Work Type</b>	<b>County</b>	<b>Project Number</b>	<b>Addendum</b>
353	78-1642-668-A	TRAFFIC SIGNALS	Pottawattamie	STP-A-1642(668)--86-78	18oct353a01

Make the following change to the PROPOSAL SPECIAL PROVISIONS LIST AND TEXT:

Delete SP-154006 SPECIAL PROVISIONS FOR TRAFFIC SIGNALIZATION

Pottawattamie County  
STP-A-1642(668)--86-78

Effective Date: August 16, 2016

Add the attached SP-154006A SPECIAL PROVISIONS FOR TRAFFIC SIGNALIZATION

Pottawattamie County  
STP-A-1642(668)--86-78

Effective Date: August 16, 2016

**SP-154006a**  
**(Replaces SP-154006)**



**SPECIAL PROVISIONS  
FOR  
TRAFFIC SIGNALIZATION**

**Pottawattamie County  
STP-A-1642(668)—86-78**

**Effective Date  
August 16, 2016**

**THE STANDARD SPECIFICATIONS, SERIES 2015, ARE AMENDED BY THE FOLLOWING  
MODIFICATIONS AND ADDITIONS. THESE ARE SPECIAL PROVISIONS AND THEY SHALL  
PREVAIL OVER THOSE PUBLISHED IN THE STANDARD SPECIFICATIONS.**

INDEX

A.	NEMA TS 2 ACTUATED TRAFFIC SIGNAL CONTROLLER UNIT .....	3
B.	MALFUNCTION MANAGEMENT UNIT .....	3
C.	TS2 TYPE 1 CABINET ASSEMBLY .....	10
D.	ELECTRICAL DESIGN.....	19
E.	TRAFFIC SIGNAL BATTERY BACKUP SYSTEM (BBS) .....	20
F.	ELECTRICAL SERVICE PEDESTAL.....	23
G.	VEHICLE DETECTION SYSTEMS.....	23
H.	EMERGENCY VEHICLE TRAFFIC SIGNAL PRIORITY CONTROL SYSTEM .....	39
I.	FIBER OPTIC INTERCONNECT .....	39
J.	TRAFFIC MONITORING CAMERA .....	43
K.	GROUNDING SYSTEM .....	44
L.	CONTRACTOR COORDINATION.....	44
M.	GUARANTEE.....	44
N.	TRAFFIC SIGNAL HEADS.....	45
O.	MAST ARMS AND POLES.....	51
P.	POLE BASES .....	51
Q.	CONDUIT AND CONDUIT FITTINGS .....	51
R.	ELECTRICAL CABLE .....	52
S.	WIRE SPLICING .....	53
T.	STREET NAME AND REGULATORY SIGNS MOUNTED ON SIGNAL POLES .....	54
U.	SIGNAL HEAD COVERS .....	54
V.	SCHEDULE OF UNIT PRICES.....	54
W.	CONTRACTOR QUALIFICATIONS & RESPONSIBILITIES .....	54
X.	BLANK-OUT SIGNS.....	54
Y.	METHOD OF MEASUREMENT.....	56
Z.	BASIS OF PAYMENT.....	56

## **A. NEMA TS 2 ACTUATED TRAFFIC SIGNAL CONTROLLER UNIT**

The Actuated Controller, Cabinet, and all auxiliary equipment shall be in full compliance with the NEMA Standard TS2 Type 2 requirements.

The local intersection controller shall be the most current version of the Trafficware Model 980 controller or an equivalent approved by the City Traffic Engineer. The controller must be fully compatible with the City of Council Bluff's existing ATMS.now Advanced Traffic Management System (ATMS) and the existing SynchroGreen Adaptive Signal Control Technology (ASCT) system that are both manufactured by Trafficware. The controller shall include the data key option or similar function. The Controller shall be capable of 10/100 BASE-T Ethernet network communication. The City Traffic Engineer may specify alternate or additional communications capabilities as needed.

All auxiliary equipment supplied in the signal cabinet not produced by the primary Controller manufacturer shall have service information and parts availability information supplied including, model number, serial number, and/or part number, and the address of the manufacturer included on the cabinet layout and master parts list. The same manufacturer as the Controller timing unit shall manufacture the cabinet terminal facilities. All other equipment may be multi-source. Refer to NEMA Standard TS2, Type 2 – 1992 for further standards and specifications for TS2 signal equipment.

## **B. MALFUNCTION MANAGEMENT UNIT**

### 1.0 FUNCTIONS

#### 1.1 GENERAL

This specification sets forth the minimum requirements for a shelf-mountable, sixteen channel, solid-state Malfunction Management Unit (MMU) with Ethernet capability. The MMU shall meet as a minimum, all applicable sections of the *NEMA Standards Publication No. TS2-2003 (R2008)* including *NEMA TS-2 Amendment #4-2012*. Where differences occur, this specification shall govern.

##### 1.1.1 NEMA TS-2 AMENDMENT #4-2012 FOR FLASHING YELLOW ARROW

The MMU shall be fully compliant with the requirements of the *NEMA TS-2 Amendment #4-2012* for Flashing Yellow Arrow. This standard defines the operation of a Type MMU2 device. The MMU itself shall be labeled as an MMU2.

#### 1.2 MONITORING FUNCTIONS

The following monitoring functions shall be provided in addition to those required by the NEMA Standard Section 4.

##### 1.2.1 DUAL INDICATION MONITOR

Dual Indication monitoring shall detect simultaneous input combinations of active Green (Walk), Yellow, or Red (Don't Walk) field signal inputs on the same channel. In Type 12 mode this monitoring function detects simultaneous input combinations of active Green and Yellow, Green and Red, Yellow and Red, Walk and Yellow, or Walk and Red field signal inputs on the same channel.

When voltages on two inputs of a vehicle channel are sensed as active for more than 450 msec, the MMU(2) shall enter the fault mode, transfer the OUTPUT relay contacts to the Fault position, and indicate the DUAL INDICATION fault. The MMU(2) shall remain in the fault mode until the unit is reset by the RESET button or the EXTERNAL RESET input. When voltages on two inputs of a vehicle channel are sensed as active for less than 200 msec, the MMU(2) shall not transfer the OUTPUT relay contacts to the Fault position.

When operating with Port 1 communications enabled, Bit #68 (Spare Bit #2) of the Type #129 response frame shall be set to indicate a Dual Indication fault has been detected.

Dual Indication Monitoring shall be disabled when the RED ENABLE input is not active.

#### 1.2.1.1 DUAL INDICATION PROGRAMMING

Programming shall be provided to enable the Dual Indication monitoring function for the Green and Red, Green and Yellow, and Yellow and Red combinations for each individual channel. In the Type 12 mode, the Walk inputs shall be logically OR'ed with the Green inputs for purposes of Dual Indication programming.

#### 1.2.2 FIELD CHECK MONITORING

The Field Check Monitor function shall provide two modes of operation, Field Check Fault and Field Check Status.

Field Check Monitoring shall be disabled when the RED ENABLE input is not active.

##### 1.2.2.1 FIELD CHECK MONITOR

In the Field Check Fault mode, when the field signal input states sensed by the MMU(2) do not correspond with the data provided by the Controller Unit in the Type #0 message for 10 consecutive messages, the MMU(2) shall enter the fault mode, transfer the OUTPUT relay contacts to the Fault position, and indicate the FIELD CHECK FAIL fault. Bit #67 (Spare Bit #1) of the Type #129 response frame shall be set to indicate a Field Check fault has been detected. The MMU(2) shall remain in the fault mode until the unit is reset by the RESET button or the EXTERNAL RESET input.

##### 1.2.2.2 FIELD CHECK STATUS

The Field Check Status mode shall work in combination with the other fault monitoring functions of the MMU(2). When a Conflict, Red Fail, Clearance Fail, or Dual Indication Fail triggers the MMU(2), the Channel Status Display and Fault Status Display shall correspond to that detected fault. If Field Check errors were detected while the fault was being timed, the inputs on which the Field Check errors were detected shall be reported on the Channel Status display. Bit #67 (Spare Bit #1) of the Type #129 response frame shall also be set to indicate Field Check errors have been detected.

##### 1.2.2.3 FIELD CHECK PROGRAMMING

Programming shall be provided to enable the Field Check monitoring function for each Green, Yellow, and Red input individually. Programming shall be provided to enable the Field Check monitoring function for channel 2, 4, 6, and 8 Walk input individually when operating in the Type 12 with SDLC mode.

#### 1.2.3 RECURRENT PULSE MONITORING

The Signal Monitor shall detect Conflict, Red Fail, and Dual Indication faults that result from intermittent or flickering field signal inputs. These recurring pulses shall result in a latching fault with the RECURRENT PULSE STATUS indicated along with the resulting Conflict, Red Fail, or Dual Indication status. An option shall be provided to disable the RP detect function for testing purposes.

When operating with Port 1 communications enabled, Bit #69 (Spare Bit #3) of the Type #129 response frame shall be set to indicate a Recurrent Pulse status has been detected.

#### 1.2.4 EXTERNAL WATCHDOG MONITORING

The MMU(2) shall provide the capability to monitor an optional external logic level output from a Controller Unit or other external cabinet circuitry. If the MMU(2) does not receive a change in state on the EXTERNAL WATCHDOG input for 1500 msec ( $\pm 100$  msec), the MMU(2) shall enter the fault mode, transfer the OUTPUT relay contacts to the Fault position, and indicate the WATCHDOG fault. The MMU(2) shall remain in the fault mode until the unit is reset by the RESET button or the EXTERNAL RESET input. An MMU(2) Power Failure shall reset the WATCHDOG fault state of the monitor. The EXTERNAL WATCHDOG input shall be wired to connector MSB-S.

When operating with Port 1 communications enabled, Bit #70 (Spare Bit #4) of the Type #129 response frame shall be set to indicate an External Watchdog fault has been detected.

#### 1.2.5 TYPE FAULT MONITOR

The MMU(2) shall verify at power-up that the Type 12 or Type 16 operating mode as determined by the TYPE SELECT input is consistent with the mode set by the last external reset.

Detection of a Type Fault shall place the MMU(2) into the fault mode, transfer the OUTPUT relay

contacts to the Fault position, and indicate the TYPE 12/16 fault. The MMU(2) shall remain in the fault mode until the unit is reset by the RESET button or the EXTERNAL RESET input. An MMU(2) Power Failure shall reset the Type Fault state of the monitor.

### 1.2.6 FLASHING YELLOW ARROW PPLT SUPPORT

The MMU(2) shall be designed to monitor an intersection with up to four approaches using the four section Flashing Yellow Arrow (FYA) movement as specified by NEMA TS-2 Amendment #4-2012. Twelve cabinet configurations shall be supported for the MMU(2) Type 16 mode and four modes for the Type 12 mode, in order to support cabinet configurations limited by the number of load switches provided and the capabilities of the Controller Unit. The MMU(2) shall be designed to provide the same fault coverage for the FYA approaches as it does for conventional protected left turn phases, including Conflict, Red Fail, Dual Indication, and both Minimum Yellow and Minimum Yellow Plus Red Clearance monitoring.

## 1.3 CONFIGURATION OPTIONS

### 1.3.1 WALK DISABLE OPTION

This option will modify the operation of Red Fail and Dual Indication Monitoring in the TS-1 Type 12 mode only. When enabled, the Red Fail and Dual Indication Monitoring function will not monitor the Walk field outputs. Absence of signals on the Green, Yellow, and Red field outputs of a channel will place the MMU(2) into the Red Fail fault mode causing the Output relay contacts to transfer. Presence of active signals on the Walk output will not cause a Dual Indication when concurrent with active Red or Yellow signals.

### 1.3.2 LED SIGNAL THRESHOLD ADJUST

The MMU(2) shall provide the capability to sense field inputs signals with the following thresholds:  
Conflict, Dual Indication Low Threshold Signal Inputs (Green, Yellow, and Red)

No Detect..... less than 15 Vrms  
Detect ..... greater than 25 Vrms

Red Fail High Threshold Signal Inputs (Green, Yellow, and Red)

No Detect..... less than 50 Vrms  
Detect ..... greater than 70 Vrms

### 1.3.3 CVM LOG DISABLE OPTION

The MMU(2) shall provide a means to disable the logging of CVM fault events.

### 1.3.4 CVM 3X/DAY LATCH OPTION

The MMU(2) shall provide a mode for allowing up to two CVM events in a 24 hour period to be non-latching. The third CVM event in a 24 hour period shall be latching. Following the third event a power cycle shall reset the count from 3 to 2. A manual reset shall reset the count to 0.

## 1.4 DISPLAY FUNCTIONS

The following display functions shall be provided in addition to those required by the NEMA TS-2 Standard Section 4. A PC shall not be required to display the following parameters.

### 1.4.1 FIELD SIGNAL VOLTAGES DISPLAY

A mode shall be provided to display the RMS voltage of each field signal input. If the MMU(2) is not in the fault mode, the displayed voltage will be the currently applied RMS voltage. If the MMU(2) is in the fault mode, the displayed voltage will be the applied RMS voltage at the time of the fault.

### 1.4.2 CABINET CONTROL SIGNAL VOLTAGES DISPLAY

A mode shall be provided to display the RMS voltage of the AC Line and Red Enable, the frequency of the AC Line, and the ambient temperature measured at the MMU(2). If the MMU(2) is not in the fault mode, the displayed values will be the currently applied values. If the MMU(2) is in the fault mode, the displayed values will be the applied values at the time of the fault.

#### 1.4.3 FIELD CHECK STATUS DISPLAY

When the MMU(2) is in the fault mode, a display screen for the front panel display shall be provided to identify all field signal inputs with Field Check status.

#### 1.4.4 RECURRENT PULSE STATUS DISPLAY

When the MMU(2) is in the fault mode, a display screen for the front panel display shall be provided to identify all field signal inputs with Recurrent Pulse status.

#### 1.4.5 CONFIGURATION DISPLAY

A display mode for the front panel display shall be provided that allows the setting and viewing of all MMU(2) configuration parameters. The configuration parameters provided on the program card shall be viewable only. A PC shall not be required to completely program or view the MMU(2) configuration parameters.

#### 1.4.6 EVENT LOGS DISPLAY

A display mode for the front panel display shall be provided to review all details of the Previous Fail log, AC Line log, and the Monitor Reset log.

#### 1.4.7 CLOCK SET DISPLAY

A display mode for the front panel display shall be provided to view and set the time and date of the MMU(2) real time clock.

### 1.5 OPERATING MODES

The MMU(2) shall operate in both the Type 12 mode and Type 16 mode as required by the NEMA Standard.

#### 1.5.1 HELP SYSTEM

A context sensitive Help system shall be provided that is activated by a separate Help button. The Main Status display shall respond with text messages relevant to the position in the menu navigation level. When the MMU(2) is in the fault mode the Help system shall respond with the Diagnostic mode described in 0.

#### 1.5.2 SETUP WIZARD

A built-in setup mode shall be provided that automatically configures the Dual Indication enable, Field Check enable, Red Fail enable, and Minimum Yellow Plus Red Clearance enable parameters from user input consisting only of channel assignment and class (vehicle, ped, pp-turn, etc) responses.

#### 1.5.3 DIAGNOSTIC WIZARD

A built-in Diagnostic Wizard shall be provided that displays detailed diagnostic information regarding the fault being analyzed. This mode shall provide a concise view of the signal states involved in the fault, pinpoint faulty signal inputs, and provide guidance on how the technician should isolate the cause of the malfunction. The Diagnostic Wizard shall be automatically invoked when the MMU(2) is in the fault mode and the HELP button is pressed. It shall also be automatically invoked when the MMU(2) is in the Previous Fail (PF) event log display and the HELP button is pressed.

#### 1.5.4 TS-1 TYPE 12 WITH SDLC MODE

The MMU(2) shall be capable of operating in the Type 12 mode with SDLC communications enabled on Port 1. The Channel Status display shall operate in the Type 12 configuration and provide the Field Check function for up to four pedestrian Walk inputs.

## 2. HARDWARE

### 2.1 ENCLOSURE

### 2.1.1 SIZE

The MMU(2) shall be compact so as to fit in limited cabinet space. It shall be possible to install on a shelf that is at least 7" deep. Overall dimensions, including mating connectors and harness, shall not exceed 10.5 inches by 4.5 inches by 11 inches (H x W x D).

### 2.1.2 MATERIAL

The enclosure shall be constructed of sheet aluminum with a minimum thickness of 0.062 inches, and shall be finished with an attractive and durable protective coating. Model, serial number, and program information shall be permanently displayed on the top surface.

## 2.2 ELECTRONICS

### 2.2.1 MICROPROCESSOR MONITOR

A microprocessor shall be used for all timing and control functions. Continuing operation of the microprocessor shall be verified by an independent monitor circuit, which shall force the OUTPUT RELAY to the de-energized "fault" state and illuminate the DIAGNOSTIC indicator if a pulse is not received from the microprocessor within a defined period not to exceed 500 ms. Only an MMU(2) Power Failure shall reset the DIAGNOSTIC fault state of the monitor.

### 2.2.2 RMS VOLTAGE MEASUREMENT

High speed sampling techniques shall be used to determine the true RMS value of the AC field inputs. Each AC input shall be sampled a minimum of 32 times per line cycle. The RMS voltage measurement shall be insensitive to phase, frequency, and waveform distortion.

### 2.2.3 SOCKETS

In the interest of reliability, no IC sockets shall be used.

### 2.2.4 BATTERY

All user programmed configuration settings shall be stored in an electrically erasable programmable read-only memory (EEPROM). Designs using a battery to maintain configuration data shall not be acceptable. If a battery is used, it shall provide power only to the real time clock.

### 2.2.5 FIELD INPUT TERMINALS

All 120 VAC field terminal inputs shall provide an input impedance of at least 150K ohms and be terminated with a discrete resistor having a power dissipation rating of 0.5 Watts or greater.

### 2.2.6 COMPONENT TEMPERATURE RANGE

All electrical components used in the MMU(2) except the front panel Status LCD shall be rated by the component manufacturer to operate over the full NEMA temperature range of -29°F to +165°F.

### 2.2.7 PRINTED CIRCUIT BOARDS

All printed circuit boards shall meet the requirements of the NEMA Standard plus the following requirements to enhance reliability:

- a. Both sides of the printed circuit board shall be covered with a solder mask material.
- b. The circuit reference designation for all components and the polarity of all capacitors and diodes shall be clearly marked adjacent to the component. Pin #1 for all integrated circuit packages shall be designated on both sides of all printed circuit boards.
- c. All printed circuit board assemblies shall be coated on both sides with a clear moisture-proof and fungus-proof sealant.

## 2.3 FRONT PANEL AND CONNECTORS

### 2.3.1 MMU STATUS DISPLAY

A four line by 20 character alpha-numeric LCD display shall be provided to report MMU(2) status, time and date, menu navigation, etc. This display shall be separate from the full intersection channel status display.



### 2.3.2 FULL INTERSECTION CHANNEL STATUS DISPLAY

A separate Red, Yellow, and Green indicator shall be provided for the channel status LCD display for each channel to show full intersection status simultaneously. For Type 12 mode operation a separate Red, Yellow, Green and Walk indicator shall be provided for each channel to show full intersection status simultaneously. Individual icons shall also be provided to indicate channels involved in a fault.

### 2.3.3 LED DISPLAY INDICATORS

The following LED display indicators shall be provided:

#### 2.3.3.1 POWER INDICATOR

The green POWER indicator shall flash at a rate of 2Hz when the AC LINE voltage is below the drop-out level. It shall illuminate steadily when the AC LINE voltage returns above the restore level. It shall extinguish when the AC Line voltage is less than 75 Vrms.

#### 2.3.3.2 FAULT INDICATOR

The red FAULT indicator shall illuminate when the MMU(2) is in the fault mode and the OUTPUT relay has transferred to the Fault position.

#### 2.3.3.3 PORT 1 RECEIVE INDICATOR

The yellow RECEIVE indicator shall illuminate for a 40 msec pulse each time a Port 1 message is correctly received from the Controller Unit.

#### 2.3.3.4 PORT 1 TRANSMIT INDICATOR

The yellow TRANSMIT indicator shall illuminate for a 40 msec pulse each time a Port 1 message is transmitted from the MMU(2).

#### 2.3.3.5 COMM RECEIVE INDICATOR

The yellow COMM indicator shall illuminate for a 40 msec pulse each time a message is correctly received on the ECcom communications port (Ethernet or EIA-232).

#### 2.3.3.6 DIAGNOSTIC INDICATOR

The red DIAGNOSTIC indicator shall illuminate when the MMU(2) has detected an internal diagnostic failure.

### 2.3.4 CONTROLS

All displays, controls, and connectors shall be mounted on the front panel of the MMU(2).

#### 2.3.4.1 HELP BUTTON

A momentary contact button shall be provided that initiates the context sensitive help system described in 0.

### 2.3.5 MS CONNECTORS

The MS connectors on the MMU(2) shall have a metallic shell and be attached to the chassis internally. The connectors shall be mounted on the front of the unit in accordance with the following: Connector A shall mate with a MS 3116 22-55 SZ, and Connector B shall mate with a MS 3116 16-26 S.

In the interest of reliability and repair ability, printed circuit board mounted MS connectors shall not be acceptable. Internal MS harness wire shall be a minimum of No. 22 AWG, 19 strands.

### 2.3.6 ETHERNET PORT

An Ethernet port capable of a minimum 10 Mbps operation shall be provided on the front panel. The Ethernet port shall be electrically isolated from the MMU(2) electronics and shall provide a minimum of 1500 Vrms isolation. The connector shall be an RJ-45 eight pin connector.

## 2.4 MONITOR CONFIGURATION PARAMETERS

All NEMA standard configuration parameters shall be provided by a program card meeting the requirements of clause 4.3.6 of NEMA TS-2. All configuration parameters for functions and options

beyond the requirements of the standard shall be stored in non-volatile memory within the MMU(2). This memory shall be programmable from the front panel menu driven interface, data downloaded via the ECom port, or loaded from shadow memory located on the program card (see 0).

## 2.5 PROGRAM CARD MEMORY

The program card supplied with the MMU(2) shall provide non-volatile memory that contains the configuration parameters for the enhanced features of the MMU(2), such that transferring the program card to a different MMU(2) completely configures that MMU(2). The non-volatile memory device used on the program card shall not utilize any I/O pins designated as "Reserved" by NEMA TS-2.

## 3. EVENT LOGGING FUNCTIONS

### 3.1 GENERAL

The MMU(2) shall be capable of storing in non-volatile memory a minimum of 100 events. Each event shall be marked with the time and date of the event. These events shall consist of fault events, AC Line events, reset events, and configuration change events. The capability to assign a four digit identification number and 30 character description to the unit shall be provided. The event logs shall be uploaded to a PC using the serial port of the MMU(2) and Windows based software provided by the manufacturer.

Each event log report shall contain the following information:

- a) Monitor ID#: a four digit (0000-9999) ID number and 30 character description assigned to the monitor.
- b) Time and Date: time and date of occurrence.
- c) Event Number: identifies the record number in the log. Event #1 is the most recent event.

#### 3.1.1 WAN NETWORK DISCOVERY

The communications software running on the PC shall be able to search the network and display a list of IP addresses and Monitor IDs of MMUs responding on the network. The communications software shall also be capable of making changes to the MMU(2) network parameters such as IP address and subnet mask.

#### 3.1.2 ETHERNET PORT HTML INTERFACE

An HTML based capability shall be provided in the MMU(2) to configure the network parameters of the MMU(2) Ethernet port using a standard HTML browser.

### 3.2 REPORTS

#### 3.2.1 MONITOR STATUS REPORT (CS)

The Current Status report shall contain the following information:

- a) Fault Type: the fault type description.
- b) Field Status: the current GYR(W) field status and field RMS voltages if the monitor is not in the fault state, or the latched field status and field RMS voltages and fault channel status at the time of the fault.
- c) Cabinet Temperature: the current temperature if the monitor is not in the fault state, or the latched temperature at the time of the fault.
- d) AC Line Voltage: the current AC Line voltage and frequency if the monitor is not in the fault state, or the AC Line voltage and frequency at the time of the fault.
- e) Control Input Status: the current state and RMS voltages of the Red Enable input & Load Switch Flash bit input if the monitor is not in the fault state, or the status latched at the time of the fault.

#### 3.2.2 PREVIOUS FAULT LOG (PF)

The Previous Fault log shall contain the following information:

- a) Fault Type: the fault type description.

- b) Field Status: the latched field status with RMS voltages, fault channel status, RP Detect status and Field Check status at the time of the fault.
- c) Cabinet Temperature: the latched temperature at the time of the fault.
- d) AC Line Voltage: the AC Line voltage & frequency at the time of the fault.
- e) Control Input Status: the latched state of the Red Enable input at the time of the fault.

### 3.2.3 AC LINE EVENT LOG (AC)

The AC Line log shall contain the following information:

- a) Event Type: describes the type of AC Line event that occurred.  
Power-up - AC on, monitor performed a cold start  
Interrupt - AC Line < Brownout level  
Restore - AC restored from AC brown-out or AC interruption (AC Off), no cold start
- b) AC Line Voltage: the AC Line voltage & frequency at the time of the event.

### 3.2.4 MONITOR RESET LOG (MR)

The Monitor Reset log shall contain the following information:

- a) The monitor was reset from a fault by the front panel Reset button, or External Reset input, or a non-latched event clear.

### 3.2.5 CONFIGURATION CHANGE LOG (CF)

The Configuration Change log shall contain the following information:

- a) The status of all configuration programming including the contents of the Program Card.
- b) Any configuration programming inputs such as 24V Inhibit, Port 1 Disable, Type Select.
- c) Configuration Check Value: A unique check value that is based on the configuration of items #a and #b above.

The log shall also indicate which items have been changed since the last log entry.

### 3.2.6 SIGNAL SEQUENCE LOG (SSQ)

A minimum of five logs shall be provided that graphically display all field signal states and Red Enable for up to 30 seconds prior to the current fault trigger event. The resolution of the display shall be at least 50 milliseconds.

## 3.3 REMOTE MONITOR CONFIGURATION

### 3.3.1 SETUP WIZARD

A setup mode shall be provided by the Windows based software that automatically configures the Dual Indication enable, Field Check enable, Red Fail enable, and Minimum Yellow Plus Red Clearance enable parameters from user input consisting only of channel assignment and class (vehicle, ped, pp-turn, fya, etc.) responses.

### 3.3.2 UPLOAD FROM FILE

All configuration parameters for functions and options beyond the requirements of the standard shall be programmable by transferring a file from a PC to the MMU(2) via the front panel Ethernet port. These parameters shall be stored in nonvolatile memory in the MMU(2).

### 3.3.3 DOWNLOAD TO FILE

All configuration parameters for functions and options beyond the requirements of the standard shall be downloadable to a PC by transferring a file from the MMU(2) to a PC via the front panel Ethernet port.

## C. TS2 TYPE 1 CABINET ASSEMBLY

### 1.0 GENERAL

This specification sets forth the minimum requirements for a TS2 Type 1 traffic control cabinet assembly.

The cabinet assembly shall meet, as a minimum, all applicable sections of the NEMA Standard Publication No. TS2-1992. Where differences occur, this specification shall govern. The controller cabinet shall meet the following functional requirements:

## 2.0 CABINET DESIGN AND CONSTRUCTION

The cabinet shall be constructed from type 5052-H32 aluminum with a minimum thickness of 0.125 inches.

The cabinet shall be designed and manufactured with materials that will allow rigid mounting, whether intended for pole, base or pedestal mounting. The cabinet must not flex on its mount.

A rain channel shall be incorporated into the design of the main door opening to prevent liquids from entering the enclosure. The cabinet door opening must be a minimum of 80% of the front surface of the cabinet.

The top of the cabinet shall incorporate a 1 inch slope toward the rear to prevent rain accumulation.

Unless otherwise specified, the cabinet shall be supplied with a natural aluminum finish. Sufficient care shall be taken in handling to ensure that scratches are minimized. All surfaces shall be free from weld flash. Welds shall be smooth, neatly formed, free from cracks, blow holes and other irregularities. All sharp edges shall be ground smooth.

All seams shall be sealed with RTV sealant or equivalent material on the interior of the cabinet.

All cabinets shall be supplied with two removable shelves manufactured from 5052H32 aluminum. Shelf shall be a minimum of 10 inches deep.

One set of vertical "C" channels shall be mounted on each interior wall of the cabinet for the purpose of mounting the cabinet components. The channels shall accommodate spring mounted nuts or studs. All mounting rails shall extend to within 7 inches of the top and bottom of the cabinets.

The main door and police door-in-door shall close against a weatherproof and dustproof, closed-cell neoprene gasket seal. The gasket material for the main door shall be a minimum of 0.188 inches thick by 1.00 inch wide. The gasket material for the police door shall be a minimum of 0.188 inches thick by 0.500 inches wide. The gaskets shall be permanently bonded to the cabinet.

The lower section of the cabinet shall be equipped with a louvered air entrance. The air inlet shall be large enough to allow sufficient airflow per the rated fan capacity. Louvers must satisfy the NEMA rod entry test for 3R ventilated enclosures. A noncorrosive, vermin- and insect-proof, removable air filter shall be secured to the air entrance. The filter shall fit snugly against the cabinet door wall.

The roof of the cabinet shall incorporate an exhaust plenum with a vent screen. Perforations in the vent screen shall not exceed 0.125 inches in diameter.

The main door shall be equipped with a three-point latching mechanism.

The handle on the main door shall utilize a shank of stainless steel 3/4 inches minimum diameter. The handle shall include a hasp for the attachment of an optional padlock. The cabinet door handle shall rotate clockwise to open. The lock assembly shall be positioned so that the handle shall not cause any interference with the key when opening the cabinet door.

The main door hinge shall be a one-piece, continuous piano hinge with a stainless steel pin running the entire length of the door. The hinge shall be attached in such a manner that no rivets or bolts are exposed.

The main door shall include a mechanism capable of holding the door open at approximately 90, 120, and 180 degrees under windy conditions.

The main door shall be equipped with a Corbin tumbler lock number 1548-1. Two keys shall be supplied.

The police door-in-door shall be provided with a treasury type lock Corbin No. R357SGS or exact equivalent and one key.

All base mounted cabinets shall be supplied with anchor bolts to properly secure the cabinet to its base. The cabinet flange for securing the anchor bolts shall not protrude outward from the bottom of the cabinet. When a size 5 cabinet is furnished, two anchor bolts shall be provided. Size 6 and 7 cabinets shall be provided with four anchor bolts.

Each cabinet shall be of sufficient size to accommodate all equipment. At a minimum, the minimal cabinet sizes are as follows:

- Size 4 cabinets – 51 inches H by 24 inches W by 16 inches D
- Size 5 (M) cabinets – 51 inches H by 30 inches W x 16 inches D
- Size 6 (P) cabinets – 56 inches H by 44 inches W x 24 inches D
- Size 7 (R) cabinets – 77 inches H by 44 inches W x 24 inches D

The size 6 (P) cabinet is to be used unless a specific cabinet size is called out on the plans.

*Note:* Height measured at front of cabinet.

The cabinet shall be a base mounted unit with a concrete foundation as per the plan details. A level concrete pad with a broom finish and dimensions of 36 inches by width of cabinet by 5 inches shall be installed adjacent to the cabinet base on the front side of the cabinet door. A 1/2 inch expansion material shall be installed between the cabinet base and the concrete pad.

### 3.0 TERMINALS AND FACILITIES/MAIN PANEL DESIGN AND CONSTRUCTION

The main panel shall be constructed from 5052-H32 brushed aluminum of 0.125 inches minimum thickness and formed so as to eliminate any flexing when plug-in components are installed.

All 4, 8, 12 and 16 position main panels shall be hinged at the bottom to allow easy access to all wiring on the rear of the panel. It shall not be necessary to remove any shelf-mounted equipment to hinge down the main panel.

The main panel shall be fully wired in the following configurations:

- a. Type 1 Configuration - Four load switch sockets, two flash transfer relay sockets, one flasher socket and two main panel Bus Interface Unit (BIU) rack positions.
- b. Type 2 Configuration - Eight load switch sockets, four flash transfer relay sockets, one flasher socket and two main panel BIU rack positions.
- c. Type 3 Configuration - Twelve load switch sockets, six flash transfer relay sockets, one flasher socket and two main panel BIU rack slots.
- d. Type 4 Configuration - Sixteen load switch sockets, eight flash transfer relay sockets, one flasher socket and two main panel BIU rack slots.

All load switch and flash transfer relay socket reference designators shall be silkscreen labeled on the front and rear of the main panel to match drawing designations.

Up to eight-load switch sockets may be positioned horizontally or stacked in two rows on the main panel. Main panels requiring more than six load switch sockets shall be mounted in two horizontal rows.

All load switches shall be supported by a bracket extending at least three inches from the main panel.

Rack style mounting shall be provided to accommodate the required BIUs per the configuration listed in section 3.3 above. A dual-row, 64-pin female DIN 41612 Type B connector shall be provided for each BIU rack position. Card guides shall be provided for both edges of the BIU. Terminal and facilities BIU mounting shall be an integral part of the main panel. Detector rack BIU mounting shall be an integral part of the shelf-mounted detector rack.

All BIU rack connectors shall have prewired address pins corresponding to the requirements of the TS2 specification. The address pins shall control the BIU mode of operation. BIUs shall be capable of being interchanged with no additional programming.

All main panels shall have all field wires contained within one row of horizontally mounted terminal blocks.

All field output circuits shall be terminated on an unfused compression type terminal block with a minimum rating of 10 amps.

All field input/output (I/O) terminals shall be identified by permanent alphanumeric labels. All labels shall use standard nomenclature per the NEMA TS2 specification.

All field flash sequence programming shall be accomplished at the field terminals with the use of a screwdriver only.

Field terminal blocks shall be wired to use three positions per vehicle or overlap phase (green, yellow, red)

The main panel shall contain a flasher socket (silk screen labeled) capable of operating a 15-amp, 2-pole, NEMA solid-state flasher. The flasher shall be supported by a bracket that extends at least three inches from the back panel.

One RC network shall be wired in parallel with each flash transfer relay coil.

All logic-level, NEMA-controller and Malfunction Management Unit input and output terminations on the main panel shall be permanently labeled. Cabinet prints shall identify the function of each terminal position.

Terminal blocks for DC signal interfacing shall have a number 6-32 by 7/32 inch screw as minimum. Functions to be terminated shall be as specified in the listing of Input/Output Terminals in the TS2-1992 Standard document (Section 5).

All main panel wiring shall conform to the following wire size and color:

- |                                       |                         |
|---------------------------------------|-------------------------|
| - Green/Walk load switch output       | brown wire<br>16 gauge  |
| - Yellow load switch output           | yellow wire<br>16 gauge |
| - Red/Don't Walk load switch output   | red wire<br>16 gauge    |
| - MMU (other than AC power)           | blue wire<br>22 gauge   |
| - Controller I/O                      | blue wire<br>22 gauge   |
| - AC Line (power panel to main panel) | black wire*             |

- AC Line (main panel) black wire\*
- AC Neutral (power panel to main panel) white wire\*
- AC Neutral (main panel) white wire\*
- Earth ground green wire\*

*\*Gauge varies with power panel/main panel set*

All wiring, No. 14 AWG and smaller, shall conform to MIL-W-16878/1, type B/N, 600 V, 19-strand tinned copper. The wire shall have a minimum of 0.010 inches thick PVC insulation with clear nylon jacket and rated to 105°C. All No. 12 AWG and larger wire shall have UL listed THHN/THWN 90°C, 600V, 0.020 inches thick PVC insulation and clear nylon jacketed.

All controller and Malfunction Management Unit cables shall be of sufficient length to allow the units to be placed on either shelf or the outside top of the cabinet in the operating mode. Connecting cables shall be sleeved in a braided nylon mesh. The use of exposed tie-wraps or interwoven cables is unacceptable.

All cabinet configurations shall be provided with enough RS-485 Port 1 communication cables to allow full capabilities of that cabinet. Each communication cable connector shall be a 15-pin metal shell D subminiature type. The cable shall be a shielded cable suitable for RS-485 communications.

All wiring shall be neat in appearance. All cabinet wiring shall be continuous from its point of origin to its termination point. Butt type connections/splices are not acceptable.

All connecting cables and wire runs shall be secured by mechanical clamps. Stick-on type clamps are not acceptable.

The grounding system in the cabinet shall be divided into three separate circuits (AC Neutral, Earth Ground, and Logic Ground). These ground circuits shall be connected together at a single point as outlined in the NEMA TS2 Standard.

All pedestrian pushbutton inputs from the field to the controller shall be optoisolated through the BIU and operate at 12 VAC.

All wire (No. 16 AWG or smaller) at solder joints shall be hooked or looped around the eyelet or terminal block post prior to soldering to ensure circuit integrity. Lap joint soldering is not acceptable.

All main panels shall be pre-wired for a Type-16 Malfunction Management Unit.

#### 4.0 POWER PANEL DESIGN AND CONSTRUCTION

The power panel shall consist of a separate module, securely fastened to the right side wall of the cabinet.

The power panel shall be wired to provide the necessary power to the cabinet, controller, Malfunction Management Unit, cabinet power supply and auxiliary equipment. It shall be manufactured from 0.090 inch 5052-H32 aluminum.

The power panel shall house the following components:

- a) A 50 amp main breaker for 12 or 16 position cabinets or a 30 amp breaker for 4 or 8 position cabinets. This breaker shall supply power to the controller, MMU, signals, cabinet power supply and auxiliary panels. Breakers shall be thermal magnetic type, U.L. listed, with a minimum of 10,000 amp interrupting capacity.

- b) A 15 amp auxiliary breaker. This breaker shall supply power to the fan, light and GFI outlet.
- c) A 50 amp, 125 VAC radio interference line filter.
- d) A normally open, 60 amp, mercury contactor for 12 or 16 position or a 35 amp, contactor for 4 or 8 position facilities.
- e) A 13 position neutral bus bar capable of connecting three No. 12 wires per position

## 5.0 AUXILIARY CABINET EQUIPMENT

The cabinet shall be provided with a thermostatically controlled (adjustable between 80 to 150°F) ventilation fan in the top of the cabinet plenum. The fan shall be a ball bearing type fan and shall be capable of drawing a minimum of 100 cubic feet of air per minute.

LED light panels shall be mounted on the inside top of the cabinet and on the bottom side of the bottom cabinet shelf. The LED light panels shall be 15 to 17W and be wired into the cabinet power circuit and not obtain power from the convenience outlet. The LED light panel shall be wired to either an ON/OFF switch mounted on the rear cover of the police plan or to a door activated switch mounted near the top of the door.

A sealable print pouch shall be mounted to the door of the cabinet. The pouch shall be of sufficient size to accommodate one complete set of cabinet prints.

Two sets of complete and accurate cabinet drawings shall be supplied with each cabinet.

One set of manuals for the controller, Malfunction Management Unit and vehicle detector amplifiers shall be supplied with each cabinet.

A permanent graphics identification template with a minimum dimension of 9 inches by 11 inches shall be inked, transferred, or silk screened using permanent ink or equal on a material comparable to the 3M product 160-130TPF Control Tac film and shall be attached to the inside of the cabinet door. The graphic will identify a general outline of the intersection, provide directional orientation, intersection phasing, signal head identification, and identify the loop numbering. The drawing shall be done neatly by hand drafting or in a computer aided drafting format. All lines, symbols, and lettering shall be highly visible using a black foreground on either a white or yellow background. The drawing need not be drawn to scale. A legend shall be provided for all symbols used within the drawing.

## 6.0 VEHICLE DETECTION

See Section G for vehicle detection system specifications. All signal cabinet equipment specified or required by the manufacturer of the vehicle detection system shall be installed.

### 6.1 DETECTOR RACKS

When required by the vehicle detection system, a vehicle detector amplifier rack shall be provided in each cabinet. Detector racks shall be available in two configurations.

- a. Configuration #1 – Shall support up to eight channels of loop detection and one BIU.
- b. Configuration #2 – Shall support up to 16 channels of loop detection and one BIU.

Each cabinet shall contain detector interface panels for the purpose of connecting field loops and vehicle detector amplifiers. The panels shall be manufactured from 0.090 inches minimum thickness 5052-H32 aluminum.

One 8-position interface panel shall be provided for an 8-channel rack cabinet and one 16-position interface panel shall be provided for a 16-channel rack cabinet. The interface panel shall be secured to the left sidewall of the cabinet.

Each interface panel shall allow for the connection of eight or sixteen independent field loops. A ground



bus terminal shall be provided between each loop pair terminals to provide a termination for the loop lead-in cable ground wire.

Lightning protection device mounting holes shall be provided to accommodate an Edco SRA- 16C, or Edco SRA-6, or Edco LCA-6, or a varistor lightning protection device. Lightning protection devices shall not be provided unless specifically called for in the special provisions of this specification.

A cable consisting of No. 22 AWG twisted pair wires (red and orange) shall be provided to enable connection to and from the panel to a detector rack.

All termination points shall be identified by a unique number and silk screened on the panel.

When loop detectors are specified, all card slots shall be filled with detectors.

Each detector rack shall be powered by the cabinet power supply (refer to section 9.6 of this specification).

#### 7.0 CABINET TEST SWITCHES AND POLICE PANEL

A test switch panel shall be mounted on the inside of the main door. The test switch panel shall provide as a minimum the following:

- a. AUTO/FLASH SWITCH. When in the flash position, power shall be maintained to the controller and the intersection shall be placed in flash. The controller shall not be stop timed when in flash. If required by the plans and specifications, an optional RC network shall be provided to give the controller an external start pulse when switch is returned to the auto position. This will force the controller to initiate the start up sequence when exiting flash.
- b. STOP TIME SWITCH. When applied, the controller shall be stop timed in the current interval.
- c. CONTROL EQUIPMENT POWER ON/OFF. This switch shall control the controller, MMU, and cabinet power supply AC power.

Momentary test pushbuttons for all vehicle and pedestrian inputs to the controller are not required. The TS2 controller to be provided with the cabinet assembly shall provide vehicular and pedestrian call inputs from its keyboard while in the standard status display.

The police door switch panel shall contain the following:

- a. SIGNALS ON/OFF SWITCH. In the OFF position, power shall be removed from signal heads in the intersection. The controller shall continue to operate. When in the OFF position, the MMU shall not conflict or require reset.
- b. AUTO/FLASH SWITCH. In the flash position, power shall not be removed from the controller and stop time shall be applied. If required by the plans and specifications, an optional RC network shall be provided to give the controller an external start pulse when switch is returned to the auto position. This will force the controller to initiate the start up sequence when exiting flash.
- c. AUTO/MANUAL SWITCH. Cabinet wiring shall include provisions for an AUTO/MANUAL switch and a momentary pushbutton or hand cord. The AUTO/MANUAL switch and pushbutton or hand cord shall not be provided unless it is called for in the special provisions of this specification.

All toggle type switches shall be heavy duty and rated 15 amps minimum. Single- or double-pole switches may be provided, as required.

Any exposed terminals or switch solder points shall be covered with a non-flexible shield to prevent accidental contact.

All switch functions must be permanently and clearly labeled.

All wire routed to the police door-in-door and test switch pushbutton panel shall be adequately protected against damage from repetitive opening and closing of the main door.

## 8.0 CONTROLLER TELEMETRY INTERFACE PANEL

A telemetry interface harness and interface panel shall be supplied with each cabinet assembly.

The harness shall be a minimum of 6 feet long and shall consist of two twisted pairs, No. 22 AWG wire, terminated to a 9-pin "D" type connector at one end. The pin out of the 9-pin connector shall be in exact accordance with the NEMA TS2 Standard. The opposite end of the harness shall be terminated on a 10-position EDCO PCB- 1 B or exact equal lightning protection socket base.

All terminal block designations and peripheral board-mounted components shall be labeled as to their number and function and shall correspond to the cabinet wiring diagrams.

The following signals shall be accessible from the telemetry interface panel:

- Local controller command lines 1 & 2.
- Local controller readback lines 1 & 2.
- Master controller command lines 1 & 2.
- Master controller readback lines 1 & 2.
- Earth grounds.

A socket mounted communication line transient protection device shall be supplied with the telemetry interface panel. The device shall be an EDCO model PC642C008D or exact approved equivalent. The transient protection device shall be wired in series with the telemetry communication circuit.

## 9.0 AUXILIARY DEVICES

### 9.1 LOAD SWITCHES

Load switches shall be solid state and shall conform to the requirements of Section 6.2 of the NEMA TS2 Standard.

Signal load switches shall have a minimum rating of 10 amperes at 120 VAC for an incandescent lamp load.

The front of the load switch shall be provided with three indicators to show the input signal from the controller to the load switch.

Load switches shall be dedicated per phase. The use of load switches for other partial phases is not acceptable.

The full complement of load switches shall be supplied with each cabinet to allow for maximum phase utilization for which the cabinet is designed.

### 9.2 FLASHERS

The flasher shall be solid state and shall conform to the requirements of section 6.3 of the NEMA TS2 Standard. Flashing of field circuits for the purpose of intersection flash shall be accomplished by a separate flasher.

The flasher shall be rated at 15 amperes, double pole with a nominal flash rate of 60 FPM.

### 9.3 FLASH TRANSFER RELAYS

All flash transfer relays shall meet the requirements of Section 6.4 of the NEMA TS2 Standard.

The coil of the flash transfer relay must be de-energized for flash operation.

The full complement of relays shall be supplied with each cabinet to allow for maximum phase utilization for which the cabinet is designed.

### 9.4 MALFUNCTION MANAGEMENT UNITS

Each cabinet assembly shall be supplied with one Malfunction Management Unit (MMU). The MMU shall meet all specifications of the NEMA Standard TS2-2003 (R2008) for the MMU2 configuration while maintaining compatibility with NEMA TS1-1989 Assemblies.

Malfunction Management Units shall be a Type 16. The MMU shall be an EDI Model MMU2- 16LEip, or equivalent.

### 9.5 BUS INTERFACE UNITS

All Bus Interface Units (BIUs) shall meet the requirements of Section 8 of the NEMA TS2 Standard.

The full complement of BIUs shall be supplied with each cabinet to allow for maximum phase and function utilization for which the cabinet is designed.

Each Bus Interface Unit shall include power on and transmit indicators. All indicators shall be LEDs.

### 9.6 CABINET POWER SUPPLY

The cabinet power supply shall meet the requirements of Section 5.3.5 of the NEMA TS2 Standard.

The cabinet power supply shall provide LED indicators for the 12 VDC, 12 VAC, and 24 VDC outputs.

The cabinet power supply shall provide (on the front panel) jack plugs for access to the +24 VDC for test purposes.

One cabinet power supply shall be supplied with each cabinet assembly.

### 9.7 ETHERNET SWITCH

Each cabinet shall be equipped with a minimum 8 port managed Ethernet switch. The Ethernet switch shall be NEMA TS-2 rated. The switch will have at least six 10/100 Ethernet ports and two Single Mode Fiber ports. SFP's shall be 1000BASE-LX. The switch shall be powered by AC line voltage. The Ethernet switch shall be fully compatible with the City's existing Traffic Signal network.

Patch cables to provide functional connection of the Ethernet switch to the Fiber Optic distribution panel and to the signal controller shall be provided.

## 10.0 TESTING AND WARRANTY

### 10.1 TESTING

Each controller and cabinet assembly shall be tested as a complete entity under signal load for a minimum of 24 hours.

The cabinet shall be assembled and tested by the controller manufacturer or authorized local distributor to ensure proper component integration and operation.

## 10.2 WARRANTY

The controller and Malfunction Management Unit shall be warranted by the manufacturer against mechanical and electrical defects for a period of 1 year. The manufacturer's warranty shall be supplied in writing with each cabinet and controller. Second party extended warranties are not acceptable.

The cabinet assembly and all other components shall be warranted for a period of one year.

Any defects shall be corrected by the manufacturer or supplier at no cost to the owner.

### D. ELECTRICAL DESIGN

The distribution of the 117 VAC throughout the cabinet shall not occur until the AC+ has first passed through the power protection devices. The cabinet shall be provided with power protection devices, which include the main AC+ power circuit breakers, radio interference suppressers, and lightning and surge protectors. The cabinet shall be provided with surge protection and radio interference (RFI) filters and lightning protection. These functions may be combined into one or more devices. Combining of devices shall be supported by manufacturer's printed literature stating specific compliance to standard industry levels, such as EDCO Model ACP 340 surge protectors, as a minimum. Surge protectors shall provide a general cabinet protection as a parallel device. Additional protection shall be provided to all electronic devices such as the traffic Controller and conflict monitor via a series surge protector working in conjunction with the general cabinet protection. Surge protection, RFI's, etc shall be rated at the ampacity of the breaker protection. Main cabinet circuit breakers shall be a minimum of 50 amps. A minimum of three circuit breakers shall be provided. The main cabinet breaker shall service all Controller and terminal facilities. The auxiliary breaker shall provide service to the cabinet detectors, masters, and other electronic equipment. The service breaker shall provide service to the fan, thermostat, etc. Duplex outlets, which are provided for equipment such as modems and other low current auxiliary equipment, shall be provided with series-parallel lightning protection. Such outlets will be clearly identified to denote that they are specifically to be used for low current auxiliary electronic equipment only. The surge protector shall be capable of a peak current of 20,000 amps in an eight by twenty microsecond wave shape; have a life test with a maximum of a five percent change; have a clamp voltage not to exceed 280 volts @ 20 KA; have a response time to insure that the maximum voltage never exceeds 280 volts; is rated for 10 amps continuous service; and can operate from -40°C to +85°C degrees. Load switches and other high current devices shall require only parallel lightning protection devices. An MOV shall be installed on the radio interference suppressor between both the AC+ line to ground and the AC+ load to ground. The protection devices shall be mounted on a panel that is securely fastened to an interior wall of the cabinet.

Each signalized location shall utilize a standard 2 pole, weather tight circuit breaker type disconnect. The unit shall be rated a minimum of 60 amps and grounded as per NEC standards.

The controller shall contain a connector enabling outgoing and incoming electrical circuits to be connected or disconnected easily without the necessity of installing or removing individual wires. The connector may be a multiple pin jack; a spring connected mounting, or approved equivalent mounting.

In the event of a power interruption, the controller shall be capable of automatic reorientation upon power resumption and shall require no manual initiation or switching.

Electrical connections from the controller and auxiliary devices to outgoing and incoming circuits shall be made in such a manner that the controller or auxiliary device can be replaced with a similar unit, without the necessity of disconnecting and reconnecting the individual wires. This may be accomplished by means of a multiple plug; a spring connected mounting or approved equivalent arrangement.

All cabinet wiring shall be neatly trained throughout the cabinet and attached to the interior panels using nonconductive clamps or tie-wraps. Bundles of cables shall be laced or tied or enclosed in a sheathing material. The cabinet wiring shall not interfere with the entrance, training, or connection of the incoming or outgoing field conductors.

Except where terminated by direct soldering, all wires shall be provided with terminal lugs for attachment to terminal blocks using screws. All wires shall be identified and labeled in accordance with the cabinet wiring prints.

All wire insulation shall have a minimum rating of 600 volts.

An AC+ convenience outlet with a 3-wire grounding type receptacle shall be provided and be easily accessible. This receptacle and the incandescent lamp shall be separately fused from the main AC+ circuit breaker. The outlet shall be provided with ground fault protection.

The cabinet duct fan shall be fused separately and wired after the main AC+ circuit breaker.

The outgoing signal circuits shall be of the same polarity as the line (+) side of the power service. The incoming signal indication conductors shall be common and of the same polarity as the grounded (-) side of the power service. The neutral (-) side of the power service shall be connected to the cabinet in an approved manner to a copper ground bus located on the panel with the main AC+ circuit breaker. The cabinet shall, in turn, be connected to an earth ground through a ground rod system located outside the controller cabinet. (See grounding sections for details.) No ground rods shall be installed inside the controller cabinet.

## **E. TRAFFIC SIGNAL BATTERY BACKUP SYSTEM (BBS)**

### **1.0 DESCRIPTION**

This specification is for a system to provide back-up power to fully operate a traffic signal when normal line voltage is interrupted and to maintain a useable output voltage when line voltage is outside normal levels.

### **2.0 MATERIALS**

Furnish, assemble, fabricate, or install new corrosion resistant materials in accordance with specifications. Supply a "rack mounted" UPS unit, including a front panel with indicators and control switches.

### **3.0 FUNCTIONAL REQUIREMENTS**

This specification is for establishing the minimum requirements for a complete emergency battery backup system for use with Light Emitting Diode Traffic Signal Modules at traffic signals with NEMA, 170 or 2070 cabinets. The Battery Backup System (BBS) shall include, but not be limited to the following: Inverter/Charger, Batteries, a separate automatic and manually operated Bypass Switch, and all necessary hardware and interconnect wiring. The BBS shall be capable of providing power for both the full normal operation of a traffic signal with all LED displays (all colors: red, yellow, green and pedestrian heads), and flashing mode operation with all LED displays. The BBS shall be designed for outdoor applications.

### **4.0 ENCLOSURE CONSTRUCTION**

#### **4.1 ENCLOSURE**

The BBS Enclosure shall be capable of being either a Side Mount or Ground Mount installation. The enclosure will house the batteries, UPS and bypass switches. The cabinet must meet the requirements for NEMA 3R enclosures. The housing must have the dimensions so that it may easily be attached to the side of an M, P, or 332 Type traffic signal cabinet. Dimensions of the enclosure shall not exceed 50 inches H by 20 inches W by 17 inches D. The UPS enclosure must not interfere with the opening of the traffic cabinet door. The complete enclosure and door must be made from 0.125 inch thick aluminum. All external seams must be continuously welded. The door opening must have a double flange for weather sealing purposes.

## 4.2 DOOR

The cabinet must have a door to provide access to the complete cabinet interior. The door must be mounted on a continuous piano hinge. The key lock must be a Corbin cylinder lock with a No. 2 key. A continuous neoprene gasket must be used to weatherproof the enclosure when the door is closed.

## 4.3 FINISH

The entire enclosure must be natural aluminum.

## 4.4 VENTILATION

Vents and a thermostatically controlled exhaust fan shall be installed in the cabinet.

## 5.0 BATTERY SYSTEM

Individual batteries shall be easily replaced and commercially available off the shelf.

Batteries shall be maintenance free, type AGM/VRLA (Absorbed Glass Mat/Valve Regulated Lead Acid). The batteries must be designed for stand-by applications.

Batteries shall be certified by the manufacturer to operate over a temperature range of  $-25^{\circ}\text{C}$  to  $+74^{\circ}\text{C}$ .

Batteries shall have a minimum Manufacturer's Warranty of 4 Years Full Replacement from date of delivery. The warranty shall cover any battery that does not meet 80% of its original reserve capability during the warranty period.

## 6.0 BBS UNIT

The BBS shall provide a minimum two hours of full run-time operation with an additional four hours minimum of Red Flash operation at an LED only traffic signal with a maximum 800 W active output load. The inverter, when on batteries, shall operate with a minimum efficiency of 84% with a load ranging from 25% to 90% of the BBS total output rating. The BBS shall operate at 97% or higher when operating under normal condition (utility power is available).

The maximum transfer time allowed, from disruption of normal utility line voltage to stabilized inverter line voltage from batteries, shall be 40 milliseconds. 40 milliseconds maximum allowable transfer time shall also apply when switching from inverter line voltage to utility line voltage.

The BBS shall include a rack mounted Fail Safe Automatic/Manual Bypass Switch for bypassing the UPS for maintenance. The FS-ATS bypass switch will be a 2-stage configuration, UPS Normal mode, and UPS bypass. The Bypass Switch shall mount in a rack inside of the BBS side mount enclosure.

The BBS shall provide 6 sets of programmable output contacts. These shall include:

- One output to indicate the system is "on battery"
- One output to indicate a programmable low battery condition
- One output that energizes after a programmable period after the unit switches to battery operation.
- An indication of a fault or alarm condition.

The BBS will provide a visual indication for each output when activated.

The BBS shall provide inputs to turn the BBS off and to start the self-test.

Operating temperature for both the inverter/charger, and manual bypass switch shall be  $-37^{\circ}\text{C}$  to  $+74^{\circ}\text{C}$ .

The Fail Safe ATS Bypass Switch shall be rated at 240VAC/30 amps, minimum.

The BBS shall use a temperature compensated charging system. For 48 Volt systems, the BBS shall employ a charging system that balances the charge across all the batteries.

The Buck / Boost mode of the BBS shall have a minimum range of 85 – 160 VAC. Whenever in Buck / Boost mode, the output of the system shall be regulated between 108 – 131 VAC at 60Hz. When the output of the system can no longer be maintained within that range, the BBS shall transfer to Backup Mode.

When utilizing battery power, the BBS output voltage shall be between 110 VAC and 128 VAC, pure sine wave output,  $\leq 3\%$  THD,  $60\text{Hz} \pm 3\text{Hz}$ .

BBS shall be compatible with NEMA, 170 or 2170 Controllers, and cabinet components for full time operation. All loads to the maximum rating of the BBS shall be powered through the BBS system to utilize the UPS internal over/under voltage regulation.

BBS shall be equipped to prevent a malfunction feedback to the cabinet or from feeding back to the utility service.

In the event of inverter/charger failure, battery failure or complete battery discharge, the Fail Safe Transfer Switch shall revert to the NC (and de-energized) state, where utility line power or generator power, if available, is connected to the cabinet.

Recharge time for the battery, from “protective low-cutoff” to 90% or more of full battery charge capacity, shall not exceed 8 hours, unless limited by the Temperature Regulated charger due to excessive battery heat.

The battery charger will be compatible with the specified batteries.

The BBS shall have lightning and surge protection compliant with IEEE/ANSI C.62.41.

The BBS shall be equipped with an integral system to prevent battery from destructive discharge and overcharge.

#### 7.0 MAINTENANCE, DISPLAYS, CONTROLS AND DIAGNOSTICS:

The BBS shall include a display and /or meter to indicate current battery charge status and conditions.

The BBS and batteries shall be easily replaced with all needed hardware and shall not require any special tools for installation.

The BBS shall display via a front panel indicator the number of times the BBS was activated and the total number of hours the unit has operated on battery power. The status display shall show the UPS mode, Alarm status, Input and output voltages, Output current, Battery voltage, battery charger current and last event.

The BBS shall include two separate communication ports, an RJ-45, 10/100 Ethernet port and a DB-9, RS 232 serial port. All programming and monitoring functions shall be available through either port.

The BBS shall include software for programming and monitoring the BBS. The software shall be capable of being used on a PC with all current Microsoft operating systems.

Manufacturer shall include a set of operation manuals and wiring diagrams of the BBS with each BBS.

#### 8.0 MATERIALS WARRANTY

The manufacturer shall provide a 2 year factory-repair warranty for parts and labor on the BBS. Batteries shall be warranted by the manufacturer for full replacement for a minimum 4 years from date of delivery. A battery shall be considered bad when it cannot deliver 80% of its original capability within the stated

warranty period.

Warranty shall be included in the total price of the BBS.

## **F. ELECTRICAL SERVICE PEDESTAL**

When a ground mounted service enclosure is specified in the plans, these specifications shall apply.

### **1.0 SERVICE ENCLOSURE**

The service enclosure shall meet the requirements of UL 508, Industrial Control Equipment. Fabricate the exterior of the service enclosure using 1/8 inch aluminum. Fabricate the interior of the service enclosure using 14 gauge, cold-rolled steel. Paint the interior of the service enclosure white. The interior dimensions of the service enclosure shall be 12 inches wide, 43 inches high and 7 1/2 inches deep. The service enclosure shall have continuously welded seams, a full-length deadfront with stainless steel hinge and a pull section with a removable step.

The service enclosure shall have a fully framed, side-hinged, swaged outer door, flush fitted with top drip lip and closed cell neoprene flange-compressed gaskets. The service enclosure shall have a hinged deadfront with a 1/4 turn latch and knurled knobs. Hinge the deadfront door on the same side as the exterior door. The deadfront door shall open a minimum of 100 degrees. Mount a removable backpan on four welded 1/4 inch studs. The service enclosure shall be completely pre-wired in the factory. Bolt-on or plug-in circuit breakers are not acceptable.

### **2.0 WIRING SCHEMATICS**

Produce wiring schematics using drafting software. Include all external equipment and connections in accordance with NEMA IIB. Enclose as-built factory drawings in clear plastic. Store drawings inside the outer door using welded hooks.

Service conductors shall meet the requirements of Section 230 of the National Electric Code (NEC).

## **G. VEHICLE DETECTION SYSTEMS**

### **1.0 GENERAL**

Where designed, a vehicle detection system shall be provided with each new traffic signal. The vehicle detection system shall be an Aboveground Radar System for both presence and advanced detection, unless otherwise specified in the signal plans. Other acceptable systems shall include a.) Video systems and b.) loop detectors.

### **2.0 RADAR PRESENCE DETECTION**

#### **2.1 GENERAL**

This item shall govern the purchase of aboveground radar presence detector (RPD) equivalent to the Wavetronix SmartSensor™ Matrix.

The presence radar vehicle detector shall include all the cables, connectors, and mounting hardware recommended by the manufacturer for proper operation of the system. This includes any necessary cabinet components, surge protection, and terminal blocks for cable landing.

#### **2.2.0 SENSOR OUTPUTS**

The RPD shall present real-time presence data in 10 lanes.

The RPD shall support a minimum of 16 zones.



The RPD shall support a minimum of 16 channels.

The RPD shall support user-selectable zone to channel mapping.

The RPD shall use AND logic to trigger channels when all selected zones are active.

The RPD shall use OR logic to combine multiple zones to a channel output, and shall have channel output extend and delay functionality.

The RPD algorithms shall mitigate detections from wrong way or cross traffic.

The RPD system shall have fail-safe mode capabilities for contact closure outputs if communication is lost.

## 2.3 DETECTABLE AREA

### 2.3.1 DETECTION RANGE

The RPD shall be able to detect and report presence in lanes with boundaries as close as 6 feet from the base of the pole on which the RPD is mounted.

The RPD shall be able to detect and report presence in lanes located within the 140 feet arc from the base of the pole on which the RPD is mounted.

### 2.3.2 FIELD OF VIEW

The RPD shall be able to detect and report presence for vehicles within a 90 degree field of view.

### 2.3.3 LANE CONFIGURATION

The RPD shall be able to detect and report presence in up to 10 lanes. The RPD shall be able to detect and report presence in curved lanes and areas with islands and medians.

## 2.4 SYSTEM HARDWARE

For each approach to be detected, one RPD corner radar shall be used.

### 2.4.1 PREASSEMBLED BACKPLATE

Each RPD shall have a traffic cabinet preassembled backplate with the following:

- AC/DC power conversion
- Surge protection
- Terminal blocks for cable landing
- Communication connection points

The preassembled backplate for the RPD shall be a cabinet side mount or rack mount.

### 2.4.2 CONTACT CLOSURE INPUT FILE CARDS

The RPD shall use contact closure input file cards with 2 or 4 channel capabilities. The contact closure input file cards for the RPD shall be compatible with industry standard detector racks.

## 2.5 MAINTENANCE

The RPD shall not require cleaning or adjustment to maintain performance.

The RPD shall not rely on battery backup to store configuration information, thus eliminating any need for battery replacement. Once the RPD is calibrated, it shall not require recalibration to maintain

performance unless the roadway configuration changes. The mean time between failures shall be 10 years, which is estimated based on manufacturing techniques.

## 2.6 PHYSICAL PROPERTIES

The RPD shall not exceed 4.2 pounds in weight.

The RPD shall not exceed 13.2 inches by 10.6 inches by 3.3 inches in its physical dimensions. All external parts of the RPD shall be ultraviolet-resistant, corrosion-resistant, and protected from fungus growth and moisture deterioration.

### 2.6.1 ENCLOSURE

The RPD shall be enclosed in a Lexan EXL polycarbonate.

The enclosure shall be classified “f1” outdoor weatherability in accordance with UL 746C. The RPD shall be classified as watertight according to the NEMA 250 standard.

The RPD enclosure shall conform to test criteria set forth in the NEMA 250 standard for type 4X enclosures. Test results shall be provided for each of the following type 4X criteria:

- External icing (NEMA 250 clause 5.6)
- Hose-down (NEMA 250 clause 5.7)
- 4X corrosion protection (NEMA 250 clause 5.10)
- Gasket (NEMA 250 clause 5.14)

The RPD shall be able to withstand a drop of up to 5 feet without compromising its functional and structural integrity.

The RPD enclosure shall include a connector that meets the MIL-C-26482 specification. The MIL-C-26482 connector shall provide contacts for all data and power connections.

## 2.7 ELECTRICAL

The RPD shall consume less than 10 W.

The RPD shall operate with a DC input between 9 VDC and 28 VDC.

The RPD shall have onboard surge protection.

## 2.8 COMMUNICATION PORTS

The RPD shall have two communication ports, and both ports shall communicate independently and simultaneously.

The RPD shall support the upload of new firmware into the RPD’s non-volatile memory over either communication port.

The RPD shall support the user configuration of the following:

- Response delay
- Push port

The communication ports shall support a 9600 bps baud rate.

## 2.9 RADAR DESIGN

The RPD shall be designed with a matrix of 16 radars.

### 2.9.1 FREQUENCY STABILITY

The circuitry shall be void of any manual tuning elements that could lead to human error and degraded performance over time.

All transmit modulated signals shall be generated by means of digital circuitry, such as a direct digital synthesizer, that is referenced to a frequency source that is at least 50 parts per million (ppm) stable over the specified temperature range, and ages less than 6 ppm per year. Any upconversion of a digitally generated modulated signal shall preserve the phase stability and frequency stability inherent in the digitally generated signal.

The RPD shall not rely on temperature compensation circuitry to maintain transmit frequency stability. The bandwidth of the transmit signal of the RPD shall not vary by more than 1% under all specified operating conditions and over the expected life of the RPD.

### 2.9.2 ANTENNA DESIGN

The RPD antennas shall be designed on printed circuit boards.

The vertical beam width of the RPD at the 6 dB points of the two-way pattern shall be 65 degrees or greater.

The antennas shall cover a 90 degree horizontal field of view.

The sidelobes in the RPD two-way antenna pattern shall be -40 dB or less.

Low sidelobes ensure that the performance from the antenna beam widths is fully achieved.

### 2.9.3 RESOLUTION

The RPD shall transmit a signal with a bandwidth of at least 245 MHz.

### 2.9.4 RF CHANNELS

The RPD shall provide at least 8 RF channels so that multiple units can be mounted in the same vicinity without causing interference between them.

### 2.9.5 VERIFICATION

The RPD shall have a self-test that is used to verify correct hardware functionality.

The RPD shall have a diagnostics mode to verify correct system functionality.

## 2.10 CONFIGURATION

### 2.10.1 AUTO-CONFIGURATION

The RPD shall have a method for automatically defining traffic lanes, stop bars and zones without requiring user intervention. This auto-configuration process shall execute on a processor internal to the RPD and shall not require an external PC or other processor.

The auto-configuration process shall work under normal intersection operation and may require several cycles to complete.

### 2.10.2 MANUAL CONFIGURATION

The auto-configuration method shall not prohibit the ability of the user to manually adjust the RPD configuration.

The RPD shall support the configuring of lanes, stop bars and detection zones in 1 foot increments.

### 2.10.3 WINDOWS® MOBILE-BASED SOFTWARE

The RPD shall include graphical user interface software that displays all configured lanes and the current traffic pattern using a graphical traffic representation.

The RPD shall include the ability to do counting and pulsed channels.

The graphical interface shall operate on Windows Mobile, Windows XP, Windows Vista and Windows 7 in the .NET framework.

The software shall support the following functionality:

- Operate over a TCP/IP connection
- Give the operator the ability to save/back up the RPD configuration to a file or load/restore the RPD configuration from a file
- Allow the backed-up sensor configurations to be viewed and edited
- Provide zone and channel actuation display
- Provide a virtual connection option so that the software can be used without connecting to an actual sensor
- Local or remote sensor firmware upgradability

### 2.11 OPERATING CONDITIONS

The RPD shall maintain accurate performance in all weather conditions, including rain, freezing rain, snow, wind, dust, fog and changes in temperature and light, including direct light on sensor at dawn and dusk.

RPD operation shall continue in rain up to 1 inch per hour.

The RPD shall be capable of continuous operation over an ambient temperature range of -40°F to 165.2°F.

The RPD shall be capable of continuous operation over a relative humidity range of 5% to 95% (non-condensing).

### 2.12 TESTING

#### 2.12.1 FCC

Each RPD shall be certified by the Federal Communications Commission (FCC) under CFR 47, part 15, section 15.249 as an intentional radiator.

The FCC certification shall be displayed on an external label on each RPD according to the rules set forth by the FCC.

The RPD shall comply with FCC regulations under all specified operating conditions and over the expected life of the RPD.

#### 2.12.2 NEMA TS 2-2003 TESTING

The RPD shall comply with the applicable standards stated in the NEMA TS 2-2003 standard. Third party test results shall be made available for each of the following tests:

- Shock pulses of 10 g, 11 ms half sine wave
- Vibration of 0.5 g up to 30 Hz
- 300 V positive/negative pulses applied at one pulse per second at minimum and maximum DC supply voltage
- Cold temperature storage at -49°F for 24 hours

- High temperature storage at 185°F for 24 hours
- Low temp, low DC supply voltage at -29.2°F and 10.8 VDC
- Low temp, high DC supply voltage at -29.2°F and 26.5 VDC
- High temp, high DC supply voltage at 165.2°F and 26.5 VDC
- High temp, low DC supply voltage at 165.2°F and 10.8 VDC

## 2.13 MANUFACTURING

The RPD shall be manufactured and assembled in the USA.

The internal electronics of the RPD shall utilize automation for surface mount assembly, and shall comply with the requirements set forth in IPC-A-610C Class 2, Acceptability of Electronic Assemblies.

The RPD shall undergo a rigorous sequence of operational testing to ensure product functionality and reliability. Testing shall include the following:

- Functionality testing of all internal sub-assemblies
- Unit level burn-in testing of 48 hours' duration or greater
- Final unit functionality testing prior to shipment

Test results and all associated data for the above testing shall be provided for each purchased RPD by serial number, upon request.

## 2.14 SUPPORT

The RPD manufacturer shall provide both training and technical support services.

### 2.14.1 TRAINING

The manufacturer-provided training shall be sufficient to fully train installers and operators in the installation, configuration, and use of the RPD to ensure accurate RPD performance.

The manufacturer-provided training shall consist of comprehensive classroom labs and hands-on, in-the-field, installation and configuration training.

Classroom lab training shall involve presentations outlining and defining the RPD, its functions, and the procedures for proper operation. These presentations shall be followed by hands-on labs in which trainees shall practice using the equipment to calibrate and configure a virtual RPD. To facilitate the classroom presentation and hands-on labs, the manufacturer-provided training shall include the following items:

- Knowledgeable trainer or trainers thoroughly familiar with the RPD and its processes
- Presentation materials, including visual aids, printed manuals and other handout materials for each student
- Computer files, including video and raw data, to facilitate the virtual configuration of the RPD
- Laptop computers or Windows CE handheld devices with the necessary software, and all necessary cables, connectors, etc.
- All other equipment necessary to facilitate the virtual configuration of the RPD

Field training shall provide each trainee with the hands-on opportunity to install and configure the RPD at roadside.

Training shall be such that each trainee will mount and align the RPD correctly.

### 2.14.2 TECHNICAL ASSISTANCE

Manufacturer-provided technical support shall be available according to contractual agreements, and a technical representative shall be available to assist with the physical installation, alignment, and auto-configuration of each supplied RPD.

Technical support shall be provided thereafter to assist with troubleshooting, maintenance, or replacement of RPDs should such services be required.

## 2.15 DOCUMENTATION

RPD documentation shall include an instructional training guide and a comprehensive user guide as well as an installer quick-reference guide and a user quick-reference guide.

The RPD manufacturer shall supply the following documentation and test results at the time of the bid submittal:

- FCC CFR 47 certification (frequency compliance)
- IED 6100-4-5 class 4 test report (surge)

## 2.16 WARRANTY

The RPD shall be warranted free from material and workmanship defects for a period of 2 years from date of shipment.

## 2.17 FUNCTIONAL DEPLOYMENT AND ACCEPTANCE TESTING

The Contractor shall be responsible for installation, configuration, verification, fine-tuning and documentation that each CTAD meets the requirements as described in the Special Provisions. The Contractor shall lead and demonstrate the 1-day operational test at each traffic signal cabinet including detector operations. The Contractor shall participate, respond and document detector operation as part of the 30-day testing.

The functional deployment and acceptance testing is subsidiary to the Traffic Signalization bid item and shall include all labor, equipment and resources to complete the acceptance testing. This includes but is not limited to:

- Documentation with As-built Plans (each detector installed and cabinet modifications)
- Documentation of Detector calibration (auto-configuration and manual)
- Documentation of sensor configuration:
  - Number of zones
  - Lane configuration
  - Approach
  - Sensor ID
  - Zone ID
  - Detector Channel
  - Type [Count, Advanced or Call/Extend zones]
  - Phase Information (as needed)
  - IP addresses
  - Cabinet mapping

Project coordination with the ASCT Vendor (Trafficware) to support the fine-tuning of the system shall be provided by the Contractor. This will require visits post deployment to each detector and the adjustment of the detection configuration to calibrate and fine-tune the system. Documentation of the fine-tuning will be provided by the Contractor.

## 3.0 RADAR ADVANCE DETECTION

### 3.1 GENERAL

This item shall govern the purchase of aboveground continuous tracking advance detector (CTAD) equivalent to the Wavetronix SmartSensor™ Advance.

The advanced radar vehicle detector shall include all the cables, connectors, and mounting hardware recommended by the manufacturer for proper operation of the system. This includes any necessary cabinet components, surge protection, and terminal blocks for cable landing.

### 3.2 MEASURED QUANTITIES AND OUTPUTS

The CTAD shall detect range, speed, vehicle estimated time of arrival (ETA) to the stop bar for vehicles or clusters of vehicles moving in the user-selected direction of travel. The CTAD shall also detect instantaneous roadway efficiency.

The CTAD shall be able to simultaneously detect and report information from up to 25 vehicles on the roadway when they are serially sequenced between the near and far boundaries.

The CTAD shall turn on a zone output when the range, speed, ETA, and qualified count or instantaneous roadway efficiency requirements for that zone are satisfied.

The CTAD shall turn on an alert output on when the user defined zone output combinational logical is satisfied.

The CTAD shall turn on a normal channel output when any of the channel's alerts is on and the channel's delay and extend time constraints are satisfied.

The CTAD shall turn on a latched channel output when the on alert is turned on and the delay time is satisfied. The CTAD shall turn off a latched channel output when the off alert is turned on or the max timer expires and the extension time is satisfied.

The CTAD shall provide vehicle call and extend data on up to eight channels that can be connected to contact closure modules compliant with NEMA TS 1, NEMA TS 2, 170, and 2070 controller cabinets.

The CTAD shall be capable of providing data for each tracked detection over the serial ports.

### 3.3 DETECTABLE AREA

#### 3.3.1 MOUNTING LOCATION

The CTAD shall be able to detect and report vehicle information when mounted within 50 feet of the center of the lanes of interest.

The CTAD shall be able to detect and report vehicle information when mounted at heights up to 40 feet above the road surface.

#### 3.3.2 DETECTION RANGE

The CTAD shall be able to detect and report information on the roadway located with the near boundary at 50 feet from the base of the pole on which the CTAD is mounted.

The CTAD shall be able to detect and report information on the roadway located with the far boundary at 600 feet from the base of the pole on which the CTAD is mounted.

For incoming traffic, 95% of large vehicles within the line-of-site of the CTAD shall be detected and reported before they arrive 400 feet from the sensor. For incoming traffic, 90% of all motor vehicles within the line-of-site of the CTAD shall be detected and reported before they arrive 400 feet from the sensor.

### 3.4 PERFORMANCE

#### 3.4.1 DETECTION ACCURACY

The CTAD shall detect at least 98 percent of large vehicles like truck-trailer combinations and at least 95% of all motor vehicles within the line-of-sight of the CTAD sensor where multiple detections of multiunit vehicles are not considered false detections and merged detections of adjacent lane vehicles are not considered missed detections.

#### 3.4.2 RANGE ACCURACY

The CTAD shall provide range measurements in which 90% of the measurements are accurate within 10 feet when the vehicle is tracked independently.

#### 3.4.3 SPEED ACCURACY

The CTAD shall provide per vehicle speed measurements in which 90% of the measurements are accurate within 5 mph when tracked independently.

#### 3.4.4 ETA ACCURACY

The CTAD shall provide estimated time-of-arrival (ETA) measurements in which 85% of the measurements are accurate within one second, when the detected vehicles are tracked independently at a constant speed above 40 mph and are within 2.5 and 5.5 seconds of the stop bar.

### 3.5 PERFORMANCE MAINTENANCE

The CTAD shall not require cleaning or adjustment to maintain performance.

The CTAD shall not rely on battery backup to store configuration information, thus eliminating any need for battery replacement.

Once the CTAD is calibrated, it shall not require recalibration to maintain performance unless the roadway configuration changes.

The mean time between failures shall be 10 years, which is estimated based on manufacturing techniques.

### 3.6 PHYSICAL PROPERTIES

The CTAD shall not exceed 4 pounds in weight.

The CTAD shall not exceed 14 inches by 11 inches by 4 inches in its physical dimensions.

All external parts of the CTAD shall be ultraviolet-resistant, corrosion-resistant, and protected from fungus growth and moisture deterioration.

#### 3.6.1 ENCLOSURE

The CTAD shall be enclosed in a Lexan polycarbonate.

The enclosure shall be classified "f1" outdoor weatherability in accordance with UL 746C.

The CTAD shall be classified as watertight according to the NEMA 250 standard.

The CTAD enclosure shall conform to test criteria set forth in the NEMA 250 standard for type 4X enclosures. Test results shall be provided for each of the following type 4X criteria:

- External icing (NEMA 250 clause 5.6)



- Hose-down (NEMA 250 clause 5.7)
- 4X corrosion protection (NEMA 250 clause 5.10)
- Gasket (NEMA 250 clause 5.14)

The CTAD shall be able to withstand a drop of up to 5 feet without compromising its functional and structural integrity.

The CTAD enclosure shall include a connector that meets the MIL-C-26482 specification. The MIL-C-26482 connector shall provide contacts for all data and power connections.

### 3.7 ELECTRICAL

The CTAD shall consume less than 4 W @ 12 VDC.

The CTAD shall operate with a DC input between 9 VDC and 28 VDC.

The CTAD shall have onboard surge protection.

### 3.8 COMMUNICATION PORTS

The CTAD shall have two communication ports, and both ports shall communicate independently and simultaneously.

The CTAD shall support the upload of new firmware into the CTAD's non-volatile memory over either communication port.

The CTAD shall support the user configuration of the following:

- Baud rate
- Communication port response delay
- Contact closure output frequency

Both communication ports shall support all of the following baud rates: 9600, 19200, 38400, 57600 and 115200 bps.

The contact closure output frequency shall be user configurable as short as 10 ms, with a default near 130 ms for compatibility.

Contact closure data shall be reliably communicated over homerun cable connections as long as 600 feet with latency from the time of channel requirement satisfaction to the eventual reporting of the detections on the back edge of the contact closure card in 15 ms or less.

### 3.9 RADAR DESIGN

#### 3.9.1 FREQUENCY STABILITY

The circuitry shall be void of any manual tuning elements that could lead to human error and degraded performance over time.

All transmit modulated signals shall be generated by means of digital circuitry, such as a direct digital synthesizer, that is referenced to a frequency source that is at least 50 ppm stable over the specified temperature range, and ages less than 6 ppm per year. Any upconversion of a digitally generated modulated signal shall preserve the phase stability and frequency stability inherent in the digitally generated signal.

The CTAD shall not rely on temperature compensation circuitry to maintain transmit frequency stability.

The bandwidth of the transmit signal of the CTAD shall not vary by more than 1% under all specified operating conditions and over the expected life of the CTAD.

### 3.9.2 ANTENNA DESIGN

The CTAD antennas shall be designed on printed circuit boards.

The vertical beam width of the CTAD at the 6 dB points of the two-way pattern shall be 65 degrees or greater.

The horizontal beam width of the CTAD at the 6 dB points of the two-way pattern shall be 11 degrees or less.

The sidelobes in the CTAD two-way antenna pattern shall be -40 dB or less.

### 3.9.3 RF CHANNELS

The CTAD shall provide at least four RF channels so that multiple units can be mounted in the same vicinity without causing interference between them.

## 3.10 CONFIGURATION

### 3.10.1 AUTO-CONFIGURATION

The CTAD shall have a method for automatically configuring the sensitivity of detection in at least 5 foot increments.

The auto-configuration method shall not prohibit the ability of the user to manually adjust the CTAD configuration.

The CTAD shall support the configuration of up to eight channel outputs with up to four alerts per channel and up to four zones per alert, resulting in 32 configurable alerts and 128 configurable zones.

### 3.10.2 ZONE CONFIGURATION

The CTAD shall support the configuring of zones in 5 foot increments.

The CTAD shall support detection zones as long as 550 feet.

The CTAD shall support user configurable high-speed and low-speed detection filters for each zone.

The CTAD shall support the configuring of speed filters in 1 mph increments.

The CTAD shall support user configurable upper and lower estimated time-of-arrival (ETA) filters for each zone.

The CTAD shall support the configuring of ETA filters in increments of 0.1 seconds.

The CTAD shall provide configurable upper and lower count filters that help determine if a required number of qualified detections are present.

The CTAD shall support the configuring of qualified count filters in increments of one.

### 3.10.3 WINDOWS®-BASED SOFTWARE

The CTAD shall include graphical user interface software that displays the current traffic pattern using a graphical traffic representation.

The graphical user interface shall also display all configured alerts and provide visual representation of their actuation.

The graphical user interface shall provide a means of logging the vehicular track files with an update rate of greater than five times per second.

The graphical interface shall operate on Windows Mobile, Windows XP, Windows Vista, and Windows 7 in the .NET framework.

The software shall support the following functionality:

- Automatically find the correct baud rate
- Automatically find the correct serial communication port
- Operate over a TCP/IP connection
- Provide a virtual sensor connection for software usability without a sensor
- Give the operator the ability to save/back up the CTAD configuration to a file or load/restore the CTAD configuration from a file

### 3.11 OPERATING CONDITIONS

The CTAD shall maintain accurate performance in all weather conditions, including rain, freezing rain, snow, wind, dust, fog and changes in temperature and light, including direct light on sensor at dawn and dusk.

CTAD operation shall continue in rain up to 2 inches per hour.

The CTAD shall be capable of continuous operation over an ambient temperature range of -40°F to 165°F.

The CTAD shall be capable of continuous operation over a relative humidity range of 5% to 95% (non-condensing).

### 3.12 TESTING

#### 3.12.1 FCC

Each CTAD shall be Federal Communications Commission (FCC) certified under CFR 47, part 15, section 15.245 or 15.249 as an intentional radiator. The FCC certification shall be displayed on an external label on each CTAD according to the rules set forth by the FCC.

The CTAD shall comply with FCC regulations under all specified operating conditions and over the expected life of the CTAD.

#### 3.12.2 NEMA TS 2-1998 TESTING

The CTAD shall comply with the applicable standards stated in the NEMA TS 2-1998 Standard. Third party test results shall be made available for each of the following tests:

- Shock pulses of 10 g, 11 ms half sine wave
- Vibration of 0.5 g up to 30 Hz
- 300 V positive/negative pulses applied at one pulse per second at minimum and maximum DC supply voltage
- Cold temperature storage at -49°F for 24 hours
- High temperature storage at 185°F for 24 hours
- Low temp, low DC supply voltage at -29.2°F and 10.8 VDC
- Low temp, high DC supply voltage at -29.2°F and 26.5 VDC
- High temp, high DC supply voltage at 165.2°F and 26.5 VDC
- High temp, low DC supply voltage at 165.2°F and 10.8 VDC

### 3.13 MANUFACTURING

The CTAD shall be manufactured and assembled in the USA.

The internal electronics of the CTAD shall utilize automation for surface mount and wave solder assembly, and shall comply with the requirements set forth in IPC-A-610C Class 2, Acceptability of Electronic Assemblies.

The CTAD shall undergo a rigorous sequence of operational testing to ensure product functionality and reliability. Testing shall include the following:

- Functionality testing of all internal sub-assemblies
- Unit level burn-in testing of 48 hours' duration or greater
- Final unit functionality testing prior to shipment

Test results and all associated data for the above testing shall be provided for each purchased CTAD by serial number, upon request.

### 3.14 SUPPORT

The CTAD manufacturer shall provide both training and technical support services.

#### 3.14.1 TRAINING

The manufacturer-provided training shall be sufficient to fully train installers and operators in the installation, auto-configuration, and use of the CTAD to ensure accurate CTAD performance.

The manufacturer-provided training shall consist of comprehensive classroom labs and hands-on, in-the-field, installation and configuration training.

Classroom lab training shall involve presentations outlining and defining the CTAD, its functions, and the procedures for proper operation. These presentations shall be followed by hands-on labs in which trainees shall practice using the equipment to calibrate and configure a virtual CTAD. To facilitate the classroom presentation and hands-on labs, the manufacturer-provided training shall include the following items:

- Knowledgeable trainer or trainers thoroughly familiar with the CTAD and its processes
- Presentation materials, including visual aids, printed manuals and other handout materials for each student
- Computer files, including video and raw data, to facilitate the virtual configuration of the CTAD
- Laptop computers or Windows CE handheld devices with the necessary software, and all necessary cables, connectors, etc.
- All other equipment necessary to facilitate the virtual configuration of the CTAD

Field training shall provide each trainee with the hands-on opportunity to install and configure the CTAD at the roadside.

Training shall be such that each trainee will mount and align the CTAD correctly.

#### 3.14.2 TECHNICAL ASSISTANCE

The manufacturer-provided technical support shall be available according to contractual agreements and a technical representative available to assist with the physical installation, alignment, and configuration of each supplied CTAD.

Technical support shall be provided thereafter to assist with troubleshooting, maintenance, or replacement of CTADs should such services be required.

### 3.15 DOCUMENTATION

CTAD documentation shall include a comprehensive user guide as well as an installer quick-reference guide and a user quick-reference guide.

The CTAD manufacturer shall supply the following documentation and specification test results at the time of the bid submittal:

- Detection accuracy
- Range accuracy
- Earliest range of detection
- Speed accuracy
- ETA accuracy
- FCC CFR 47 certification
- NEMA 250 standard for Type 4X Enclosure third-party test data
- NEMA TS 2-1998 standard third-party test data

### 3.16 WARRANTY

The CTAD shall be warranted free from material and workmanship defects for a period of 2 years from date of shipment.

### 3.17 FUNCTIONAL DEPLOYMENT AND ACCEPTANCE TESTING

The Contractor shall be responsible for installation, configuration, verification, fine-tuning and documentation that each RPD meets the requirements as described in the Special Provisions. The Contractor shall lead and demonstrate the 1-day operational test at each traffic signal cabinet including detector operations. The Contractor shall participate, respond and document detector operation as part of the 30-day testing.

The functional deployment and acceptance testing is subsidiary to the Traffic Signalization bid item and shall include all labor, equipment and resources to complete the acceptance testing. This includes but is not limited to:

- Documentation with As-built Plans (each detector installed and cabinet modifications)
- Documentation of Detector calibration (auto-configuration and manual)
- Documentation of sensor configuration:
  - Number of zones
  - Lane configuration
  - Approach
  - Sensor ID
  - Zone ID
  - Detector Channel
  - Type [Count, Advanced or Call/Extend zones]
  - Phase Information (as needed)
  - IP addresses
  - Cabinet mapping

Project coordination with the ASCT Vendor (Trafficware) to support the fine-tuning of the system shall be provided by the Contractor. This will require visits post deployment to each detector and the adjustment of the detection configuration to calibrate and fine-tune the system. Documentation of the fine-tuning will be provided by the Contractor.

## 4.0 LOOP DETECTORS

### 4.1 PREFORMED LOOPS

In all projects where new pavement is to be placed in the loop areas and wherever possible and practical, preformed loops shall be installed within or under the pavement in lieu of pavement sawn loops. The Engineer shall be notified when the Contractor requests to substitute pavement sawn loops for preformed loops and the

Engineer shall determine if the request should be approved. Preformed loops must be readily available manufactured items. Loops built by the contractor shall not be allowed. Currently approved manufactured preformed loops are 1) Patriot Detection Systems model CG16MMC, and 2) Reno A&E model PLH. Equivalent products may be approved by the City Traffic Engineer.

When installed, no part of the loop shall be within 2 feet of reinforcement rods in the surrounding pavement.

The loop should not be situated directly over any large metal object in the ground within 5 feet of the surface.

## 4.2 SAWCUT LOOPS

### 4.2.1 LOOP WIRE

The detector loop wire shall be inserted into a flexible plastic tubing (IMSA Specification 50-2-1984) of the full length from the point of the splice and placed into the slot with the number of turns specified. The tubing shall be of a continuous length from the point of splicing of the loop wire to the lead-in cable. The field loop conductors installed in the pavement shall run continuously from the terminating service box or base with no splices permitted. The field loop conductors shall be spliced to the lead-in cable and the lead-in cable shall run continuously from the terminating service box or base to the detector-sensing unit. However, on multiple loop installations additional loop conductors may be spliced to the lead-in cable as directed by the Engineer. At the time of placing the loop wire in the sawed slots, the ends of the tubing shall be sealed to prevent any entrance of moisture into the tubing.

### 4.2.2 WIRE TWISTING

Wherever possible in order to reduce line noise, all lengths of loop wires and tubing that are not embedded in the pavement shall be twisted with at least five turns per foot, including lengths in conduits and service boxes.

### 4.2.3 LOOP WIRE SPLICES

The wires shall be spliced by soldering iron using 40/60 rosin core solder only. The solder joint shall be smooth and provide proper physical bonding of the conductors. A flame shall not be used for soldering.

The wire portion of the splice shall be covered with a layer of heat shrink tubing. The heat shrink shall be secured by an electrical heat gun with heat reflector to insure uniform heat distribution on the tube. No flame may be used on the heat shrink tubing.

The final layer of heat shrink tube shall be an outdoor rated heat shrink tube equal to the Thomas & Betts HS12-6L cross-linked polyolefin heat shrink tubing. The tubing shall be centered with a minimum of 1 inch of the outer jacket being encapsulated by the heat shrink tubing.

Lead-In cable to loop wire splices shall be soldered together leaving only enough exposed insulation and conductor to make the splice.

Loop wire to lead-in cable splices shall be environmentally sealed against weather, moisture and abrasion using a commercially available encapsulating enclosure kit.

### 4.2.4 LOCATION OF LOOPS

The location of each loop shall be marked on the pavement with crayon or spray paint. The Contractor shall obtain the approval of the Engineer prior to cutting the saw slots.

### 4.2.5 CONCRETE SAWING

The saw shall be equipped with a depth gauge and horizontal guide to assure proper depth and alignment of the slot. The blade used for the saw cut shall provide a clean, straight, well-defined 3/8 inch wide saw cut without damage to adjacent areas. The depth of the saw cut shall be 2 inches deep. Where the loop changes direction, the saw cuts shall be overlapped to provide full depth at all corners. All adjacent cuts must be at

angles greater than or equal to 90 degrees. The saw cut depth shall not vary by more than 1/4 inch within each loop. A diamond blade with water shall be used in the saw cut operation. Carbide blades are not acceptable.

#### 4.2.6 LOOP SLOTS

Before installing loop wire, the saw slots shall be checked for the presence of jagged edges or protrusions. Should they exist, they must be removed. The slots shall be cleaned and dried to remove cutting dust, grit, oil, moisture or other contaminants. Cleaning shall be achieved by flushing with a stream of water under a minimum of 1000 psi pressure and following, the slots shall be cleared of water and dried using oil-free air.

#### 4.2.7 LOOP CONDUCTOR INSTALLATION

Loop detector conductor shall be installed using a 3/16 inch to 1/4 inch thick wood paddle or rotary wire insertion tool. If the wire does not lie close to the bottom of the saw cut, it shall be held down by means of a material such as duct sealant or backer rod.

#### 4.2.8 LOOP WIRE PLACEMENT

Each loop shall be coiled clockwise unless specified within the plans. The beginning conductor shall be marked with a single color-coded piece of permanent tape and the associated end marked with two pieces of permanent tape of the same color. The markings shall be recorded for future information.

#### 4.2.9 LOOP DETECTOR SAW SLOT FILLER

The saw slot filler shall be a rapid cure, high viscosity, liquid epoxy, or approved equal, formulated for use in sealing inductive wire loops and leads embedded in asphaltic concrete and portland cement concrete. The saw slot filler shall be usable on grades of 15% or less without excessive flow of material, unless otherwise approved by the Engineer.

The loop sealer or sealant shall be a two-component system, which consists of, a resin constituent identified as pourable and a hardener identified as quick setting. The sealer shall be Bondo P-606 for concrete and seasoned asphalt, E709 for new asphalt; WR Meadows Sealex; 3M Detector Loop Sealant Series 5000; or equal, as approved by the Engineer. Both the resin and the hardener shall be in liquid form before mixture of the two components. Approval of other sealants shall be based on specification and/or test data about their physical properties and chemical resistance. Loop sealant shall not be installed during rain or other forms of precipitation or below temperatures specified by the manufacturer of the product. The cured sealer shall be unaffected by oils, gasoline, grease, acids and most alkalis. The mixing of components and the filling of the cut shall be in accordance with the directions of the manufacturer.

No measurable amount of sealant shall be left on the surface of the pavement and the sealant within the saw cut shall be level with the pavement surface.

#### 4.3 LOOP TESTING

After installation of the loops, the Contractor shall test the continuity, inductance, and resistance of the loop and lead-in wire. Tests should be conducted with one or more loop tester devices capable of measuring the induced ac voltage, inductance in microhenrys ( $\mu\text{H}$ ), integrity of the wire insulation, and loop wire resistance in ohms.

The wiring diagram of the plan set or the inspection report should include a table of calculated values of the inductance in microhenrys and resistance in ohms for each loop. Two values should be shown: one at the pull box without the lead-in cable, and the second at the controller cabinet with the lead-in cable connected. The loop installation is acceptable under the following conditions:

- a) Induced voltage: There is no deflection of the pointer on a voltmeter.
- b) Inductance: The inductance reading on the loop tester is within 10% of calculated value.

- c) Leakage to ground: The resistance to ground of a newly installed loop exceeds 100 megohms as measured with a 500 volt (V) megohmmeter.
- d) Loop resistance: The reading on an ohmmeter is within 10% of the calculated value.
- e) The total loop system (loop plus lead-in) inductance is within the acceptable range of the vehicle detector specified in the plan.
- f) The detector system (loops + lead-in + electronic detector) shall be capable of reliably detecting all licensed vehicles.

The Contractor shall provide the Engineer with a report on company letterhead indicating the inductance, leakage to ground, and loop resistance test values for each loop. The test shall be conducted from the curbside handhole. An inductance, leakage to ground, and loop resistance test shall also be conducted and reported for the total detector lead-in and loop system with the test being conducted at the Controller cabinet. The City Traffic Engineer may independently test any or all loops at any time. Any Loop not meeting the requirements for an acceptable loop installation shall be repaired or replaced as directed by the Engineer. The Contractor shall bear all costs of replacing loop installations deemed unsatisfactory by the Engineer.

## **H. EMERGENCY VEHICLE TRAFFIC SIGNAL PRIORITY CONTROL SYSTEM**

The 3M Corporation Opticom brand of radio activated, GPS based emergency vehicle traffic signal priority control system (Preempt System) shall be installed in all traffic signal systems.

All equipment and cabling necessary for the operation of the Preempt System shall be supplied and installed by the contractor to 3M specifications.

Software configuration and system testing of the Preempt System shall be completed by the City Traffic Division personnel.

This item is specified to maintain compatibility with the currently installed system.

## **I. FIBER OPTIC INTERCONNECT**

### **1.0 GENERAL**

All designed interconnect systems shall use single-mode fiber optic, interconnect cable. This work shall consist of furnishing and installing a fiber optic network for a traffic signal system in accordance with Traffic Signal System, Scope of Work as herein before specified and the following. All fiber optic components, except the interconnect cable specified separately, required to provide proper communication with the City Traffic Signal network shall be furnished and installed as a part of this item. These items shall include but not be limited to the following items:

### **2.0 DISTRIBUTION ENCLOSURE**

Field cable shall terminate in the Controller cabinet within a wall mount distribution enclosure. The distribution enclosure shall be dust and moisture repellent. The size of the enclosure shall be adequate for the number of fibers, proper winding area, and splices. The enclosure shall be mounted on the inside cabinet wall or other approved location, which does not interfere with the normal maintenance of the cabinet electronics. The field cable shall be secured to the enclosure in a manner that does not degrade the fiber optic cable but insures a firm and secure mount. The field cable jacket shall be removed and all protective gel shall be removed and the cables and tube areas shall be prepared in accordance with the manufacturer's recommendation. Sufficient lengths of every loose tube shall be coiled within the enclosure to provide spare distance and reach the fiber interface panel. All fibers from each cable entering the cabinet shall be terminated. Adapter panels shall be the same manufacturer as the panel housing.



### 3.0 CONNECTORS

SC or ST type connectors of ceramic ferrule and Physical Contact <PC> end finish shall be used to terminate fibers to equipment. The signal design shall specify the type of connector used. Mechanical connectors shall not be used to splice cables. All fiber connectors used shall be factory installed connectors. No field terminated connectors will be allowed. Connectors shall have a typical insertion loss (single-mode) of 0.15 dB or less, a maximum loss of 0.35 dB or less, with typical reflectance of -55 dB, and temperature stability from -40 degrees C to 75 degrees C. Pigtails shall be rated for the environment they are installed in.

### 4.0 SPLICES

The fiber cable shall be installed in continuous runs between Controller cabinets unless otherwise specified on the Plans. No splices shall be allowed outside the Controller cabinets. Only mechanical or fusion splices will be allowed when splices are authorized. Pigtail to drop cable splicing shall meet all applicable testing requirements.

Fusion splices shall be used to splice all continuous fiber runs in splice closures and factory terminated connector pigtails. Splices shall be allowed only in the splice closures as shown on the plans. Maximum attenuation per splice as estimated by the fusion splicer shall not exceed 0.08 dB. Any splice exceeding 0.08 dB at the time of splicing shall be re-spliced. Splice shall provide three axis core alignment using light injection and loss measurement techniques. No mechanical splices of fiber cable will be allowed. All fusion splice equipment shall be factory certified within the last year. The Contractor shall provide copies of the certification 10 calendar days prior to splicing.

### 5.0 FIBER OPTIC CABLE

This work shall consist of furnishing and installing the fiber optic cable of the type, size, and number of fibers specified and all associated accessories. Materials and accessories shall be the standard products of a manufacturer regularly engaged in the manufacture of fiber optic products. All materials and equipment furnished shall be completely free from defects and poor workmanship. All fibers in the cable must be usable and meet specifications. The product provided shall meet the latest applicable standard specifications by American National Standards Institute <ANSI>, Electronics Industries Association <EIA>, and Telecommunications Industries Association <TIA> for the type mode cable of the size specified and the specifications herein. The specific cable used shall be specified in the project plans.

Cable terminations shall be made by a trained and qualified technician with a minimum of two years experience in installing and terminating fiber optic cable. This function may be provided by a person other than the installing Contractor. Upon Request by the Engineer, the Contractor shall provide documentation on qualifications and experience for fiber optic equipment installations. The Engineer shall be the sole judge of the acceptability of the experience level of the proposed individual selected for this function.

### 6.0 FINAL ACCEPTANCE TESTING

After the complete System is installed and terminated, but excluding the capping of unused fibers, an OTDR reading shall be performed on all cables to insure that each section is in compliance with the issued specification. A hard copy of OTDR signature traces for all fibers for all sections shall be provided to the Engineer. Fibers that have been terminated shall be indicated in the report. In addition to the OTDR test report, the Contractor shall provide the test results of an Attenuation Test for the installed fibers using the insertion loss test procedure and the Transmitter/Receiver Power Level Test and the Continuity Test. The results of all testing shall be recorded along with the date of the test, the name of the person performing the test, brand name, model number and serial number of all equipment used during the test, and any other pertinent information and data (see below). The complete documentation file of all tests conducted and factory tests shall be submitted to the Engineer.

The Contractor shall submit the following documents to the Engineer for approval at least 14 calendar days prior to the acceptance testing.

- Fiber cut-over plan and schedule
- Final test plan and schedule

The Contractor shall perform all testing and the fiber cut-over with the presence of the Engineer or the Engineer's representative(s).

Post installation, 100% of the new cables' fiber or new terminations count shall be tested bidirectionally with an Optical Time Domain Reflectometer (OTDR) at 1310 nm and 1550 nm; in addition, an Optical Loss Test Set (OLTS) shall be used to test all fibers at both wavelengths. Existing fibers that are spliced to or re-spliced as part of this contract shall also be tested in both directions and at both wavelengths. The Contractor shall provide the Engineer with up to five copies of any software required for viewing electronic files of the OLTS and OTDR traces.

Test results will be recorded on a form supplied by the Contractor, with data compiled in .PDF format through the meter manufacturer's software. No additional alteration using software from the Contractor beyond the meter manufacturer's software will be allowed. The Contractor shall submit test results in a format approved by the Engineer. Completed test forms on each fiber shall be handed over to the Engineer. Contractor shall also provide native test (electronic version) with no alterations and meter software for viewing of fiber traces. At a minimum, test results shall show the following:

- Cable and fiber identification (as approved by Iowa DOT)
- Operator name
- Date and Time
- Setup and test parameters including wavelength, pulse width, range, scale and ambient temperature.
- Test results for OTDR test in both directions for total fiber trace, splice loss/gain (dB), connector loss (dB), all events greater than .05 dB, measured length from cable markings and total length from OTDR.
- Test results for attenuation test including measured cable length (cable marking), total length (from OTDR test), number of splices (from as-built) and total link end-to-end attenuation in each direction and the bidirectional average.

OTDR testing shall use launch and receiving cables minimum 1000 meters or greater than the dead zone for the OTDR used for this test.

All fiber connectors shall be cleaned and checked for dirt, scratches or chips before installed in adapters and testing. All dust covers shall be installed after testing is complete.

The Contractor shall verify prior to submittal to the Engineer for approval that all test results satisfy the requirements of the Contract Documents.

The Contractor shall provide the Engineer a minimum of 4 weeks to review the test results.

All test results submitted to the Engineer by the Contractor are subject to rejection and will not meet final acceptance criteria if the test results are identified as Out of Specifications (OOS) detailed below:

- The fiber optic cable shall have a maximum attenuation of 0.4 dB/km at 1310 nm and 0.3 dB/km at 1550 nm when measured with an OLTS. Fiber test results submitted to the Engineer that exceed the max attenuation loss specification will be identified as OOS.
- Each connector shall have an averaged loss value of 0.25 dB or less when measured bi-directionally with an OTDR at 1310 nm and 1550 nm. Connector test results submitted to the Engineer that exceed the max loss of 0.50 dB in a single direction or an average bi-directional loss of 0.25 dB will be identified as OOS.
- Each splice shall have an averaged loss value of 0.08 dB or less when measured bi-directionally with an OTDR at 1310 nm and 1550 nm. Splice test results submitted to the Engineer that exceed the 0.08 dB will be identified as OOS.

In the event of OOS, the Engineer will reject the test and notify the Contractor to retest. The Contractor shall remove malfunctioning units, replace with new units, and retest meeting the requirements specified above. The Contractor shall submit the test results for the Engineer's approval.

## 7.0 FIBER OPTIC SLACK, BENDING, AND PULLING

The cable end shall be secured inside the Controller cabinet so that no load is applied to the exposed fiber strands. The minimum bend radius for static storage shall not be less than ten times the diameter of the cable measuring the cable on the outside, or as recommended by the manufacturer.

The minimum bend radius during installation shall not be less fifteen times the diameter of the cable measuring the cable on the outside, or as recommended by the manufacturer. Note: The Contractor should not use tie wrap devices on fiber optic cable due to the force exerted on the fiber and the ease of which this force can permanently damage the fiber.

Slack cable shall be left in each handhole or double handhole, at the top of any conduit riser, junction box, and Controller. This slack cable requirement may be deleted where existing hand holes or through points lack sufficient area to maintain the minimum bend requirements. Where slack has been deleted, extra slack equal to the amount that would have been distributed in the through points shall be equally divided between the two Controller cabinets and shall be in addition to the slack mandated at the cabinets. Each handhold or through point shall be provided with a minimum of 6.5 feet of slack. Controller cabinets shall be provided with a minimum of 19.5 feet. Slack cable shall be coiled and the coils bound at three points around the coil perimeter and supported in their static storage position.

## 8.0 CABLE INSTALLATION IN CONDUITS

A suitable cable feeder guide shall be used between the cable reel and the face of the conduit. The cable feeder shall be designed to protect the cable and guide the cable directly into the conduit off the reel. During the installation, the cable jacket shall be carefully inspected for jacket defects. If defects are found the Engineer shall be notified prior to any additional cable being installed. The Contractor shall take unusual care in the pulling of the cable to insure that the cable does not become kinked, crushed, twisted, snapped, etc. A pulling eye shall be attached to the cable and be used to pull the cable through the conduit. A pulling swivel shall be used to preclude twisting of the cable. The cable shall be lubricated prior to entering the conduit with a lubricant recommended by the manufacturer. The lubricant shall be water base type. Dynamometers or break away pulling swing shall be used to insure that the pulling tension does not exceed the specified force of 600 pounds or the cable manufacture's recommendations, which ever is less. The mechanical stress on the cable shall not allow the cable to twist, stretch, become crushed, or forced around sharp turns, which exceed the bend radius or scar or damage the jacket. The pulling of the cable shall be hand assisted at each pull point.

At each hand hole or through point and at the cabinet, the cable shall be visibly marked or tagged as "CAUTION-FIBER OPTIC CABLE."

An insulated copper wire, No. 12 AWG shall be pulled in the same conduit as the fiber optic cable in order to trace the installation. The ends of the trace wire shall be insulated and terminated in the last hand hole prior to the Controller cabinet. Due to the electrical conducting characteristics of the wire, especially during electrical storms, the wire shall not enter any Controller cabinet.

## 9.0 DISRUPTION TO EXISTING FIBER NETWORKS

### Planned Disruption

- The Contractor shall ensure continuous operation of the existing fiber networks and systems during construction of the project. The Contractor shall be responsible for repairing, to Iowa DOT's satisfaction and at no cost to Iowa DOT, any damage the Contractor causes to the existing fiber networks and systems during the life of the project.
  - Existing Fiber Assignments and Ownership: The Iowa DOT, Iowa Communications Network (ICN) and the City of Council Bluffs share tubes and strands in the existing 96 SM Fiber backbone cable shown on the plans. ICN maintains the existing fiber cable.

The Iowa DOT is assigned the Blue (BL), Orange (OR), Green (GR) and Brown (BR) tubes. ICN is assigned the Slate (SL) and White (WH) tubes. The City of Council Bluffs is assigned the Red (RD) and Black (BK) tubes.

- The Contractor shall not work on splicing, disconnecting and/or in any way disrupting normal operation of the existing fiber networks or systems. Parties include the Iowa DOT, the City of Council Bluffs and the Iowa Communications Network (ICN). The Contractor shall provide a written request to the Iowa DOT and the respective parties for approval at least 10 calendar days before the existing fiber network or equipment is disrupted. A copy of the written request shall be submitted to the Engineer in all cases. In addition to the written request, the Contractor shall submit the work plan and schedule for approval by the Engineer. The work plan shall include all fiber strands and the parties being affected.
- The Contractor shall restore the disrupted system upon completion of the Work within the allowable working hours. The Contractor shall remain on site until Iowa DOT notifies that the disrupted systems are fully operational. Failure of the Contractor to restore disrupted systems and equipment within the allowable working hours will constitute an unplanned disruption.

#### Allowable Working Hours

- The Contractor shall only disrupt existing fiber according to the allowable working hours as follows.
  - Iowa DOT, ICN and City of Council Bluffs IT (BL, OR, GR, BR, SL, WH, RD)
    - Disruptions will not be allowed.
  - City of Council Bluffs Traffic Signal (BK)
    - Disruptions to the traffic signals shall be limited to no more than 7 Calendar days.

#### Unplanned Disruption

- Any unplanned disruptions determined by the Engineer to be caused by the actions of the Contractor shall be corrected by the Contractor at no additional cost to Iowa DOT.
- In the case of an unplanned disruption and subsequent notification by the Engineer, the Contractor shall immediately stop all other work in progress and shall expend all of its efforts to restore the disrupted system(s) or correct the problem causing the disruption. The Contractor will not be granted an extension of time for delays caused by repairing disrupted systems.

## **J. TRAFFIC MONITORING CAMERA**

### 1.0 GENERAL.

All new traffic signals shall have Pan-Tilt-Zoom cameras installed. Camera shall be Axis Communications Q6042-E. This camera is required to maintain interoperability with the City's current monitoring software. It will also maintain compatibility and continuity with the City's Intelligent Transportation System.

### 2.0 POWER SUPPLY

Camera shall be powered by High Power over Ethernet (IEEE 802.3at). Any devices necessary for providing power to the camera shall be included.

### 3.0 MOUNTING HARDWARE

A mounting bracket capable of attaching the camera to the side of a steel traffic signal pole shall be included. Mounting hardware shall be supplied by the camera manufacturer.

### 4.0 DECODING SOFTWARE

Decoding software shall be industry-accepted and widely available.

### 5.0 WARRANTY

Supplier warrants that all products supplied will be free from defects in design, workmanship and

materials under normal use for a minimum period of one (1) year from the date of the original purchase.

#### **K. GROUNDING SYSTEM**

An equipment grounding conductor (EGC) shall be installed to electrically bond together all non-current carrying conductive materials, including cabinets, poles, pull boxes and raceways, to form an effective ground-fault current path to the overcurrent protective device (breaker) at the service location, as per NEC section 250.4(A)(5). The earth shall not be used as the sole equipment grounding conductor or effective ground-fault path. The EGC shall be electrically isolated from A.C. Neutral in the controller cabinet.

The EGC shall be copper XHHW insulated wire sized per NEC section 250.122. Stainless steel fasteners and copper compression lugs shall be used. Use a specification grade bonding bushings, with stainless steel and hot dip galvanized construction. Use a listed copper conductive compound on all threads and conductors.

The grounding system at the service disconnect shall consist of four 5/8 inch by 10 foot copper clad ground rods placed 15 feet in opposite directions away from the utility pole. The ground rods shall be connected using connectors to #2/0 copper cable. Bolt type clamps shall not be used. A common #2/0 copper cable may be connected into the disconnect equipment with the four cables being spliced at the base of the pole.

The Controller cabinet shall be grounded via a No. 6 copper wire to a 5/8 inch by 10 foot copper clad ground rod located in a handhole a minimum distance of 15 feet away from the Controller cabinet. No ground rods may be installed within the cabinet.

A 5/8 inch by 10 foot copper clad ground rod shall be installed at each lighting standard and traffic signal pole. These rods shall be bonded to the EGC. The rod shall be offset below grade to extend into earth and be centered in base in top end of concrete and extend approximately 6 inches above concrete.

All loop detector lead-in cables shall have the drain shield wire grounded at the point where the loop wires are connected to the lead-in cables. The drain shield wire shall be removed and covered at the cabinet. The loop lead-in grounding system shall not be connected to or come in contact with any portion of the remainder of the AC grounding system.

#### **L. CONTRACTOR COORDINATION**

The Contractor shall coordinate with the City of Council Bluffs Permits & Inspections Department and the local power company for the electrical connection for the 120/240 Single Phase Split Phase VAC power source to the Meter Pedestal and the branch circuits to the proposed signal cabinet and proposed luminaires. Conduit and wire as specified in the plans shall be furnished and installed from the point of the power source to the cabinet. The cost of furnishing and installing this conduit and wire and the termination shall be considered incidental to the project and no additional bid item is provided. All conduit, wiring, and power service installations shall meet or exceed current National Electrical Codes and any other applicable local codes and ordinances.

The Contractor is required to coordinate with the various utilities in order to obtain clearances required for the installation of conduit and other accessories required to install the complete signal system. All costs incurred in the obtaining of space, marking, defining and coordination are considered incidental to the installation of the signal.

#### **M. GUARANTEE**

The equipment furnished under this specification shall be new, of the latest model, fabricated in a first-class workmanship manner from good quality material.

The entire Controller unit shall be warranted to be free from defects in workmanship and materials for a minimum of 1 year from date of acceptance. Any part(s) found to be defective, upon concurrence of the defect by the manufacturer, shall be replaced or repaired free of charge.

The Contracting Authority shall be furnished with a certification from the equipment manufacturer stating that the equipment furnished under this specification complies with all provisions of this specification. If there are any items, which do not comply with this specification, then a list of those exceptions must be detailed on the certification and on the equipment submittals for the project. Failure to submit a list of exceptions on either the equipment submittals or the certification shall be deemed to be compliance with all issued specifications. Should deviations from the specification be determined from either the review of the equipment submittals or the installation of the hardware into the complete system, the Contractor shall be provided 30 days to correct the deviation(s) before rejection of the project and removal of the equipment.

## **N. TRAFFIC SIGNAL HEADS**

### **1.0 VEHICULAR SIGNAL HEADS**

All vehicular signal heads shall be constructed with 12 inch diameter lens openings. All components of the vehicular signal heads furnished under this specification shall comply with the latest version of the Institute of Transportation Engineers Standard(s) for Adjustable Face Vehicle Traffic Control Signal Heads.

Lenses shall be 12 inches in diameter and shall be polycarbonate. Glass lenses are not acceptable. The lenses shall have an optimal curvature to allow maximization of heat dissipation within the signal (reflector to lens) and reduce the possibility of lens burning.

Visors shall be tunnel type and at least 9 1/2 inches long. Reflectors shall be Alzak treated aluminum or glass. All external signal hardware and fasteners of the signal shall be stainless steel, including hinge pins and latching mechanisms.

The optical unit of the signal shall be of a design to permit the opening of the signal face for relamping of the signal without the removal of the lamp socket from the reflector assembly.

The color of all polycarbonate signal heads, except door fronts and inside and outside of visors, shall be federal yellow. Door fronts and inside and outside of visors shall be black in their entirety. The color of the material shall be an integral part of the materials composition.

All signal head assemblies shall be rigid mounted utilizing a suitable assembly consisting of both top and bottom brackets assemblies shall be aluminum.

Side of pole signal mounting hardware shall be polycarbonate yellow saddle brackets. Brackets shall be secured to the pole by using minimum 5/8 inch wide stainless steel banding material

All signal heads placed on mast arms shall be provided with backplates. Backplates shall be of 5 inch borders and be attached to the signal heads in accordance to city standards. Backplates shall be constructed of one-piece vacuum formed durable black plastic capable of withstanding a 100 mph wind, excluding five section signal displays. The outer edge of the backplate shall utilize a stabilizer formed from the same material as the backplate. The backplates shall be attached to the signal heads utilizing appropriate machine screws, fender washers and locking nuts as per details.

All vehicle signal indications (red, yellow and green) shall be LED 12 inch display or an approved equal. The unit shall be mounted and appear as a normal indication within the signal head. All standard arrows shall utilize LED technology signal displays.

All LED Ball Signal Modules shall be fully compliant to the ITE VTCSH LED Circular Supplement specifications dated and adopted June 27, 2005.

All LED Arrow Signal Modules shall be fully compliant to the "Omni-directional" specifications of the ITE VTCSH -LED Vehicle Arrow Traffic Signal Supplement adopted July 1, 2007.

The on-board circuitry of all LED traffic signal modules shall include voltage surge protection, to withstand high-repetition noise transients and low-repetition high-energy transients as stated in Section 2.1.8, NEMA

Standard TS 2-2003. In addition, the module shall comply with the following standards: IEC 1000-4-5 at 3kV with a 2 ohm source impedance, ANSI/IEEE C62, 41-2002; IEC 61000-4-12 (6kV, 200A, 100kHz ring wave).

## 2.0 PEDESTRIAN SIGNAL HEADS

### 2.1 OVERVIEW

#### 2.1.1 PURPOSE

The purpose of this specification is to provide the minimum performance requirements for a 16 x 18 LED pedestrian signal module with a countdown timer (hereafter called module) with “walking person”, “upraised hand”, and “countdown digit” icons. This specification refers to definitions and practices described in *Pedestrian Traffic Control Signal Indicators - Light Emitting Diode (LED) Signal Modules Version August 04, 2010* and the 2009 MUTCD and contains additional requirements to ensure optimum long term reliability and performance. Product supplied to this specification shall comply with the latest version of the ITE PTCSI LED signal specification and the additional requirements listed herein.

#### 2.1.2 MANUFACTURERS REQUIREMENTS AND APPROVALS

Manufacturers supplying products to this specification must be a registered participant and have the part numbers being provided listed on the *Intertek-ETL LED Traffic Signal Modules Certification Program* approved products website. Products shall be manufactured in a facility certified to the Intertek-ETL program requirements.

Must be fully compliant to the ITE PTCSI LED Spec Version Aug 4, 2010. In addition the product must also meet the additional specifications and requirements outlined in the sections below.

### 2.2 PHYSICAL & MECHANICAL REQUIREMENTS

#### 2.2.1 GENERAL

Installation requirements: Installation of a module into existing pedestrian signal housings shall only require the removal of the existing optical unit components, i.e., lens, lamp module, gaskets, and reflector; shall be weather tight and fit securely in the housing; and shall connect directly to existing electrical wiring. Installation shall not require special tools.

#### 2.2.2 THE LED SIGNAL MODULE

The lens shall have a textured outer surface to reduce glare. No screws shall be used to attach the lens to the housing.

Hand, Person, or Digit icons that are not illuminated shall not be readily visible to the pedestrian at the far end of the crosswalk that the pedestrian signal head indication controls. The agency reserves the right to accept or reject the unit based on the physical appearance of the unit at their sole discretion.

All icons and numbers shall have a uniform incandescent, non-pixelated appearance.

All LED utilized to illuminate the Hand and Person icons, shall be LED that have been manufactured utilizing materials that have industry acceptance as being suitable for uses in outdoor applications.

The countdown signal shall display the time remaining in seconds, beginning with the start of the pedestrian clearance interval and ending at the end of the pedestrian clearance interval. Countdown displays should not be used during the walk interval. Upon termination of the countdown sequence the countdown shall remain blank until the beginning of the next pedestrian change interval.

The countdown shall be capable of counting down from 99 to 0. There shall be no leading zeroes for numbers less than 10. The display of the “1” digit in the tens position shall be in the right hand portion of

the digit.

The configurations of the walking person icon, upraised hand icon and countdown digits are illustrated in Figure 1, Figure 2, and Figure 3 respectively.




Figure 1—Walking Person icon




Figure 2— Upraised Hand icon




Figure 3—Countdown Display 2.3 Module Identification

In addition to the labeling requirements of the ITE specification, all modules must be labeled with the ETL Verified label shown in Figure 4. This label designates the compliance and listing with the Intertek-ETL Traffic Signal Certification Program.



Figure 4.  
Intertek- ETL Verified Label



## 2.3 ELECTRICAL

### 2.3.1 GENERAL

The following color scheme shall be used for the module's AC power leads: Orange for the upraised hand, Blue for the walking person, and White for common.

The AC power leads shall exit the module via a rubber grommetted strain relief, and shall be terminated with insulated female quick connect terminals with spade / tab adapters. The leads shall be separate at the point at which they leave the module.

All external wiring utilized in the modules shall be anti-capillary type wire to prevent the wicking of moisture to the interior of the module.

In order to minimize the possibility of the incorrect icon being illuminated, the Hand, Person, and Countdown Icons shall utilize three separate power supplies. The countdown module shall be internally wired to the incoming AC power from the hand / person AC signal lines. All power supplies shall be located inside the signal module.

All power supplies shall be conformal coated for additional protection.

Typical Power at 77°F for the Pedestrian Signal Modules shall be 11 watts for the hand, 10 watts for the person and 8 watts for the digits when the number "88" is displayed.

## 2.4 COUNTDOWN MODULE

### 2.4.1 COUNTDOWN DRIVE CIRCUITRY

The countdown portion of the signal shall have a high off-state input impedance so as not to provide a load indication to conflict monitors and interfere with the monitoring of the pedestrian signal. The input impedance of the countdown circuitry shall be sufficiently high enough to allow for up to eight units connected on the same channel.

It shall be impossible for the display to countdown during a solid Hand indication.

### 2.4.2 COUNTDOWN FUNCTIONALITY

Per MUTCD Manual 2009 edition, "Countdown displays should ONLY be used during the "Clearance Cycle". They should NOT be used during the walk interval or during the yellow change interval of a concurrent vehicular phase". A countdown pedestrian signal is required for all crossing with a pedestrian clearance interval of 7 seconds or greater.

The countdown timer module shall have a micro-processor capable of recording the pedestrian crossing

timing when connected to a traffic controller. It shall be capable of displaying the digits 0 through 99.

When connected, the module shall blank out the display during the one learning cycle only while it records the countdown time using the Walk (Person) & Don't Walk (Flashing Hand) signal indications. The hand and person icons shall be displayed as normal during this cycle.

The countdown timer module shall continuously monitor the traffic controller for any changes to the pedestrian phase time and re-program itself automatically if needed.

The countdown module shall register the time for the walk and change intervals individually and shall begin counting down at the beginning of the pedestrian change interval. The countdown module shall display the numerals in a continuous display and shall not flash during the countdown.

When the flashing Hand becomes solid, the module shall display 0 for one second and then blank-out. The display shall remain dark until the beginning of the next countdown.

In the event of a pre-emption sequence during the pedestrian change interval, the countdown module shall skip the pre-empted change time and reach "0" at the same time as the flashing Hand becomes solid and then remain dark until the next cycle.

In the cycle following a pre-emption call, the signal shall display the correct time and not be affected by the reduced previous cycle. The countdown shall remain synchronized with the signal indications and always reach 0 at the same time as the flashing Hand becomes solid.

The countdown timer shall be capable of displaying two consecutive complete Pedestrian Phases outputted by the traffic controller (no steady Hand signal between cycles). NOTE: When a controller is programmed with the option to serve a second consecutive pedestrian phase (walk followed by flashing don't walk) if a pedestrian activates a pedestrian button during the change interval, and the controller is set to allow a second consecutive phase, the countdown will blank out during the walk, and restart counting down the correct time during the flashing don't walk, just as in a regular PED phase.

The countdown module shall not display an erroneous or conflicting time when subjected to defective load switches. Should there be a short power interruption during the PED change interval or if voltage is applied to both the hand and person simultaneously, the display will go to "0" then blank.

The countdown module shall have accessible dip-switches for the user selectable options. The unit shall have a removable plug on the rear allowing easy access to control the user selectable functions. The unit shall be shipped from the factory with all switches in the default "off" position. With the exception of the test mode, these dip switch selectable functions would typically be set at the initial installation of the Pedestrian signal.

#### 2.4.2.1 DIP SWITCH 1. DARK CYCLE FOLLOWING A TIMING CHANGE

Default Operation: In the default position this function is disabled. With this function disabled the countdown module will operate as follows:

- If the clearance mode is shortened for a single cycle, for example for an emergency vehicle preemption, the countdown will return to normal operation on the following cycle using the learned timing.
- If the countdown module detects two consecutive shortened pedestrian clearance modes of identical length the countdown timer will display the new shorter time on the following cycle without the need for new blank learning cycle.
- If the countdown module detects a longer cycle, for example a programmed timing change, it will automatically display the lengthened time on the next cycle without the need for a new blank learning cycle.

Optional Operation: With Dip switch 1 in the "on" position the countdown module will operate as follow:

- Any time the countdown module detects a timing change, either shorter or longer the countdown will run a new “learning” cycle. It will be blank for one cycle. After this blank cycle the unit will return to normal operation on the following cycle and display the new clearance timing learned.

#### 2.4.2.2 DIP SWITCH 2. DISABLE AUTO-SYNC MODE

Default Operation: In the default “off” position the auto-sync is enabled. With this function enabled the countdown module will operate as follows:

- Countdown start with the start of the “Flashing Hand” clearance mode.
- If in the “learning cycle” the countdown module detects a lag between the end of the walk mode and the start of the clearance mode the lag time will be measured and reduced from the first second in order to synchronize the end of the countdown “0” with the start of the solid hand signal.

Optional Operation: With Dip switch 2 in the “on” position the auto-sync is disabled. With this function disabled the countdown will operate as follows:

- Countdown starts at the end of the walk signal and disregards any lag time in the start of the flashing hand signal.
- If clearance interval is not in full seconds then the final second of the countdown may be truncated as the hand signal becomes solid.
- If there is a brief power loss to the hand signal, < 1 sec, the unit may start counting for up to 2 second before it detects the power loss and goes blank.

#### 2.4.2.3 DIP SWITCH 3. DISABLES COUNTDOWN OPERATION

Default operation: In the default position the countdown timer is enabled. With this function enabled the countdown will operate as follows:

- Countdown will function normally following either the default operation mode or if set, the selected dip switch options.

Optional Operation: With Dip switch 3 in the “on” mode the countdown timer module is disabled. With this function disabled the countdown will operate as follows:

- No countdown will be displayed but the hand / person portion of the pedestrian signal will operate as normal.

#### 2.4.2.4 DIP SWITCH 4. MEMORY MODE

Default operation: In the default position the memory, in the event of a power loss, is disabled. With the memory disabled the countdown will operate as follows:

- Countdown will maintain the learned clearance timing in memory.
- In the event of a power loss to the unit of two (2) seconds or more in duration the memory will be lost and the timer will need to enter a new “learning” cycle upon the restoration of power.

Optional operation: With Dip switch 4 in the “on” position the memory is enabled. With this function enabled the countdown will operate as follows:

- Countdown will store the information from the “learning” cycle in memory for use in case of power loss.
- Upon returning from a power loss the countdown will use the timing stored in memory and not require the need for a new “learning” cycle.

#### 2.4.2.5 DIP SWITCH 5. DIAGNOSTIC TEST SEQUENCE

Default Operation: With this function in the “off” position the countdown will operate as follows:

- Countdown will function normally following either the default operation mode or if set, the selected dip switch options.

Optional operation: With Dip switch 5 in the “on” position the diagnostic test mode is enabled. With this

function enabled the countdown will function as follows:

- Countdown mode is disabled, to allow for diagnostic testing.
- Upon application of power to either icon the countdown module will sequentially test the individual segments of the digits.
- Upon also turning on Dip switch 4 the countdown will light up all segments to display the digit "88".

## 2.5 WARRANTY REQUIREMENTS

### 2.5.1 WARRANTY

Manufacturers shall provide a detailed written warranty issued by the factory located in the country of module origin with the following minimum provisions:

Modules shall, at the manufacturer's option, be repaired or replaced if the module fails to function as intended due to workmanship or material defects within the first 60 months from the date of delivery.

Modules shall, at the manufacturer's option, be repaired or replaced if the module exhibit luminous intensities less than the minimum specified values within the first 60 months of the date of delivery.

Upon request, the LED lamp module manufacturer shall provide written documentation of its ability to satisfy a worst-case, catastrophic warranty claim.

A current corporate annual report duly-certified by an independent auditing firm, containing financial statements illustrating sufficient cash-on-hand and net worth to satisfy a worst-case, catastrophic warranty claim is an example of suitable documentation.

The documentation shall clearly disclose:

- a) The country in which the factory of module origin is located.
- b) The name of the company or organization that owns the factory of module origin including any and all of its parent companies and/or organizations, and their respective country of corporate citizenship.

For firms with business and/or corporate citizenship in the United States of less than seven years, the process by which the end-users/owners of the modules will be able to obtain worst-case, catastrophic warranty service in the event of bankruptcy or cessation-of-operations by the firm supplying the modules within North America, or in the event of bankruptcy or cessation-of-operations by the owner of the factory of origin, shall be clearly disclosed.

## **O. MAST ARMS AND POLES**

All steel traffic signal mast arm pole assemblies shall be designed and detailed by the manufacturer supplying the poles. In the event special sized poles and mast arms are required for a signalization project, the Contractor shall submit from the pole manufacturer calculations of all loads transmitted to the bases prior to fabrication. Calculations shall be stamped by a registered professional engineer in the State of Iowa. All calculations shall be submitted with shop drawings and shall be reviewed by the Engineer prior to fabrication.

## **P. POLE BASES**

All concrete pole bases shall be designed as per the standard plans. When special bases are required, all calculations of all loads transmitted to the bases shall be submitted prior to fabrication. A registered professional engineer in the State of Iowa shall stamp calculations. All calculations shall be submitted with drawings and shall be reviewed by the Engineer prior to fabrication.

## **Q. CONDUIT AND CONDUIT FITTINGS**

Conduit and conduit fittings for direct bury applications shall be galvanized rigid steel conforming to UL-

6, UL Standard for Safety for Electrical Rigid Metal Conduit – Steel; high-density polyethylene conforming to ASTM F2160, Standard Specification for Solid Wall High Density Polyethylene (HDPE) Conduit Based on Controlled Outside Diameter (OD); or rigid polyvinyl chloride conforming to UL-651, UL Standard for Safety for Schedule 40 and 80 Rigid PVC Conduit.

Conduit and conduit fittings for boring applications shall be high density polyethylene conforming to ASTM D3035, Standard Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter. Furnish in standard lengths with UL label.

Rigid steel conduit fittings shall be galvanized steel or galvanized malleable iron. Galvanizing shall comply with ASTM C123, Standard Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products. PVC conduit fittings and cement shall be compatible with the PVC conduit. Transitions between HDPE and PVC conduits shall conform to the manufacturer's recommendations. Conduit size shall be the minimum trade size permitted for the application and shall have a constant circular cross sectional area. Conduit installed for above ground risers shall be galvanized rigid steel conduit.

## **R. ELECTRICAL CABLE**

### **1.0 GENERAL**

Electrical cable for intersection signalization shall be rated 600 volts minimum and be IMSA specification cable where applicable.

The number of conductors and size of all electrical cable shall be as shown on the plans.

All wire shall be plainly marked on the outside of the sheath with the manufacturer's name and identification of the type of the cable.

All conductors used in the Controller cabinet shall be a minimum of No. 22 AWG (or larger, if required by the amperage requirements of the particular circuit), tinned copper conductors with a minimum of 19 strands, and shall conform to Federal Specifications IL-W-16878D, Type B or D, Vinyl-Nylon Jacket, 600 volts, 105°C., equal or better. Conductors used in the Controller cabinet shall conform to the NEC color codes:

A. C. Neutral	White
A. C. Line	Black
Chassis, Safety Ground	Green
Control	Any color not listed above

### **2.0 POWER LEAD-IN CABLE**

Power lead-in cable shall be of the sizes as shown on the plans.

Power lead-in cable shall be 600 volt, single conductor, stranded copper, Type USE, and UL approved.

### **3.0 SIGNAL CABLE**

Signal cable shall be 600 volt, multi-conductor, with copper conductor of the number and size as shown on the plans.

Signal cable shall meet the requirements of the International Municipal Signal Association (IMSA) specification 19-1, latest revision thereof for polyethylene insulated, polyvinyl chloride jacketed signal cable. All conductors shall be No. 14 AWG unless otherwise specified on the plans.

### **4.0 LOOP DETECTOR WIRE (WITH PLASTIC TUBING)**

The loop wire shall meet the requirements of the IMSA specification 51-5, latest revision thereof for a nylon or cross-linked polyethylene jacketed conductor, loosely encased in a polyethylene tube loop detector wire. The conductor shall be No. 16 AWG unless otherwise specified on the plans.

## 5.0 DETECTOR LEAD-IN CABLE

Detector lead-in cable shall meet the requirements of the IMSA specification 50-2, latest revision thereof for polyethylene insulated, polyethylene jacketed loop detector lead-in cable. All conductors shall be No. 14 AWG unless otherwise specified on the plans.

## 6.0 ETHERNET CABLE

Ethernet cable for exterior signal devices shall have No. 24 AWG Bonded-Pairs, solid bare copper conductors, polyolefin insulation, polymer gel waterblocked, with a sun resistant LLPE jacket. Cable will have sequential marking at two foot intervals.

Cable shall be Belden 7934a or equivalent.

## 7.0 TRACER CABLE

A tracer cable shall be installed in all conduits with signal cables, detector lead-in cables, or fiber optic communication cables.

The tracer cable shall be a single conductor, stranded copper, No. 12 AWG, Type THHN, with UL approval and an orange colored jacket.

The tracer cable shall be identified in the Controller cabinet, handholes, and poles by means of identification tags.

## 8.0 GROUNDING CABLES

The EGC shall be copper XHHW insulated wire sized per NEC section 250.122. Stainless steel fasteners and copper compression lugs shall be used. Use a specification grade bonding bushings, with stainless steel and hot dip galvanized construction. Use a listed copper conductive compound on all threads and conductors.

Grounding conductors within lighting standards and traffic signal poles shall be a No. 6 copper cable.

All grounding conductors that connect bonding bushings to grounding systems shall be a No. 6 copper cable.

All grounding conductors between terminal strip support plates and the cabinet grounding bus shall be a minimum of a No. 10 copper cable or a braided copper cable with equal cross sectional area.

## S. WIRE SPLICING

No below grade splicing of any traffic signal wiring, except loop to loop lead-in cable, shall be allowed. All splices shall be made in signal pole bases or approved above grade enclosures.

Wires being spliced shall be twisted in a clockwise direction in order that solderless connectors can be forced onto the splice.

Solderless connectors and splice cap covers shall be secured and made water tight with either vinyl electrical tape or a liquid insulating sealant equivalent to Scotchkote electrical coating.

All exposed single layer insulation, splice cap covers, and solderless connectors shall be encapsulated in rubber electrical tape. This is to provide a cushion to the single layer of insulation.

The rubber tape shall be encapsulated in a layer of vinyl electrical tape. All portions of the tape are to be smooth and well secured.

All splices shall be oriented with the splice above the spliced wire to avoid water collecting in the splice.

Two nylon tie straps shall then be secured approximately 2 inches beyond the wire splice at 1 inch increments to act as a strain relief to the splice.

## **T. STREET NAME AND REGULATORY SIGNS MOUNTED ON SIGNAL POLES**

### **1.0 GENERAL**

The Contractor shall furnish and install all regulatory and information signs as per project plans. The signs shall meet current MUTCD specifications in relation to size and message standards. The signs shall use urban rated prismatic reflective sheeting. The City of Council Bluffs Traffic Maintenance Division shall supply the mast arm street name signs, which shall be installed by the Contractor. Any required brackets and/or supports for the mast arm signs shall be furnished by the Contractor.

## **U. SIGNAL HEAD COVERS**

During construction all signal heads shall be covered with black vinyl covers specifically designed for this purpose. The covers shall be fastened to the heads with nylon straps utilizing a cam lock mechanism to secure the straps. Plastic bags, cardboard, burlap and other similar materials are not acceptable covers.

## **V. SCHEDULE OF UNIT PRICES**

Prior to the preconstruction meeting the traffic signal contractor shall forward to the engineer a list of unit costs for the individual traffic signal items. The sum of costs for each item shall equal the total Contract Lump Sum price for the traffic signal installation. The total cost shall not be unreasonably distributed among the individual unit items.

## **W. CONTRACTOR QUALIFICATIONS & RESPONSIBILITIES**

The Contractor or Subcontractor must be licensed as an Electrical Contractor as required by Iowa law and shall have a licensed master electrician on staff. The Contractor or Subcontractor also must have a minimum of five years experience in the construction and installation of traffic signal systems. A list of qualifying projects must be attached to bid documents.

All Electrical Work and Traffic Signal Equipment installation shall be performed under the direct supervision of a licensed (Iowa Class A Master) electrician with a minimum of five years previous experience in traffic signal installations as well as related experience in the assembly and maintenance of traffic signal control equipment. Résumé(s) of electrician(s) who will perform this function shall be provided before construction begins and as requested by the project engineer.

All Electrical Work shall be performed by personnel licensed as an Apprentice Electrician in Iowa or higher Iowa electrical license. All personnel performing Electrical Work shall carry proof of their qualification on their person at all times while on the work site.

The Contractor is responsible for arranging and successful inspection by the City Electrical Inspector. The Contractor shall be responsible for resolving all deficiencies identified by the City Electrical Inspector.

The Contractor shall provide an unconditional warranty on the work done by the Contractor for a period of one year from the date of acceptance by the City of the completed installation.

## **X. BLANK-OUT SIGNS**

### **1.0 GENERAL DESCRIPTION**

Sign shall be capable of displaying one or multiple messages.

Each message will be displayed by applying 120 VAC to a separate input for each message.

The sign shall be completely dark (blank) when no input voltage is supplied.

## 2.0 FUNCTIONAL DESCRIPTION

All messages shall be clearly legible, attracting attention under any lighting condition. At full intensity, the signal will be highly visible anywhere within a 15 degree cone centered about the optic axis.

Messages shall be formed by single or double rows of LED's.  
All LED's will be T-1 3/4.

LED's will have an expected lifetime of 100,000 hours.

Failure of any individual LED's will not affect the performance of other LED's or the sign.

All sign message displays will comply with ITE VTCSH: LED Vehicle Arrow Traffic Signal Supplement Section 4 (Photometric Requirements) and ITE VTCSH: LED Circular Signal Supplement Section 4 (Photometric Requirements) for luminous intensity and distribution (Section 4.1), color regions (Section 4.2), and color uniformity (Section 4.2).

The sign shall be capable of continuous operation over a range in temperatures from -35°F to +165°F.

Sign may have optional dimming and flashing.

The sign shall comply with the MUTCD.

## 3.0 ALUMINUM HOUSING

Housings shall be constructed of extruded aluminum.

A flat aluminum panel shall be welded into the housing back for one-way signs.

All corners and seams shall be welded to provide a weatherproof seal around the entire case.

Continuous full-length stainless steel hinges shall connect the housing and the extruded aluminum door.

Signs shall have No. 3 stainless steel 1/4 turn link-locks per door to tightly secure the door onto a gasket between it and the housing.

Link-locks provide tool free access to the interior of the sign.

Door gaskets shall be 3/16 inch by 1 inch neoprene to provide a weatherproof seal.

The 0.125 inch extruded aluminum doors have one side removable to gain access to the sign face.

Sign face shall be 0.080 inch aluminum or equivalent, and have the entire LED assembly mounted to it.

Each door shall be fitted with a sun hood of 0.063 inch aluminum. Standard length is 6 inches.

The sign face will be protected by a polycarbonate, matte clear, lexan faceplate.

Drainage shall be provided by four drain holes at the corners of the housing.



Finish on the sign housing shall be satin black enamel. Powder coat finish preferred.

#### 4.0 LED MESSAGE MODULES

The LED message module shall consist of the following components:

- A rigid aluminum message plate.
- High intensity LED's.
- LED drive electronics.

The LED's shall be mounted in panel via mounted fixing clips.

Each LED shall be individually serviceable with spares included from the same batch to assure color uniformity upon replacement.

The sign shall have a separate and replaceable modular DC power supply to power the LED's.

Door panels shall be flat black.

Electrical connections shall be made via barrier-type terminal strip.

All fasteners and hardware shall be corrosion resistant stainless steel.

#### 5.0 WARRANTY

All products will be warranted to be free of defects due to material and workmanship for a period of 2 years.

#### **Y. METHOD OF MEASUREMENT**

- A. Traffic Signalization.
  - Lump sum item; no measurement will be made.

#### **Z. BASIS OF PAYMENT**

- A. Traffic Signalization.
  - Payment will be at the lump sum price for Traffic Signalization.