QL 84.22 .I8 V36 1911

> Mammals of Iowa T. Van Hyning

Iowa 599 **V**31

Iowa pam. 599 Van Hyning V31 Mammals of Iowa Iowa. 599 V31 BOOK CARD Van Hyning Mammals of Iowa pam DATE DATE LOANED NAME OF BORROWER RETURNED Date Due FEB-8'61

# Mammals of Iowa

A Preliminary Annotated Catalogue of the Recent Mammals of Iowa

BY

T. VAN HYNING, Museum Director Historical Dept. of Iowa Des Moines

And

FRANK C. PELLETT, Lecturer and Writer On Natural History, Atlantic, Iowa

Presented by Title to the

### IOWA ACADEMY OF SCIENCE

at their Annual Meeting at the Iowa College, Grinnell, Iowa, April 29-30, 1911.

y brach<mark>ledi</mark>tenrati State of lower

EXTRACT FROM PROCEEDINGS OF THE IOWA ACADEMY OF SCIENCE, 1910

- 599 V31

### ERRATA.

First line, first page, insert after the, (Proceedings of the). Number 4, first line, (white-tailed) for white-taled. Page 215, sixth line, (The Shrews) for (The Schrews). Number 56, (Brown Bat) for Brown Rat.

TRAVELING LIBRARY
STAFFORA

## AN ANNOTATED CATALOGUE OF THE RECENT MAMMALS OF

#### IOWA.

### BY T. VAN HYNING AND FRANK C. PELLETT.

In forming a collection of the fauna of Iowa for the museum of the Historical Department of Iowa, it was early seen that there was no published lists, and but very meager and scattered records of the mammals of the state. It is this condition of affairs which has prompted the compiling of such at this time.

In 1905, Professor Herbert Osborn published a few species of mammals and birds under the title of "The Recently Extinct and Vanishing Animals of Iowa," in the "Annals of Iowa, Volume 6, Number 8." If there be any other lists, the present writers, in the hurried preparation of the one here given, have been unable to locate them.\*

The arrangement here, or classification, is practically that as given in Jordan's manual of the vertebrates; eighth edition; and is not claimed to be in accordance with later authors. The list is a preliminary to a complete monograph of the subject which the writers are preparing for future publication, and is intended as a means of drawing information, notes of occurrences in the state, records, criticisms, etc. It is in this that lies the value of the publication at this time, therefore any communications of additional data will be appreciated and considered as sufficient evidence that it has filled its mission. Communications may be addressed to either T. Van Hyning, Polk Boulevard, Des Moines, Iowa, or to F. C. Pellett, Atlantic, Iowa.

Many species are here given that occur in our adjoining states of which we have at this time no records of as occurring in Iowa; but are given with the hopes of gaining sufficient evidence to either establish or permanently eliminate them.

"Extinct," as here used, refers to Iowa only.

<sup>\*</sup>Since writing this paper, nearly a year ago, the writers have discovered a paper, "Notes on the Mammals of Iowa," by J. A. Allen, Proceedings of the Boston Society of Natural History, vol. XIII, 1869-1870. In this paper Mr. Allen lists forty-eight species as inhabiting Iowa at that time.

## Order MARSUPIALIA. (The Marsupials.)

Family DIDELPHIDIDIE. (The Opossums.)

Genus DIDELPHIS Linnaeus.

1. Didelphis virginiana Kerr. Common Opossum. Southern half of the state.

## Order GLIRES. (The Rodents or Gnawers.)

Family LEPORIDAE. (The Hares.)

Genus LEPUS Linnaeus.

- 2. Lepus aquaticus Bachman. Water Hare; Swamp Rabbit.
  Missouri; Southern Illinois, possibly in Iowa.
- 3. Lepus americanus phasonotus Allen. White Rabbit; Varying Hare.

  Mr. Pellett has seen specimens taken in Iowa. Minnesota.
- 4. Lepus campestris Bachman. White-taled Jack Rabbit; Prairie Hare.

  Sparingly over southern half, and common in northern half of Iowa.
- Lepus californicus melanotis Mearns. Great Plains Jack Rabbit.
   Occurs over Nebraska; records for Missouri and South Dakota; possibly In Western Iowa.
- 6. Lepus floridanus mearnsi Allen. Cotton-tail.
  Our most common rabbit.
- Lepus floridanus similis Nelson. Nebraska Cotton-tail.
   Minnesota; South Dakota and Nebraska; very likely in north-west part of Iowa.
- Lepus floridanus alacer Bangs. Oklahoma Cotton-tail.
   Missouri and Southern Illinois north to Columbia, Missouri; possibly in Iowa.

# Family ERETHIZONTIDAE. (The American Porcupines.) Genus ERETHIZON Frederick Cuvier.

9. Erethizon dorsatus Linnaeus. Canada Porcupine.
Comon in Wisconsin; very probably occurred in Iowa earlier.

## Family DIPODIDAE. (The Jumping Mice.) Genus ZAPUS

- 10. Zapus hudsonius Zimmerman. Hudson Bay Jumping Mouse. "Occurs in Iowa" Preble.
- 11. Zapus hudsonius campestris Preble. Prairie Jumping Mouse.

  Has been recorded in Iowa.

# Family GEOMYIDAE. (The Pouched Gophers.) Genus GEOMYS Rafinesque.

12. Geomys bursarius Shaw. Pocket Gopher; Red Gopher; Prairie Gopher.
All over the state.

Gunus THOMOMYS Maximilian.

13. Thomomys talpoides Richardson. Northern Pocket Gopher; Gray Pocket. Gopher.

Occurs in Minnesota, and is common in eastern South Dakota; possibly Iowa.

Family HETEROMYIDAE. (The Pocket Mice.)

Genus PEROGNATHUS Maximilian.

14. Perognathus hispidus paradoxus Merriam. Kansas Pocket Mouse.

Occurs in Minnesota, South Dakota and Nebraska; probably in northwestern Iowa.

Genus NEOTOMA Say.

15. Neotoma campestris baileyi Merriam. Bailey's Wood Rat. Common in Eastern Kansas; possibly in Iowa.

Family MURIDAE. (The Mice.)

Genus FIBER Cuvier.

16. Fiber zibethicus Linnaeus. Muskrat.
Occurs all over the state.

Genus SYNAPTOMYS Baird.

17. Synaptomys cooperi BAIRD. Lemming Mouse.
Ocurs in Minesota; probably in Iowa.
Genus MICROTUS Schrank.

18. Microtus pinetorium scalopsoides Audubon and Bachman. Mole-like Vole. Northern form.

Recorded for Illinois; very probably occurs in Iowa.

- Microtus minor Merriam. Least Meadow Mouse; Least Upland Vole. Occurs in Minnesota; probably in Iowa.
- 20. Microtus pennsylvanicus Ord. Meadow Mouse.
  "Numerous specimens taken in Iowa" Pellett.
- 21. Microtus nemoralis Balley. Woodland Vole.

  Recorded for Iowa, Nebraska and Missouri.
- 22. Microtus austerus LE Conte. Prairie Vole.
  Comon in Iowa.

Genus EVOTOMYS Coues.

Genus ORYZOMYS Baird.

 Evotomys gapperi loringi Bailey. Red-backed Vole. Occurs in Minnesota; probably in Iowa.

Genus REITHRODONTOMYS Giglioli.

24. Reithrodontomys dychei Allen. Western Harvest Mouse. Common in Kansas; possibly in Iowa.

25. Oryzomys palustris Harlan. Rice-field Mouse; Prairie Jumping Mouse.

Genus PEROMYSCUS Glogler.

- 26. Peromyscus maniculatus BAIRD and KENNICOTT. Prairie Deer Mouse.

  Common over Iowa.
- 27. Peromyscus leucopus noveboracensis Fischer. Northern white-footed Mouse; Wood Mouse.

Genus ONYCHOMYS Baird.

28. Onychomys leucogaster Maximilian. Missouri Grasshopper Mouse.

Occurs in Nebraska and Missouri; probably Iowa.

Sub-family MURINAE.

Genus MUS Linnaeus.

- 29. Mus decumanus Pallas. Brown Rat; Wharf Rat; Norway Rat. "A cosmopolitan species; introduced into America about 1775" Jordan.

  Common all over the state.
- 30. Mus musculus Linnaeus. Common House Mouse. Cosmopolitan; probably introduced about the same time as the preceding species.

  Common all over the state.

Family CASTORIDAE. (The Beavers.)

Genus CASTOR Linnaeus.

31. Castor canadensis Kuhl. American Beaver.

Formerly occurred all over the state; became extinct sometime in the nineties.

Family SCIURIDAE. (The Squirrels.)

Genus ARCTOMYS Schreber.

32. Arctomys monax Linnaeus. Woodchuck; Ground Hog; Marmot. Sparingly over the state.

Genus SPERMOPHILUS Cuvier.

33. Spermophilus franklini Sabine. Gray Gopher; Scrub Gopher; Prairie Squirrel.

Common all over the state.

34. Spermophilus tridecemlineatus MITCHELL. Striped Gopher; Striped Ground Squirrel; Thirteen-lined Squirrel.

Common all over the state.

Genus CYNOMYS Rafinesque.

35. Cynomys ludovicianus Ord. Prairie Dog.

"Knew of one specimen in Cass County several years ago." Pellett.

Genus TAMIAS Illiger.

- 36. Tamias striatus Linnaeus. Chipmunk; Ground Squirrel.
  Sparingly all over the state.
- 37. Tamias striatus griseus MEARNS.

Occurs in Missouri; probably in Iowa.

Genus SCIURUS Linnaeus.

- 38. Sciurus hudsonicus loquax Bangs. Southern Red Squirrel. "Have taken them in Iowa." Pellett.
- 39. Sciurus carolinensis GMELIN. Gray Squirrel; Black Squirrel; Cat Squirrel. Common over eastern and southeastern Iowa.
- 40. Sciurus carolinensis hypophaeus Merriam. Large Gray Squirrel.

  Occurs in southern Minnesota; very probably in Iowa.
- 41. Sciurus ludovicianus Custus. Western Fox Squirrel.
  Common in Iowa.

Genus SCIUROPTERUS Frederick Cuvier.

42. Sciuropterus volans Linnaeus. Common Flying Squirrel.
Occurs all over the state, except western and northwestern parts.

## Order INSECTIVORA. (The Insect-eaters.)

Family SCORICIDAE. (The Schrews.)

Genus SOREX Linnaeus.

- 43. Sorex palustris RICHARDSON. Water Shrew.
  Occurs in Minnesota; Possibly in Iowa.
- 44. Sorex richardsoni Bachman.
  Occurs in Minnesota; possibly in Iowa.
- 45. Sorex personatus Goeffrey St. Hilaire. Common Shrew.
- 46. Sorex hoyi BAIRD.

Occurs in Wisconsin; possibly in Iowa.

Genus BLARINA Gray.

- 47. Blarina brevicauda SAY. Mole Shrew; Short-tailed Shrew. Common over the state.
- 48. Blarina parva SAY. Least Shrew. Common over the state.

Family TALPIDAE. (The Moles.)
Genus SCALOPS Cuvier.

49. Scalops aquaticus machrinus Rafinesque. Prairie Mole.
Common all over the state.

## Order CHIROPTERA. (The Bats.)

Family VESPERTILIONIDAE. (The Common Bats.)
Genus MYOTIS Kaup.

- 50. Myotis subulatus SAY. Say's Bat. Common all over the state.
- 51. Myotis lucifugus LE CONTE. Little Brown Bat.
- 52. Myotis velifer ALLEN.
  Occurs in Missouri; probably Iowa.
- 53. Myotis californicus ciliolabrim Merriam.
  Occurs in South Dakota; probably in Iowa.

Genus LASIONYCTERIS Peters.

54. Lasionycteris noctivagans Le Conte. Silver-haired Bat.
Occurs all over Iowa.

Genus PIPISTRELLUS Kaup.

55. Pipistrellus subflavus F. Cuvier. Georgian Bat.

Genus VESPERTILIO Linnaeus.

56. Vespertilio fuscus Beauvois. Brown Rat.

Genus LASIURUS Gray.

57. Lasiurus borealis Muller. Red Bat.

58. Lasiurus cinereus Beauvois. Hoary Bat.

## Order UNGULATA. (The Hoofed Mammals.)

Family CERVIDAE. (The Deer.)

Genus ODOCOILEUS Rafinesque.

- 59. Odocoileus americanus Ernleben. Virginia Deer; Red Deer.
  Formerly common all over Iowa; now remains in semi-domesticated herds only; probably became extinct some time in the eighties.
- 60. Odocoileus americanus macrouris Rafinesque. White-tailed Deer.

  A specimen in the museum of the Historical Department of Iowa taken
  by Dr. Shaffer, Keokuk; now extinct.
- 61. Odocoileus hemoinus Rafinesque. Mule Deer. Occurs in Nebraska; possibly in Iowa formerly.

Genus CERVUS Linnaeus.

62. Cervus canadensis Erxleben. Wapiti; "American Elk."
Formerly common all over Iowa; now remains in semi-domesticated herds only.

Genus ALCES Gray.

63. Alces americanus Jardine. Moose; True Elk.

The only record known of this species in Iowa is the finding of several teeth in the Boone Mound; supposing they were inhabitants of the territory and were used as food by the pre-historic natives.

Genus RANGIFER Hamilton Smith.

64. Rangifer caribou GMELIN. American Reindeer; Woodland Caribou.

Occurs in Wisconsin; probably in Iowa earlier.

Family ANTILOCAPRIDAE. (The Prong Bucks.) Genus ANTILOCAPRA Ord.

65. Antilocapra americana Ord. Prong-horn; Cabree; Rocky Mountain Antelope:
Antelope.

Occurs in South Dakota and Nebraska; possibly in Iowa.

Family BOVIDAE. (The Cattle.)

Genus BISON Hamilton Smith.

66. Bison bison Linnaeus. Bison; Buffalo.

Formerly common all over Iowa; now remains in semi-domesticated herds only. Skeletons have been found by the hundreds in old lake beds of the state.

## Order FERAE. (The Flesh-eaters or Carnivora.)

Family PROCYONIDAE. (The Raccoons.)
Genus PROCYON Storr.

67. Procyon lotor Linnaeus. Common Raccoon.
Common all over the state.

### Family URSIDAE. (The Bears.)

Genus URSUS Linnaeus.

68. Ursus americanus Pallas. Black Bear; Brown Bear; Cinnamon Bear. Formerly all over the state, now in captivity only. Skulls are occasionally found.

## Family MUSTELIDAE. (The Weasels.)

Genus LUTRA Linnaeus.

69. Lutra canadensis Schreber. American Otter.

Formerly common over the state. Became extinct probably in about 1890, as we have no later date.

Genus CHINCHA Lesson.

70. Chincha hudsonica Richardson. Great Northern Skunk; Northern Plains Skunk.

Rather rare in the state.

71. Chincha mesomeles avia Bangs. Illinois Skunk.
Occurs in Eastern Iowa.

Genus SPILOGALE Grav.

72. Spilogale interupta RAFINESQUE. Little Spotted Skunk; "Civet Cat." Common all over the state.

Genus TAXIDEA Waterhouse.

73. Taxidea americana Boddaert. American Badger. Formerly over Iowa; now extinct.

Genus MUSTELLA Linnaeus.

74. Mustella americana Kerr. Sable; Pine Martin.

Occurs in Minnesota and Wisconsin; probably in Iowa earlier.

75. Mustella pennantii Erxleben. Pekan; Fisher.

Occurs in Minnesota and Wisconsin; probably in Iowa earlier.

Genus LUTREOLA Wagner.

76. Lutreola vison Schreber. Mink.
Common all over the state.

Genus PUTORIUS Cuvier.

- 77. Putorius longicauda Bonaparte. Long-tailed Weasel.

  Common all over the state.
- 78. Putorius longicauda spadix Bangs. (A darker form.)
  Occurs in Minnesota; possibly in northern Iowa.

### Family CANIDAE. (The Dogs.)

Genus VULPES Brisson.

- 79. Vulpes pennsylvanicus Boddaert. Red Fox.

  Occurs all over the state; the two next varieties or sub-species intergrade with it.
- 80. Vulpes pennsulvanicus decussatus Desmarest. Cross Fox.
- 81. Vulpes pennsylvanicus argentatus Shaw. Silver Fox; Black Fox.

AVELING LIBRARY

Genus UROCYON Baird.

82. Urocyon cinereogenteus Muller. Gray Fox.

Genus CANIS. Linnaeus.

- 83. Canis latrans SAY. Coyote; Prairie Wolf.

  Formerly common all over the state; plentiful yet in some districts.
- 84. Canis nubilus SAY. Timber Wolf; Gray Wolf.

  Formerly common in the state; believed to be now extinct.
- 85. Canis Nebrascensis MERRIAM. Prairie Coyote.

Family FELIDAE. (The Cats.)
Genus LYNX Kerr.

- 86. Lynx canadensis Desmarest. Canada Lynx. Now extinct.
- 87. Lynx rufus Guldenstadt. American Wild Cat; Bob Cat.
  Formerly over the state; believed to be now extinct.
  Genus FELIS Linnaeus.
- 88. Felis concolor Linnaeus. American Panther; Cougar; Puma; Mountain Lion.

Formerly over the state; now extinct.









