

Iowa Influenza Surveillance Network (IISN)

Influenza-like Illness (ILI) and Other Respiratory Viruses

Weekly Activity Report

For the week ending December 3, 2016 - Week 48

All data presented in this report are provisional and may change as additional reports are received




Quick Stats	
Percent of outpatient visits for ILI ¹	0.63% (baseline 1.8%)
Percent of influenza rapid test positive	4.04% (26/643)
Percent of RSV rapid tests positive	13.82% (17/123)
Percent school absence due to illness ²	2.14%
Number of schools with ≥10% absence due to illness	1
Influenza-associated hospitalizations ³	7/5553 inpatients surveyed
Influenza-associated mortality -all ages (Cumulative) ⁴	0
Influenza-associated pediatric mortality (Cumulative)	0
1 ILI: Influenza-like Illness is defined as a fever of ≥100° F as well as cough and/or sore throat.	


lowa Influenza Geographic Spread⁵
No Activity
Sporadic
Local
Regional
Widespread
⁵ This is based on CDC's activity estimates definition <u>www.cdc.gov/flu/weekly/overview.htm</u>

Iowa statewide activity summary:

Influenza activity in Iowa is low. The geographic spread of influenza in Iowa is sporadic. For this reporting week, the State Hygienic Laboratory confirmed six influenza A(H3) viruses from submitted samples. Seven influenza-related hospitalizations were reported from sentinel hospitals during this reporting week. The proportion of outpatient visits due to influenza-like illness (ILI) was 0.63 percent, which is below the regional baseline. In this reporting week, 17 adenovirus, one parainfluenza virus type 1, 14 parainfluenza virus type 2, 11 parainfluenza virus type 3, three parainfluenza virus type 4, 47 rhinovirus/ enterovirus, four RSV and five Coronavirus were detected from surveillance sites.

National activity summary - (CDC)-Last Updated in Week 48:





This map indicates geographic spread & does not measure the severity of influenza activity

Synopsis: During week 48 (November 27-December 3, 2016), influenza activity increased slightly, but remained low in the United States.

Viral Surveillance: The most frequently identified influenza virus type reported by public health laboratories during week 48 was influenza A (H3). The percentage of respiratory specimens testing positive for influenza in clinical laboratories remained low.

Pneumonia and Influenza Mortality: Due to data processing problems, the National Center for Health Statistics (NCHS) mortality surveillance data for the week ending November 19, 2016 (week 46) will not be published this week.

Influenza-associated Pediatric Deaths: No influenza-associated pediatric deaths were reported.

Outpatient Illness Surveillance: The proportion of outpatient visits for influenza-like illness (ILI) was 1.8 percent, which is below the national baseline of 2.2 percent. Two regions reported ILI at or above their region-specific level. Puerto Rico experienced high ILI activity, New York City and four states experienced low ILI activity, 46 states experienced minimal ILI activity and the District of Columbia had insufficient data.

Geographic Spread of Influenza: The geographic spread of influenza in Puerto Rico was reported as widespread; Guam and two states were reported as regional; 19 states reported local activity; the U.S. Virgin Islands and 28 states reported sporadic activity; one state reported no activity; and the District of Columbia did not report.

Detailed information can be found online at www.cdc.gov/flu/weekly/.

Percent school absence due to illness are reported through a weekly survey of lowa sentinel schools Hospitalizations due to influenza are voluntarily reported through a weekly survey of lowa sentinel hospitals

Deaths in which influenza is listed on the death certificate. This is an underestimate of influenza-related deaths Cumulative is 10/2/2016-current week

International activity summary - (WHO):

Influenza activity in temperate southern hemisphere countries is back at inter-seasonal levels. Influenza activity in the temperate zone of the northern hemisphere has not yet picked up and remained at inter-seasonal levels. Detailed information can be found online at www.who.int/influenza/surveillance monitoring/updates/latest update GIP surveillance/en/. It was last updated 11/28/2016.


Laboratory surveillance program:

The State Hygienic Laboratory (SHL) is the primary lab for influenza testing and reporting in Iowa. SHL reports the number of tests performed and the type and sub-type of positive tests to the influenza surveillance network several times every week. In addition, SHL surveys clinical and reference labs on a weekly basis for the number of rapid-antigen tests performed, the number positive and the positive non-influenza virus tests. This report also includes the positive non-influenza virus tests reported from the Dunes Medical Laboratories at Mercy Medical Center in Sioux City.

Table 1: In	able 1: Influenza A viruses detected by SHL by age group									
	CURRENT WEEK				CUMULATIVE (10/2/16 – CURRENT WEEK)					
	Flu A				Flu A					
Age Group	A(H1N1)pdm09	A(H3)	A(H1N2v)	Subtype Pending	Not subtyped	A(H1N1)pdm09	A(H3)	A(H1N2v)	Subtype Pending	Not subtyped
0-4	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	2(11%)	0(0%)	0(0%)	0(0%)
5-17	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	2(11%)	0(0%)	0(0%)	0(0%)
18-24	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	2(11%)	0(0%)	0(0%)	0(0%)
25-49	0(0%)	2(33%)	0(0%)	0(0%)	0(0%)	0(0%)	4(20%)	0(0%)	0(0%)	0(0%)
50-64	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	2(11%)	1(100%)	0(0%)	0(0%)
>64	0(0%)	4(66%)	0(0%)	0(0%)	0(0%)	0(0%)	7(36%)	0(0%)	0(0%)	0(0%)
Total	0	6	0	0	0	0	19	1	0	0

*Counts of three or less are sometimes suppressed to protect confidentiality. Note that counts may not add up to the total due to missing age information Only cases of lowa residents are included "Not subtyped" column is due to weak detections. This can be due to poor collection, timing of collection or stage of infection.

		CURRENT WEEK		CUMULATIVE (10/2/16 – CURRENT WEEK)			
Age	Flu B			Flu B			
Group	Victoria Lineage	Yamagata Lineage	Lineage Pending	Victoria Lineage	Yamagata Lineage	Lineage Pending	
0-4	0(0%)	0(0%)	0(0%)	1(100%)	0(0%)	0(0%)	
5-17	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	
18-24	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	
25-49	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	
50-64	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	
>64	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	
Total	0	0	0	1	0	0	





Rapid influenza and RSV test surveillance:

The State Hygienic Laboratory (SHL) runs a weekly web-based survey program where laboratorians report the number of influenza and respiratory syncytial virus (RSV) rapid tests performed and the number of tests positive. This table includes only the number of patients tested for influenza or RSV at laboratory surveillance sites throughout the state. This table does not provide case counts.

Table 2: Percent of influenza rapid tests positive and number of tests performed by region for the present week								
REGION*	RAPID ANTIGEN INFLUENZA TESTS				RAPID ANTIGEN RSV TESTS			
Tested		Flu A	Flu B	% Positive	Tested	Positive	% Positive	
Region 1 (Central)	80	0	0	0	10	3	30	
Region 2 (NE)	13	0	0	0	4	0	0	
Region 3 (NW)	80	2	0	3	35	8	23	
Region 4 (SW)	32	0	0	0	6	0	0	
Region 5 (SE)	50	0	1	2	11	0	0	
Region 6 (Eastern)	388	17	6	6	57	6	11	
Total	643	19	7	4	123	17	14	

*Region 1- Boone, Calhoun, Carroll, Dallas, Greene, Grundy, Hamilton, Hardin, Jasper, Marshall, Polk, Poweshiek, Story, Tama, Warren, Webster; Region 2- Allamakee, Bremer, Butler, Cerro Gordo, Chickasaw, Emmet, Fayette, Floyd, Franklin, Hancock, Howard, Humboldt, Kossuth, Mitchell, Winnebago, Winneshiek, Worth, Wright, Region 3- Buena Vista, Cherokee, Clay, Crawford, Dickinson, Ida, Lyon, Monona, O'Brien, Osceola, Palo Alto, Plymouth, Pocahontas, Sac, Sioux, Woodbury; Region 4- Adairs, Audubon, Cass, Clarke, Decatur, Fremont, Guthrie, Harrison, Madison, Mills, Montgomery, Page, Pottawatamie, Ringgold, Shelby, Taylor, Union; Region 5- Appanoose, Davis, Des Moines, Henry, Jefferson, Keokuk, Lee, Louisa, Lucas, Mahaska, Marion, Monroe, Muscatine, Van Burren, Wapello, Washington, Wayne; Region 6- Benton, Black Hawk, Buchanan, Cedar, Clayton, Clinton, Delaware, Dubuque, Iowa, Jackson, Johnson, Jones, Linn, Scott.






Non-influenza respiratory viruses:

The State Hygienic Laboratory (SHL) runs a weekly web-based survey program where laboratorians report the number of positive tests for non-influenza respiratory viruses. This table also includes the positive non-influenza virus tests reported from the Dunes Medical Laboratories at Mercy Medical Center in Sioux City. The table includes only the number of positive tests at laboratory surveillance sites throughout the state. The table does not provide case counts.


Table 4: Number of positive results for non-influenza respiratory virus collected by SHL, Mercy Dunes in Sioux City and Iowa Methodist Medical Center					
Viruses	CURRENT WEEK	CUMULATIVE (10/2/16 – CURRENT WEEK)			
Adenovirus	17	97			
Parainfluenza Virus Type 1	1	3			
Parainfluenza Virus Type 2	14	59			
Parainfluenza Virus Type 3	11	80			
Parainfluenza Virus Type 4	3	12			
Rhinovirus/Enterovirus	47	449			
Respiratory syncytial virus (RSV)	4	20			
Human metapneumovirus (hMPV)	0	2			
Coronavirus	5	17			
Total	102	739			




Influenza-associated hospitalizations:

Sentinel hospitals that participate in IISN voluntarily track and report the number of influenza-associated hospitalizations and the total number of inpatients each week. Of the 126 hospitals across the state of lowa, 27 sentinel hospitals participate in weekly surveillance of influenza-associated hospitalizations for the IISN. Iowa hospitals interested in joining this surveillance program should contact Scott Seltrecht at 515-281-4985 or Scott.Seltrecht@idph.iowa.gov for more information.

Table 5: Number of influenza-associated hospitalization reported by age group					
AGE	CURRENT WEEK	CUMULATIVE (10/2/16 – CURRENT WEEK)			
Age 0-4	0	3			
Age 5-24	0	0			
Age 25-49	0	3			
Age 50-64	0	4			
Age >64	7	17			
Total	7	27			






Outpatient health care provider surveillance program (ILINet):

Outpatient health care providers who participate in the ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week. This system is a key part of lowa's influenza surveillance. Across the state, 17 providers, ranging from family medicine to student health centers, participate weekly in the ILINet program. Iowa health care providers interested in joining this surveillance program should contact Scott Seltrecht at 515-281-4985 or Scott.Seltrecht@idph.iowa.gov for more information.

Table 6: Outpatient visits for influenza-like illness (ILI)							
Week	%ILI	Total ILI	Age 0-4	Age 5-24	Age 25-49	Age 50-64	Age >64
Week 48, ending December 3	0.63	19	7	8	2	1	1




Long-term Care Outbreaks:

REGION*	CURRENT WEEK	CUMULATIVE (10/2/16 – CURRENT WEEK)
Region 1 (Central)	1	0
Region 2 (NE)	0	0
Region 3 (NW)	0	0
Region 4 (SW)	0	0
Region 5 (SE)	0	0
Region 6 (Eastern)	0	0
Total	1	0

*Region 1- Boone, Calhoun, Carroll, Dallas, Greene, Grundy, Hamilton, Hardin, Jasper, Marshall, Polk, Poweshiek, Story, Tama, Warren, Webster; Region 2- Allamakee, Bremer, Butler, Cerro Gordo, Chickasaw, Emmet, Fayette, Floyd, Franklin, Hancock, Howard, Humboldt, Kossuth, Mitchell, Winnebago, Winneshiek, Worth, Wright; Region 3- Buena Vista, Cherokee, Clay, Crawford, Dickinson, Ida, Lyon, Mononay, O'Brien, Osceola, Palo Alto, Plymouth, Pocahontas, Sac, Sioux, Woodbury; Region 4- Adairs, Audword, Cass, Clarke, Decatur, Fremont, Guthrie, Harrison, Madison, Mills, Montgomery, Page, Pottawattamie, Ringgold, Shelby, Taylor, Union; Region 5- Appanosoe, Davis, Des Monies, Henry, Jefferson, Keokuk, Lee, Louisa, Lucas, Mahaska, Marion, Monroe, Muscatine, Van Buren, Wapello, Washington, Wayne; Region 6- Benton, Black Hawk, Buchanan, Cedar, Clayton, Clinton, Delaware, Dubuque, Iowa, Jackson, Johnson, Jones, Linn, Scott.


10 percent school absenteeism:

Schools (K-12) track and report outbreaks of influenza-like illness when the number of students absent with illness reaches or exceeds 10 percent of total student enrollment. Regional map with schools that have ≥10% absence due to illness for this current reporting week is displayed below (region numbers in black, number of reporting schools by county in red).




School surveillance program:

Sentinel schools that participate in IISN voluntarily track and report absence due to all illness (including non-influenza illnesses) and the total enrollment each week.



Seasonal influenza vaccination:

Seasonal influenza vaccination data in Iowa is based on doses reported to the Iowa Immunization Registry Information System (IRIS). IRIS is a confidential, computerized, population-based system that tracks immunization for children, adolescents and adults who are seen in a variety of public and private healthcare provider sites throughout the state of Iowa. For more information on the immunization data, contact Kim Tichy, IRIS coordinator at 515-281-4288 or kimberly.tichy@idph.iowa.gov.



Note: The data for the 2016-2017 season is only up to the current week and there is a lag between the vaccine administration date and the date reported to the IRIS. The current season's data will be adjusted as additional data is received.

Other resources:

Vaccine:

Influenza vaccine recommendation: idph.iowa.gov/immtb/immunization/vaccine

CDC vaccine information: www.cdc.gov/flu/faq/flu-vaccine-types.htm

Vaccine finder: http://vaccinefinder.org/

Neighboring states' influenza information:

Illinois: www.dph.illinois.gov/topics-services/diseases-and-conditions/influenza/surveillance

Minnesota: www.health.state.mn.us/divs/idepc/diseases/flu/stats/index.html

Missouri: health.mo.gov/living/healthcondiseases/communicable/influenza/reports.php

South Dakota: doh.sd.gov/diseases/infectious/flu/
Wisconsin: www.dhs.wisconsin.gov/influenza/index.htm