

Top Iowa Fishing Spots for the Week of August 27

Stay safe when fishing this summer with these tips:

- Try a new fishing spot if your regular fishing location is popular and busy, try out a new one that is not so crowded.
- Once you find your spot, keep at least 6 feet of distance between you and other groups.
- Stick with your immediate family, but keep groups to fewer than 10 people.
- Bring lures from home instead of buying bait to minimize your interaction with other people.
- Bring hand sanitizer and wash your hands often.

This weekly fishing report is compiled from information gathered from local bait shops, angler creel surveys and county and state parks staff. You can check the activity of your favorite lake or stretch of river within each district, including which species are being caught, a rating of the bite (slow, fair, good or excellent), as well as a hot bait or lure pattern.

For current information, contact the district fisheries office at the phone number listed at the end of each district report.

- NORTHWEST
- NORTHEAST
- MISSISSIPPI RIVER
- SOUTHEAST
- SOUTHWEST

NORTHWEST

Arrowhead Lake

Water clarity is good. Bluegill - Fair: Cast a small jig fished under a bobber near

submerged structure along shore in 5-10 feet of water. Try small popping plugs on a fly rod on calm evenings. Cast plugs around downed trees along the shoreline. Try drifting down the middle of the lake with a 1/16 ounce leadhead to find suspended fish. **Largemouth Bass** - Fair: Cast traditional bass lures near submerged woody structure throughout the lake and along weed lines in the southern part of the lake.

Black Hawk Lake

Water level is a few inches below crest. **Yellow Perch** - Slow. **Largemouth Bass** – Fair: Cast traditional bass lures and plastics along shore and near docks. You can catch fish anywhere around the lake, but some of the best areas are Ice House point shoreline, inlet bay and bridge area near the outlet, and along Gunshot Hill. **Walleye** - Slow. **Channel Catfish** - Fair: Use natural baits like nightcrawlers, crawdads or shrimp fished around deeper rock piles. Try drifting at night to cover a lot of water. Target catfish around the inlet bridge, especially if there is some flow following a rain event. **Bluegill** – Slow: Fish the deeper rock piles near Gunshot Hill and in the east basin. **Black Crappie**-Slow: Use a small white jig or a small live minnow under a bobber around and inside the fish house. Many of the crappie are 8 to 9-inches, but a few bigger ones are mixed in.

Browns Lake

Channel Catfish - Fair: Look for channel catfish along the outside bend of the lake in deeper water. **Largemouth Bass** - Fair: Look for largemouth bass along the edges of the lotus patches and the deadfalls along the outside bend of the lake.

Brushy Creek Lake

Brushy Creek is currently being drawn-down four feet for a construction project. Launch boats at the north ramp or the west ramp; docks have been adjusted at the west ramp to make them easier to use. **Black Crappie** - Fair: Use a small piece of crawler or minnow on a jig either drifting or fished under a bobber near submerged woody structure. **Largemouth Bass** - Fair: Throw traditional bass lures, plastics or weedless lures near submerged structure and along weed lines. **Yellow Perch** - Slow. **Walleye** – Slow. **Bluegill** - Fair. **Channel Catfish** - Fair: Brushy Creek Lake has a low-density population of larger channel catfish. Target these larger fish near rocky areas and submerged woody structure using a variety of cut baits and crankbaits.

North Twin Lake

Water levels are several inches below crest. **Yellow Bass** - Fair: Use a small jig tipped with a piece of crawler or waxworm fished under a small bobber. Yellow bass are 6-10 inches long. Try around the dead falls and woody structure along the shoreline just to the south of Featherstone Park. **Channel Catfish** - Fair: Channel catfish are numerous in North Twin Lake. Use natural baits like nightcrawlers, crawdads, or shrimp fished near shore. If fishing from a boat, try drifting at night over deeper water. **Bluegill** - Slow: Try small jigs tipped with a crawler fished under a bobber along shore near vegetation edges. **Walleye** - Slow: Try trolling walleye in the middle of the basin using crankbaits or crawler harnesses. Recent surveys show a lot of big walleye along the wooded shoreline just south of Muddy Bay and Featherstone Park.

Storm Lake (including Little Storm Lake)

Storm Lake has a daily limit of 3 walleye, and all 17- to 22-inch walleye must be released; no more than one walleye longer than 22 inches may be taken per

day. **Walleye** - Fair: Drift with leeches or crawlers along the dredge cuts and troll crankbaits in the main lake. **White Bass** - Fair: Pick up white bass from shore and in the main like while trolling. Use twisters, crawlers or crankbaits in the marina, near the inlet and north and east shores in the main lake. **Channel Catfish** - Fair: Try a variety of dip baits, cut baits and crankbaits fished near shore and anywhere with rocky structure or rock piles. **Bluegill** - Slow: Find panfish around patches of vegetation. **Yellow Perch** - Slow: Look for panfish around patches of vegetation. **Black Crappie** - Slow: Find panfish around patches of vegetation.

Water temperatures have warmed slightly to the upper 70's in most parts of the Black Hawk District. River levels are low and most lake levels are below crest. For more information, contact the Black Hawk District office at 712-657-2638.

Beeds Lake

Bluegill – Fair: Use a small piece of crawler under a bobber from the causeway. **Black Crappie** – Slow: Drift fish a minnow or small tube jig. **Yellow Bass** – Fair.

Clear Lake

The water temperature is in the upper 70's. **Walleye** - Fair: Anglers are catching walleyes jigging a crawler on the rock reefs. Best bite is early morning and late evening. **Yellow Bass** – Fair: Yellows are biting on a variety of baits. Use your electronics to find and stay on fish. **Channel Catfish** - Good: Try cut bait or crawlers fished on the bottom from the windswept shore. Evening bite is best.

Crystal Lake

Black Crappie - Fair: Drift fish a minnow or small jig near the dredge cut. **Largemouth Bass** - Fair.

Rice Lake

Bluegill - Fair: Use a piece of crawler under a bobber in the open areas of vegetation. **Largemouth Bass** – Fair.

Silver Lake (Worth)

Bluegill - Fair: Drift fish a small jig or piece of crawler.

For information on the lakes and rivers in north central lowa, contact the Clear Lake Fish and Wildlife office at 641-357-3517.

East Okoboji Lake

The walleye season is open. The water temperature is 76 degrees. **Bluegill** – Good: Find schools in deeper water. **Black Crappie** – Fair. **Yellow Perch** – Good. **Yellow Bass** – Good.

Lake Pahoja

Bluegill - Good: Use small jigs tipped with waxworms. **Black Crappie** - Good: Try small jigs tipped with waxworms. **Largemouth Bass** - Good: Use rubber worms or other slow-moving jigs.

Lost Island Lake

Yellow Perch - Fair. Walleye - Fair.

Silver Lake (Dickinson)

Walleye - Good.

Spirit Lake

The walleye season is open. A great walleye bite was seen in June, but has slowed due to warm water conditions. A great yellow perch bite has slowed down, with many yellows over 10 inches caught. Bites should pick up again as temperatures drop. The water temperature is 76 degrees. Bluegill - Good: Schools are starting to move deeper off shore post-spawn. Walleye - Fair: A fairly good bite lately can also be seen from shore. Try bottom bouncers or crankbaits to cover more water. Black Bullhead - Fair: Anglers have been successful at the north grade. Yellow Perch - Fair: The bite has really picked up; fish are a little deeper than what can be easily fished from shore. Try small humps in the main basin or weed edges.

West Okoboji Lake

The walleye season is open. The water temperature is 76 degrees. The panfish bite has been great. The ability to anchor or use Spot Lock is very useful to stay on fish in about 20-30 feet of water. **Bluegill** - Excellent: Schools are deeper off shore. Try fishing in 20-30 feet of water off most points. Anglers have had success using pilkies. **Smallmouth Bass** - Fair: Find smallmouth bass on rock piles or on the points. **Largemouth Bass** - Fair: Find largemouth bass on the weed lines. **Yellow Perch** - Fair: Schools have started to move deeper off shore. **Yellow Bass** - Excellent: Easily find yellow bass while fishing for bluegill.

lowa Great Lake water temperatures have warmed a bit and are around 76 degrees. This week's extended forecast calls for temperatures ranging from the upper 70's to lower 80's. The area walleye bite has slowed considerably due to very warm water conditions. The panfish bite has been excellent in deeper water, especially on West Okoboji. The overall bite should pick up as temperatures go down. For current conditions, call the Spirit Lake District Office at 712-336-1840.

NORTHEAST

Cedar River (above Nashua)

Repairs to the Nashua dam continue as water levels and flows drop. Water levels are low with good water clarity. Use caution; access to fishing holes by boat may be difficult. Go to the USGS Current Conditions website for more information on water levels. Channel Catfish - Good: Use dead chubs, stinkbaits and worms fished near bottom near dusk in woody debris or stumps. Walleye - Fair: Fish are active in the evening. Try near current breaks and in log jams. Be prepared to run your lure near bottom of pools. Smallmouth Bass - Slow: Use a jig tipped with natural colored twister tails or ringworm in current breaks or rock ledges and gravel bars. Black Crappie - Fair: Try minnows fished under a bobber near downed trees and slow water or pool areas.

Decorah District Streams

All trout stream stockings are unannounced due to COVID-19 precautions. A small number of trout streams are not stocked in August due to marginal water temperatures; this is an annual occurrence. To check which ones, please visit our trout fishing website. Rainbow Trout - Excellent: Hoppers, beetles and anything that looks buggy will work this time of year. Try along grassed edges, undercut banks and around boulders. Use hair jigs or spinners for aggressive fish. Brown Trout - Excellent: There have been excellent evening mayfly hatches. A keen eye and a fly box filled with a variety of sizes and colors will help match a hatch. Brook Trout - Good: Please respect private property open to angling; pick up trash and be considerate. Use a variety of small terrestrial flies such as crickets, grasshoppers and ants.

Lake Hendricks

Water clarity remains fair with a severe green algae bloom. Water temperatures are in the low 80's. **Bluegill** - Slow: Shore anglers will find fish around the jetties or along the weed lines. Use a small piece of worm under a bobber. **Channel Catfish** - Fair: Try a worm or stinkbait fished near the bottom around woody structure in the evening. **Largemouth Bass** - Fair: Use topwater lures fished along weed edges. **Black Crappie** - Slow: Try a jig tipped with a minnow or twister tail trailing behind a boat or kayak for best luck when fish are deep.

Lake Meyer

Few anglers are out this week. Water clarity is good. Early morning and evening bite is best. An excellent lake to use a paddle board or kayak to fish the nooks and crannies. **Bluegill** - Slow: Good: Use a small hook tipped with a small piece of worm under a bobber from shore. Fly anglers should try a small cricket with a jerky movement on the water's surface along a weed edge. **Largemouth Bass** - Fair: Flip a topwater lure along a weed edge in the evening when fish are actively feeding. Also try a jig tipped with a plastic worm. **Channel Catfish** - Good: Try stinkbait or worms fished on the bottom around woody structure near dusk.

Turkey River (below Clermont)

Water levels are at summer lows; you may need to walk through some riffles. **Walleye** - Fair: Use a jig tipped with natural colored plastics or crankbait in deeper holes and log jams. Fish deeper for walleye holding near the bottom. **Smallmouth Bass** - Fair: Try a variety of brightly colored lures in eddies or along rocky ledges.

Upper Iowa River (above Decorah)

Water levels are low with excellent clarity. Sand and gravel bars are appearing. You might have to walk in a few places. **Walleye** - Good.Fair: Use a lure imitating a shiner or sucker fished in the deeper pools around log jams.

Upper Iowa River (below Decorah)

Water levels are low with excellent clarity. Sand and gravel bars are appearing; take advantage of these spots to fish the eddies or deeper areas. **Walleye** - Fair: Use a jig tipped with a worm or bright colored twister tail. **Smallmouth Bass** - Fair.

Volga Lake

Water clarity is poor due to chronic green algae bloom. Water temperatures in the low

80's. Blooms should clear as water cools. **Bluegill** - Fair: Use a small hook and piece of worm under a bobber. Wait for the bobber to go under the water, then give the line a quick jerk to set the hook. Keep the rod tip up to put tension on the line while reeling in the fish. **Largemouth Bass** - Good: Slowly troll a lure over fish attracting structure and get ready to set the hook. Try crankbaits or a jig with a twister tail. **Channel Catfish** - Excellent: Use worms or stinkbait fished near dusk. Find a good stump or woody structure to toss bait and wait; patience is key for this fish.

Water levels are low on area rivers. Clarity is good on most. A cold front entering the area will bring thunderstorms Thursday evening into Friday. Weekend temperature highs in the 70's with 50's for lows. For current fishing information, please call the Chuck Gipp Decorah Fish Hatchery at 563-382-8324.

Big Woods Lake

A few reports of anglers catching crappie in Big Woods Lake. **Black Crappie** - Fair: Try vertical jigging or casting colored tube jigs around structure or drifting a minnow under a slip bobber.

Brinker Lake

A few reports of anglers catching crappie in Brinker Lake. **Black Crappie** - Fair: Try vertical jigging or casting colored tube jigs around structure or drifting a minnow under a slip bobber.

Casey Lake (aka Hickory Hills Lake)

Largemouth Bass - Fair: Try crankbaits and topwater artificial baits. **Bluegill** - Excellent: Cast a piece of nightcrawler under a bobber; morning and evening bite is best. **Channel Catfish** - Excellent: Try stinkbaits, nightcrawlers or leopard frogs fished on the bottom of the lake.

Cedar River (Nashua to La Porte City)

Reports of anglers catching a few smallmouth bass, walleye and channel catfish on the Cedar River. **Channel Catfish** - Fair: Try stinkbaits or fresh chicken livers fished above fallen tree snags. **Walleye** - Fai: Cast crankbaits or a jig tipped with a nightcrawler. **Smallmouth Bass** - Fair: Cast crankbaits or a jig tipped with a nightcrawler.

Maquoketa River (above Monticello)

Reports of anglers catching a few smallmouth bass, walleye and channel catfish on the Maquoketa River. **Channel Catfish** - Fair: Try stinkbaits or fresh chicken liver above fallen tree snags. **Walleye** - Fair: Cast crankbaits or a jig tipped with a nightcrawler. **Smallmouth Bass** - Fair: Cast crankbaits or a jig tipped with a nightcrawler.

Shell Rock River (Greene to Shell Rock)

Walleye - No Report: Cast crankbaits or a jig tipped with a nightcrawler. **Smallmouth Bass** - No Report: Cast crankbaits or a jig tipped with a nightcrawler.

Wapsipinicon River (Tripoli to Troy Mills)

Reports of channel catfish being caught on the Wapsipinicon River. **Channel Catfish** - Good: Try stinkbaits or fresh chicken livers fished above fallen tree snags.

Interior rivers continue to drop and are providing excellent angling opportunities. Lakes in and around Cedar Falls/Waterloo area have been fair for largemouth bass and panfish. Trout streams are in excellent condition. All fish hatcheries remain closed. Call the Manchester Hatchery at 563-927-3276 for more information.

MISSISSIPPI RIVER

Mississippi River Pool 9

Pool level is 8.6 feet at Lansing and remains stable. Water temperature is 80 degrees. **Walleye** - Good: Walleyes are feeding on the wing dams; drift crawlers or crankbaits. **Largemouth Bass** - Good: Largemouth are hanging out along weed beds and channel borders. **Smallmouth Bass** - Excellent: Try crankbaits fished on rock tips of islands in the main channel. **Flathead Catfish** - Good: Smaller flatheads are biting on worms fished in the deeper tailwaters of dams. **Channel Catfish** - Excellent: Try prepared stinkbait and worms fished in current along rock shorelines. **Bluegill** - Excellent: Larger bluegills are biting on a small piece of crawler fished along channel borders and sloughs. **Freshwater Drum** - Excellent: Drum are biting on worms sunk to the bottom in areas of current.

Mississippi River Pool 10

Pool 10 at Lynxville is stable near 615.8 feet. Water clarity is good. Water temperature is near 82 degrees. Walleye - Good: Walleye are feeding on the wing dams; drift crawlers or crankbaits. Largemouth Bass - Good: Largemouth are hanging out along weed beds and channel borders. Flathead Catfish - Good: Smaller flatheads are biting on worms fished in the deeper tailwaters of dams. Channel Catfish - Excellent: Try prepared stinkbait and worms fished in current along rock shorelines. Bluegill - Excellent: Larger bluegills are biting on a small piece of crawler fished along channel borders and sloughs. Smallmouth Buffalo - Excellent: Use crankbaits fished on rock tips of islands in the main channel. Freshwater Drum - Excellent: Drum are biting on worms sunk to the bottom in areas of current.

<u>Mississippi River Pool 11</u>

Pool 11 is 7.2 feet and is predicted to remain stable. Water temperature is 80 degrees. Water clarity is good. Walleye - Good: Walleyes are feeding on the wing dams; drift crawlers or crankbaits. Largemouth Bass - Good: Largemouth are hanging out along weed beds and channel borders. Smallmouth Bass - Excellent: Try crankbaits fished on rock tips of islands in the main channel. Flathead Catfish - Good: Smaller flatheads are biting on worms fished in the deeper tailwaters of dams. Channel Catfish - Excellent: Try prepared stinkbait and worms fished in current along rock shorelines. Bluegill - Excellent: Larger bluegills are biting on a small piece of crawler fished along channel borders and sloughs. Freshwater Drum - Excellent: Drum are biting on worms sunk to the bottom in areas of current.

Upper Mississippi River levels remain stable. Water clarity is good. Look for fish in cooler water zones with water temperature near 80 degrees. Walleye slot length limits now apply on the entire Mississippi River. All walleyes less than 15 inches long and between 20-27 inches long must be released immediately. Only one walleye greater than 27 inches can be kept. Combined walleye/sauger daily harvest limit of 6 and possession of 12.

Mississippi River Pool 12

Water levels are expected to remain steady this week. The water level is 6.7 feet at the Lock and Dam and 9.1 feet at the RR bridge. The water temperature is around 82 degrees. The water clarity is excellent. Northern Pike - Good: Flashy spinners in eddy areas or along weed lines will take this toothy predator. **Bluegill** - Fair: A few bluegills reported in shallow backwater areas near brush piles. Expect them to move along the channel edges in low water. Channel Catfish - Excellent: Lots of channel catfish are being caught on prepared stink baits. Try floating worms along rock lines. Freshwater **Drum** - Excellent: Freshwater drum are easy to catch on an egg sinker and worm rig. Fish in moderate current. Use large crayfish to catch big drum. Largemouth Bass -Excellent: Bass are being taken off lily pad areas on spinnerbaits or frog imitation lures. **Smallmouth Bass** - Excellent: Find smallmouth bass along rock piles with strong current; use flashy spoons or crankbaits. Walleye - Fair: Some fish are being taken on wingdams with stronger current, others are being taken on sand flats by anglers using crankbaits. White Bass - Fair: Some white bass are being caught in the Dubuque tailwater on white jigs. Look for feeding schools elsewhere. Black Crappie - Good: Crappie are being taken out of brush piles and marina areas on small jigs and minnows. Flathead Catfish - Excellent: Smaller flatheads are being taken on worms in deeper holes and in the tailwater.

Mississippi River Pool 13

The water level is 7.3 feet at the Bellevue Lock and Dam. The water temperature is 82 degrees. The water clarity is excellent. **Channel Catfish** - Excellent: Catfish are along rock lines and brush piles in moderate current. Most anglers are using prepared stinkbaits. **Freshwater Drum** - Excellent: Freshwater drum are easy to catch on a sinker and worm rig. Fish in moderate current. **Northern Pike** - Good: Try flashy spinners fished along old weed edges and rock shorelines. **Largemouth Bass** - Excellent: Bass are being taken off lily pad areas on spinnerbaits or frog imitation lures. Some are also being caught off the rocks in the tailwater. **Bluegill** - Fair: Try fishing around brush piles in larger sloughs with reduced current. **Flathead Catfish** - Excellent: Use live fish for bait. Lots of trot lines are being set; make sure you follow trot lines rules, especially having a tag with your name and address attached to the lines. Smaller flatheads are being taken in deep holes or in the tailwater on worms. **White Bass** - Fair: White bass are being reported in the tailwater; use flashy small spinners. **Walleye** - Fair: Some fish are being taken on wing dams with stronger current, others are being taken on sand flats by anglers using crankbaits.

Mississippi River Pool 14

The water level is 6.6 feet at the Fulton Lock and Dam, 10.5 feet at Camanche and 5.5

feet at LeClaire. Water temperature is 82 degrees. Water clarity is good. Channel Catfish - Excellent: Anglers are using prepared stinkbaits along rock lines. Freshwater **Drum** - Excellent: Freshwater drum are easy to catch on a worm sinker and worm rig. Fish in moderate current. Use large crayfish to catch bigger drum. Largemouth Bass -Good: Bass are being taken off lily pad areas on spinnerbaits or frog imitation lures. Some are being taken off of exposed rock piles. Northern Pike - Good: Use flashy spinners along backwater shorelines or in the tailwaters for this aggressive fish. Flathead Catfish - Excellent: Try live fish for bait. Lots of trot lines are being set; make sure you follow trot lines rules, especially having a tag with your name and address attached to the lines. Bluegill - Fair: Find bluegills near the mouths of large backwater areas, usually around brush piles. As water levels get low look for bluegills along the channel edges. Smallmouth Bass - Good: Try spinners or crankbaits along rip-rap areas. White Bass - No Report: Expect white bass to be hitting in the tailwaters and elsewhere. Look for feeding schools of fish; use flashy small spinners. Walleye -Fair: Some fish are being taken on wingdams with stronger current, others are being taken on sand flats by anglers using crankbaits.

Mississippi River Pool 15

Water level is around 7 feet at Rock Island and is steady. The water temperature is 82 degrees; water clarity is good. **Freshwater Drum** - Excellent: Freshwater drum are easy to catch on a worm sinker and worm rig. Fish in moderate current. **Channel Catfish** - Excellent: Channel cats are readily biting on cut bait and stinkbaits. **Flathead Catfish** - Excellent: Try live bait around brush piles or in the tailwater area. **Smallmouth Bass** - Fair: Fish the rocky habitats along the channel edge. In line spinners work the best, but must be fished very close to the rock and current areas.

Water level is expected to hold steady. Water temperature is 82 degrees. If you have any fishing questions, please contact the Bellevue Fisheries Station 563-880-8781.

Mississippi River Pool 16

Tailwater stage is 7.25 feet at Lock and Dam 15 in the Quad Cities and has been fairly steady the past few days. **Channel Catfish** - Good: Use chicken livers or dip baits around brush piles and snags along the main channel and side channels. **White Crappie** - No Report: Look for crappies in the backwaters. Try jigs and plastics or minnows fished in Sunset Marina or Andalusia Island Complex. **Bluegill** - No Report: Try pieces of worm under a bobber in Sunset Marina or Andalusia Island Complex.

Mississippi River Pool 17

Tailwater stage is 5.63 feet at Lock and Dam 16 in Muscatine and has been fairly steady. **Channel Catfish** - No Report: Use chicken livers or dip baits around brush piles and snags in the main channel and side channels. **White Bass** -No Report: Look for white bass by the dam or by GPC. Cast jigs and twister tails or crankbaits. Also look for white bass on the wing dams. **Bluegill** - No Report: Look for bluegills in the backwaters. Try pieces of worm under a bobber fished around brush piles in Big Timber or Cleveland Slough. **Walleye** - Fair: Look for walleyes on the wing dams. Try trolling crankbaits or pulling three-way rigs with crawlers.

Mississippi River Pool 18

Tailwater stage is 6.55 feet at Lock and Dam 17 at New Boston and has been fairly steady. **Channel Catfish** - Good: Use or chicken livers or dip baits around brush piles and snags in the main channel and side channels. **Walleye** - No Report: Look for walleyes on the wing dams; use crankbaits or three-way rigs with crawlers. **White Crappie** - No Report: Look for crappies in the backwaters around brush piles; try minnows under a bobber or jigs and plastics. **White Bass** - No Report: Look for white bass at the outlet of Odessa up by the dam or on the wing dams. Cast jigs and twister tails or crankbaits.

Mississippi River Pool 19

Tailwater stage is 3.59 feet at Lock and Dam 18 has been been fairly steady. River stage is 9.51 feet at Burlington. River stage is 526.02 feet at Ft. Madison. We have not received any fishing report information for this pool this week. **Channel Catfish** - No Report: Look for channel catfish around brush piles and snags along the main channel and side channels. Use dip baits, shad or nightcrawlers. **White Crappie** - No Report: Look for crappies in the backwaters. Try minnows under a bobber or jigs and plastics fished around brush piles. **Walleye** - No Report: Look for walleyes on the wing dams. Use crankbaits or three-way rigs with crawlers.

Tailwater stages have been fairly steady the past few days. Main channel water temperature is around 82 degrees. Water clarity is fair. If you have questions on fishing Pools 16-19 contact the Fairport Fish Hatchery at 563-263-5062.

SOUTHEAST

Big Hollow Lake

Water temperature are in the mid 80's. Need some rain or a good wind to thin the duckweed down. **Bluegill** - Slow: Work the brush piles in 6 to 7 feet of water. **Largemouth Bass** - Slow: Work out in a little deeper water in the flooded timber in the bays.

Iowa River (Columbus Junction to Mississippi River

The lowa River is holding pretty steady for the last few days, just down a little over an inch. Lots of sand bars are well up and out of the water. **Channel Catfish** - Fair: Find a deep hole with some cover and you will find fish. Stinkbaits and cut baits work well in the sluggish current.

Lake Belva Deer

Water temperature is in the mid-80's most afternoons. **Largemouth Bass** - Slow: Try early morning in the flooded timber and around and over top of the mounds at the upper end. **Bluegill** - Slow: Not very many anglers are out. Bluegills are in deeper water trying to stay cool. Early morning bite is best. **Channel Catfish** - Fair: Try chicken liver or stinkbaits fished along the face of the dam and around the rocks on the jetties early morning or just about dark.

Lake Darling

Water temperature Thursday (8/27) morning was 81 degrees before 8 am. Water

continues to try to clear up. Water clarity at about 24 inches. **Largemouth Bass** - Slow: Lows at night are in upper 70's, keeping the water warm. Go deep to catch bass until it cools off. **Bluegill** - Slow: Work rock piles in 6-8 feet of water. Drift from rock pile to rock pile using a small jig tipped with live bait like a waxworm or small fish worm. **Channel Catfish** - Fair: Not many anglers out this week because of the hot weather. Try chicken liver.

Lost Grove Lake

Largemouth Bass - Slow: Morning bite is best. After it starts to warm up, bass will move deeper and settle down for the day. **Bluegill** - Slow: Not hearing much from anglers fishing in shallow water. Work small jigs tipped with a trailer or live bait in 12 -16 feet of water.

Skunk River (Rose Hill to Coppock)

The Skunk River dropped a little bit more the last few days; lots of thin water. **Channel Catfish** - Slow: Work the bigger brush piles near the deeper holes. More than a few grass frogs are still around to use for bait.

For more information on the above lakes, call the Lake Darling Fisheries Office at 319-694-2430.

Coralville Reservoir

The lake level is at normal summer pool of 683.5 feet. **Channel Catfish** - Fair: Troll cut bait in the channel or up on shallow flats depending on the fish activity.

Diamond Lake

Channel Catfish - Fair.

<u>lowa Lake (lowa Co.)</u>

Bluegill - Slow: Look for fish around deeper brush piles. **Black Crappie** - Slow: Try around deeper brush piles or suspended over 14-20 feet of water. **Channel Catfish** - Fair: Typical baits are working.

Lake Macbride

The park has reopened following the storm damage. The main ramp is now accessible. The 10hp maximum regulation is in effect. **Wiper (Hybrid Striped Bass)** - Slow: Troll crankbaits during the day and throw topwaters or plastics at sunrise/sunset for surface feeders. **Walleye** - Slow: Troll crankbaits or worm harnesses in 7-13 feet of water. **Largemouth Bass** - Slow. **Channel Catfish** - Slow.

Otter Creek Lake

The park and lake are closed until further notice due to storm damage.

Pleasant Creek Lake

The park is closed due to storm damage.

Union Grove Lake

The lake is open, but the trails are unsafe due to debris. No fishing report is available, other than an algae bloom is occurring now.

Additional parks/lakes may be still closed due to storm damage. For more information, contact the Lake Macbride Fisheries Station at 319-624-3615.

Hawthorn Lake

Largemouth Bass - Fair: Use spinnerbaits or crankbaits along rock piles and rip-rapped shores. Try topwater lures early and late in the day. **Channel Catfish** - Fair: Try liver or stinkbait in 4-8 feet of water.

Lake Miami

Bluegill - Slow: Drift small jigs for suspended bluegills. Try small jigs tipped with a chunk of nightcrawler around the fishing jetties. **Largemouth Bass** - Slow: Use topwater lures early and late in the day. Try crankbaits around the cedar trees and along the rip-rapped shorelines. **Channel Catfish** - Fair: Use nightcrawlers or liver in 4-8 feet of water.

Lake Sugema

Black Crappie - Slow: Drift jigs tipped with a minnow in 6-10 feet of water for suspended crappies. **Largemouth Bass** - Fair: Use topwater lures along the shorelines; fish deeper with crankbaits or rubber worms.

Lake Wapello

Largemouth Bass - Fair: Try topwater lures early and late in the day; target cedar tree piles. As the day warms up, try plastics fished deeper around tree piles. **Bluegill** - Slow: Drift nightcrawlers on small jigs for suspended bluegills. Target areas in 6-8 feet of water. **Channel Catfish** - Fair: Use nightcrawlers or stinkbait. Don't fish too deep; lakes will stratify this time of year. **Black Crappie** - Slow: Drift jigs tipped with minnows for suspended crappie.

Rathbun Reservoir

The current lake level is 903.86 msl. Normal operating elevation is 904.0 msl. Lake Rathbun has zebra mussels, so make sure to properly drain, clean, and dry equipment before transporting to another waterbody. Use caution while boating: the lake has not been at conservation pool for some time. **Wiper (Hybrid Striped Bass)** – Fair: Look for flocks of seagulls to find shad; hybrids should be below the school of shad. Troll crankbaits that mimic gizzard shad through this area. **Walleye** - Fair: Troll gizzard shad imitating crankbaits around rock piles, submerged points and areas with depth changes. **Channel Catfish** - Fair: Try nightcrawlers or chicken liver in 6-8 feet of water.

Red Haw Lake

Largemouth Bass - Fair: Try topwater lures early and late in the day. Use spinnerbaits and crankbaits during the hotter parts of the day. Target submerged structure and rocky shorelines. **Bluegill** - Slow: Drift nightcrawlers on small jigs in the main part of the lake. **Channel Catfish** - Slow: Use chicken liver or stinkbait in 4-8 feet of water.

The district includes Appanoose, Davis, Lucas, Mahaska, Monroe, Wapello, Wayne and Van Buren counties. Contact the Rathbun Fish Hatchery at 641-647-2406 with questions about fishing in south central lowa.

SOUTHWEST

Big Creek Lake

Walleye - Slow: Troll live bait rigs or crankbaits in 15 feet of water or less in the upper half of the lake. **Wiper (Hybrid Striped Bass)** - Slow: Cast or troll shad imitating spoons, crankbaits or plastics. Look for schools of young shad breaking the surface of the water to find feeding wipers.

Des Moines River (Saylorville to Red Rock)

Channel Catfish - Fair: Channel catfish and flathead catfish are being caught. Try live bait, stinkbait and crawlers.

Don Williams Lake

Black Crappie - Fair: Drift or troll panfish jigs in the middle half of the lake. Start just out from the docks in the boat ramp area. Crappies are 8.5 to 10 inches.

Red Rock Reservoir

White Bass - Fair: Troll or cast shad imitating spoons and shallow diving crankbaits. Look for schools of small shad busting on the surface to find feeding fish.

Roberts Creek Lake

Black Crappie - Fair: Drift or troll jigs with twister or paddle tails in the lower half of the lake.

Rock Creek Lake

Black Crappie - Fair: The crappie bite has been slow to fair. Drift or troll jigs tipped with minnows. Crappies larger than 9 inches are uncommon. **Channel Catfish** - Fair: Catch catfish from shore with stinkbaits and cut bait.

Saylorville Reservoir

Channel Catfish - Good: Drift or slowly troll cut bait in the upper end of the reservoir. **White Bass** - Fair: Troll or cast shad imitating spoons and crankbaits. Start from the Sandpiper boat ramp to the marina cove and along the Oak Grove Beach area.

For more information on Central Iowa lakes and rivers, call Ben Dodd at 641-891-3795 or Andy Otting at 515-204-5885.

Lake Anita

Bluegill - Fair: Drift or troll small jigs tipped with berkly or nightcrawlers in 6 to 8 feet of water. **Black Crappie** - Fair: Best bite is early morning around tree piles and along the two road beds in the lake. **Largemouth Bass** - Fair: Anita has a good bass population. Find fish along vegetation edges and around tree piles. **Channel Catfish** - Slow: Catfish are being caught on top of the two roadbeds in the lake.

Lake Manawa

Zebra mussels were found in Lake Manawa; clean, drain and dry your boat when leaving the lake. **Channel Catfish** - Fair: Channel catfish are close to shore. Fish are all sizes in the lake. **White Crappie** - Fair: A few large white crappies are being caught on the west shore. **Walleye** - Fair: A few anglers are having good success trolling crankbaits using

planner boards. Don't overlook running a crawler through the dredge cuts. **Wiper(Hybrid Striped Bass) - Fair:** Catch wipers where water is entering the lake.

Littlefield Lake

Littlefield Lake has a good ring of aquatic vegetation. **Bluegill** - Fair: Bluegills have moved around the cedar tree piles in the lake. **Largemouth Bass** - Good: A large number of 12 to 14-inch fish are in the lake. **Channel Catfish** - Good: Cast cut or stinkbait along the dam to catch 2-4 pound channel catfish.

Meadow Lake

Water clarity is fair. **Bluegill** - Fair: Anglers report catching bluegills slow trolling and drifting. Fish average 8 inches. **Largemouth Bass** - No Report: There is a good population of largemouth bass up to 18 inches in the lake.

Prairie Rose Lake

Prairie Rose has an algal bloom. **Bluegill** - Slow: Anglers report good bluegill fishing in the mornings trolling or drifting small jigs. **Black Crappie** - Slow: There is a small population of large black crappies in the lake. **Channel Catfish** - Fair: Channel catfish are being caught around the jetties and underwater reefs. Fish average 2 to 4 pounds. **Largemouth Bass** - Fair: A large population of 12 to 14-inch bass offer fun **catch and release fishing**.

Viking Lake

Viking Lake is eight feet low. **Black Crappie** - Fair: Slowly troll jigs over humps and dropoffs in the lake. Fish average 9 inches. **Largemouth Bass** - Fair: Anglers are catching bass in tree piles using plastics. **Channel Catfish** - Fair: Cast stinkbait around tree piles to catch fish up to 6 pounds.

For more information on lakes in the Southwest District call the Cold Springs office at 712-769-2587.

Green Valley Lake

Largemouth Bass - Slow: Use jigs fished near cedar tree brush piles to catch largemouth bass up to 20 inches.

Lake Icaria

Channel Catfish - Good: Use nightcrawlers or chicken liver fished along rocky shoreline areas to catch channel catfish of all sizes.

Little River Watershed Lake

Bluegill - Slow: Use jigs tipped with a nightcrawler fished near cedar tree brush piles to catch bluegill up to 8.5 inches. **Largemouth Bass** - Slow: Catch largemouth bass up to 20 inches with jigs fished near cedar tree brush piles.

Three Mile Lake

Walleye - Slow: Use jigs tipped with live bait fished along the creek channels or main lake points to catch walleyes up to 22 inches. **Bluegill** - Slow: Catch bluegill of all sizes with jigs tipped with a nightcrawler fished near weed lines.

Twelve Mile Creek Lake

Largemouth Bass - Slow: Catch largemouth bass up to 20 inches with jigs fished near cedar tree brush piles. **Bluegill** - Fair: Drift with small jigs to catch bluegill of all sizes.

Water temperature in most Mount Ayr district lakes is in the upper 70's to low 80's. For more information, contact the Mount Ayr Fisheries office at 641-464-3108.

