## IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2018 SURVEYS

2018 Respondents from All Hospitals in Iowa: 20,035 2018 Respondents with Babies Born in **Kossuth County: 117** 

Mother's Education           Less than high school         07%         04%           High school         21%         26%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income           Less than \$10,000         11%         11%           \$10,000 - \$19,999         08%         09%           \$20,000 - \$29,999         09%         11%           \$30,000 - \$39,999         08%         06%           \$40,000 - \$49,999         08%         06%           \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin         46%         49%           Smoking         35%         33%         33%           Drinking alcohol         32%         30%           Your weight         29%         28%           Regular exercise         33%         31%           How romantic relationships affect your health         14%         15%	Demographic Indicators	State	County
Less than 18 years         01%         02%           18-19 years         03%         03%           20-25 years         24%         26%           26-30 years         37%         36%           31-35 years         09%         07%           More than 35 years         09%         07%           Mother's Ethnicity           Hispanic         08%         09%           Non-Hispanic         92%         91%           White         90%         94%           Black         06%         04%           Asian or Pacific Islander         03%         02%           American Indian or Native Alaskan         01%         01%           Socioeconomic Indicators         State         County           Mother's Education           Less than high school         07%         04%           High school         21%         26%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         11%         11%           Household Income           Less than \$10,000         111%         11%	Mother's Age		
18-19 years       03%       03%         20-25 years       24%       26%         26-30 years       37%       36%         31-35 years       09%       07%         More than 35 years       09%       09%         More than 35 years       09%       09%         More than 35 years       08%       09%         More than 35 years       09%       94%         More than 35 years       09%       92%         More than 35 years       09%       21%       26%         Socioeconoic Indicators       21%       26%       26%         Socioeconoic Indicators       21%       26%       26%         Socioeconoic Indicators       21%       <	_	01%	02%
20-25 years         24%         26%           26-30 years         37%         36%           31-35 years         09%         07%           More than 35 years         09%         07%           Morthan 35 years         08%         09%           Non-Hispanic         08%         09%           White         90%         94%           Black         06%         04%           Asian or Pacific Islander         03%         02%           American Indian or Native Alaskan         01%         01%           Socioeconomic Indicators         State County           Mother's Education           Less than high school         07%         04%           High school         21%         26%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         11%         11%           Household Income           Less than \$10,000         \$11,98         11%           \$10,000 - \$19,999         08%         06%           \$20,000 - \$29,999         08%         06%           \$50,000 or more         56%	•	03%	03%
31-35 years       26%       27%         More than 35 years       09%       07%         Mother's Ethnicity         Hispanic       08%       09%         Non-Hispanic       92%       91%         White       90%       94%         Black       06%       04%         Asian or Pacific Islander       03%       02%         American Indian or Native Alaskan       01%       01%         Socioeconomic Indicators       State       County         Mother's Education         Less than high school       21%       26%         Some college       33%       34%         College graduate (Bachelor's degree)       27%       23%         Graduate school       11%       11%         Household Income       12%       23%         Less than \$10,000       11%       11%         \$10,000 - \$19,999       08%       09%         \$20,000 - \$29,999       08%       09%         \$20,000 - \$39,999       08%       06%         \$50,000 or more       56%       56%         Information Received in 12 Months Prior to Becoming Pregnant       State       County	•	24%	26%
31-35 years         26%         27%           More than 35 years         09%         07%           Mother's Ethnicity         """"""""""""""""""""""""""""""""""""	26-30 years	37%	36%
More than 35 years         09%         07%           Mother's Ethnicity         Hispanic         08%         09%           Non-Hispanic         92%         91%         White         90%         94%         91%         White         90%         94%         60%         04%         Asian or Pacific Islander         03%         02%         American Indian or Native Alaskan         01%         02%         02%	·	26%	27%
Hispanic         08%         09%           Non-Hispanic         92%         91%           White         90%         94%           Black         06%         04%           Asian or Pacific Islander         03%         02%           American Indian or Native Alaskan         01%         01%           Socioeconomic Indicators         State         County           Mother's Education         27%         04%           High school         27%         23%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income           Less than \$10,000         11%         11%           \$10,000 - \$19,999         08%         09%           \$20,000 - \$29,999         08%         06%           \$40,000 - \$39,999         08%         06%           \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:         20%         33%         33%	,	09%	07%
Non-Hispanic         92%         91%           White         90%         94%           Black         06%         04%           Asian or Pacific Islander         03%         02%           American Indian or Native Alaskan         01%         01%           Socioeconomic Indicators         State         County           Mother's Education           Less than high school         07%         04%           High school         21%         26%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         11%         11%           Household Income           Less than \$10,000         11%         11%           \$10,000 - \$19,999         09%         11%           \$30,000 - \$29,999         09%         09%           \$40,000 - \$49,999         08%         06%           \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         \$tate         County           Doctor, Nurse, or Other Health Care Provider Talked About:         2         2           Taking folic ac	Mother's Ethnicity		
White         90%         94%           Black         06%         04%           Asian or Pacific Islander         03%         02%           American Indian or Native Alaskan         01%         01%           Socioeconomic Indicators         State         County           Mother's Education         5         07%         04%           High school         07%         04%         04%           High school         27%         23%         34%           College graduate (Bachelor's degree)         27%         23%         6raduate school         12%         13%           Household Income         2         2         23%         6raduate school         11%         11%         \$	Hispanic	08%	09%
Black         06%         04%           Asian or Pacific Islander         03%         02%           American Indian or Native Alaskan         01%         01%           Socioeconomic Indicators         State         County           Mother's Education         Variance         21%         26%           Less than high school         07%         04%         41%         26%           Some college         21%         26%         27%         23%           College graduate (Bachelor's degree)         27%         23%         34%         26%         26%         27%         23%         34%         26%         26%         26%         27%         23%         34%         26%         26%         26%         26%         26%         23%         23%         23%         23%         23%         23%         23%         23%         23%         23%         23%         23%         26%	Non-Hispanic	92%	91%
Asian or Pacific Islander         03%         02%           American Indian or Native Alaskan         01%         01%           Socioeconomic Indicators         State         County           Mother's Education         20%         04%           Less than high school         21%         26%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income         2         4         11%           Eess than \$10,000         11%         11%         11%         11%         11%         11%         11%         10,000         \$19,999         08%         09%         \$20,000 - \$29,999         08%         06%         \$40,000 - \$49,999         08%         06%         \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:         2         County           Taking folic acid or a multivitamin         46%         49%         33%           Smoking         35%         33%         31%           Formaliance projection         29% </td <td>White</td> <td>90%</td> <td>94%</td>	White	90%	94%
American Indian or Native Alaskan         01%         01%           Socioeconomic Indicators         State         County           Mother's Education         Very County         04%           High school         07%         04%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income         Very County         11%         11%           Less than \$10,000         \$119,999         08%         09%           \$20,000 - \$19,999         08%         06%         90%           \$40,000 - \$39,999         08%         06%         55%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin         46%         49%           Smoking         35%         33%         33%         33%           Drinking alcohol         32%         30%         30%           Your weight         29%         28%           Regular exercise         33%         31%           How romantic relationships affect your health	Black	06%	04%
Socioeconomic Indicators         State         County           Mother's Education         07%         04%           Less than high school         21%         26%           High school         21%         26%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income           Less than \$10,000         11%         11%           \$10,000 - \$19,999         08%         09%           \$20,000 - \$29,999         08%         06%           \$40,000 - \$49,999         08%         06%           \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin         46%         49%           Smoking         35%         33%         31%           Drinking alcohol         32%         30%           Your weight         29%         28%           Regular exercise         33%         31%           How romantic relationships affect your health         2	Asian or Pacific Islander	03%	02%
Mother's Education           Less than high school         07%         04%           High school         21%         26%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income           Less than \$10,000         11%         11%           \$10,000 - \$19,999         08%         09%           \$20,000 - \$29,999         09%         11%           \$30,000 - \$39,999         08%         06%           \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:         County           Taking folic acid or a multivitamin         46%         49%           Smoking         35%         33%           Drinking alcohol         32%         30%           Your weight         29%         28%           Regular exercise         33%         31%           How romantic relationships affect your health         21%         19%           Oral health         21%         19% <td>American Indian or Native Alaskan</td> <td>01%</td> <td>01%</td>	American Indian or Native Alaskan	01%	01%
Less than high school         07%         04%           High school         21%         26%           Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income           Less than \$10,000         11%         11%           \$10,000 - \$19,999         08%         09%           \$20,000 - \$29,999         08%         06%           \$40,000 - \$49,999         08%         06%           \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin         46%         49%           Smoking         35%         33%           Drinking alcohol         32%         30%           Your weight         29%         28%           Regular exercise         33%         31%           How romantic relationships affect your health         14%         15%           Oral health         21%         19%           Did not see a doctor, nurse, or other health care professional for a check-u	Socioeconomic Indicators	State	County
High school       21%       26%         Some college       33%       34%         College graduate (Bachelor's degree)       27%       23%         Graduate school       12%       13%         Household Income         Less than \$10,000       11%       11%         \$10,000 - \$19,999       08%       09%         \$20,000 - \$29,999       08%       06%         \$40,000 - \$49,999       08%       06%         \$50,000 or more       56%       56%         Information Received in 12 Months Prior to Becoming Pregnant       State       County         Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin       46%       49%         Smoking       35%       33%         Drinking alcohol       32%       30%         Your weight       29%       28%         Regular exercise       33%       31%         How romantic relationships affect your health       14%       15%         Oral health       21%       19%         Did not see a doctor, nurse, or other health care professional for a check-up       33%       39%	Mother's Education		
High school       21%       26%         Some college       33%       34%         College graduate (Bachelor's degree)       27%       23%         Graduate school       12%       13%         Household Income         Less than \$10,000       \$11%       \$11%         \$10,000 - \$19,999       08%       09%         \$20,000 - \$29,999       08%       06%         \$40,000 - \$49,999       08%       06%         \$50,000 or more       56%       56%         Information Received in 12 Months Prior to Becoming Pregnant       \$tate       County         Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin       46%       49%         Smoking       35%       33%         Drinking alcohol       32%       30%         Your weight       29%       28%         Regular exercise       33%       31%         How romantic relationships affect your health       14%       15%         Oral health       21%       19%         Did not see a doctor, nurse, or other health care professional for a check-up       33%       39%	Less than high school	07%	04%
Some college         33%         34%           College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income           Less than \$10,000         11%         11%           \$10,000 - \$19,999         08%         09%           \$20,000 - \$29,999         09%         11%           \$30,000 - \$39,999         08%         06%           \$40,000 - \$49,999         08%         06%           \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:           Taking folic acid or a multivitamin         46%         49%           Smoking         35%         33%           Drinking alcohol         32%         30%           Your weight         29%         28%           Regular exercise         33%         31%           How romantic relationships affect your health         14%         15%           Oral health         21%         19%           Did not see a doctor, nurse, or other health care professional for a check-up         33%         39%		21%	26%
College graduate (Bachelor's degree)         27%         23%           Graduate school         12%         13%           Household Income           Less than \$10,000         11%         11%           \$10,000 - \$19,999         08%         09%           \$20,000 - \$29,999         09%         11%           \$30,000 - \$39,999         08%         06%           \$40,000 - \$49,999         08%         06%           \$50,000 or more         56%         56%           Information Received in 12 Months Prior to Becoming Pregnant         State         County           Doctor, Nurse, or Other Health Care Provider Talked About:           Taking folic acid or a multivitamin         46%         49%           Smoking         35%         33%           Drinking alcohol         32%         30%           Your weight         29%         28%           Regular exercise         33%         31%           How romantic relationships affect your health         14%         15%           Oral health         21%         19%           Did not see a doctor, nurse, or other health care professional for a check-up         33%         39%		33%	34%
Graduate school         12%         13%           Household Income           Less than \$10,000         11%         11%         11%         \$10,000 - \$19,999         08%         09%         \$20,000 - \$29,999         09%         11%         \$30,000 - \$39,999         08%         06%         \$40,000 - \$49,999         08%         06%         \$50,000 or more         56%         33%         33%	-	27%	23%
Less than \$10,000       11%       11%         \$10,000 - \$19,999       08%       09%         \$20,000 - \$29,999       09%       11%         \$30,000 - \$39,999       08%       06%         \$40,000 - \$49,999       08%       06%         \$50,000 or more       56%       56%         Information Received in 12 Months Prior to Becoming Pregnant       State       County         Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin       46%       49%         Smoking       35%       33%         Drinking alcohol       32%       30%         Your weight       29%       28%         Regular exercise       33%       31%         How romantic relationships affect your health       14%       15%         Oral health       21%       19%         Did not see a doctor, nurse, or other health care professional for a check-up       33%       39%		12%	13%
\$10,000 - \$19,999       08%       09%         \$20,000 - \$29,999       08%       06%         \$30,000 - \$39,999       08%       06%         \$40,000 - \$49,999       08%       06%         \$50,000 or more       56%       56%         Information Received in 12 Months Prior to Becoming Pregnant       State       County         Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin       46%       49%         Smoking       35%       33%         Drinking alcohol       32%       30%         Your weight       29%       28%         Regular exercise       33%       31%         How romantic relationships affect your health       14%       15%         Oral health       21%       19%         Did not see a doctor, nurse, or other health care professional for a check-up       33%       39%	Household Income		
\$20,000 - \$29,999       09%       11%         \$30,000 - \$39,999       08%       06%         \$40,000 - \$49,999       08%       06%         \$50,000 or more       56%       56%         Information Received in 12 Months Prior to Becoming Pregnant       State       County         Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin       46%       49%         Smoking       35%       33%         Drinking alcohol       32%       30%         Your weight       29%       28%         Regular exercise       33%       31%         How romantic relationships affect your health       14%       15%         Oral health       21%       19%         Did not see a doctor, nurse, or other health care professional for a check-up       33%       39%	Less than \$10,000	11%	11%
\$20,000 - \$29,999       09%       11%         \$30,000 - \$39,999       08%       06%         \$40,000 - \$49,999       08%       06%         \$50,000 or more       56%       56%         Information Received in 12 Months Prior to Becoming Pregnant       State       County         Doctor, Nurse, or Other Health Care Provider Talked About:         Taking folic acid or a multivitamin       46%       49%         Smoking       35%       33%         Drinking alcohol       32%       30%         Your weight       29%       28%         Regular exercise       33%       31%         How romantic relationships affect your health       14%       15%         Oral health       21%       19%         Did not see a doctor, nurse, or other health care professional for a check-up       33%       39%		08%	09%
\$30,000 - \$39,999 08% 06% \$40,000 - \$49,999 08% 06% \$50,000 or more 56% 56% 56% 56% 56% 56% 56% 56% 56% 56%			
\$40,000 - \$49,999			
\$50,000 or more 56% 56%  Information Received in 12 Months Prior to Becoming Pregnant State County  Doctor, Nurse, or Other Health Care Provider Talked About:  Taking folic acid or a multivitamin 46% 49% 5moking 35% 33% 35% 33% Drinking alcohol 32% 30% Your weight 29% 28% Regular exercise 33% 31% How romantic relationships affect your health 14% 15% Oral health 50d not see a doctor, nurse, or other health care professional for a check-up 33% 39%			
Doctor, Nurse, or Other Health Care Provider Talked About:Taking folic acid or a multivitamin46%49%Smoking35%33%Drinking alcohol32%30%Your weight29%28%Regular exercise33%31%How romantic relationships affect your health14%15%Oral health21%19%Did not see a doctor, nurse, or other health care professional for a check-up33%39%			
Taking folic acid or a multivitamin  Smoking  Drinking alcohol  Your weight  Regular exercise  How romantic relationships affect your health  Oral health  Did not see a doctor, nurse, or other health care professional for a check-up  46%  49%  49%  49%  49%  49%  49%  49%	Information Received in 12 Months Prior to Becoming Pregnant	State	County
Taking folic acid or a multivitamin  Smoking  Drinking alcohol  Your weight  Regular exercise  How romantic relationships affect your health  Oral health  Did not see a doctor, nurse, or other health care professional for a check-up  46%  49%  49%  49%  49%  49%  49%  49%	Doctor, Nurse, or Other Health Care Provider Talked About:		
Smoking35%33%Drinking alcohol32%30%Your weight29%28%Regular exercise33%31%How romantic relationships affect your health14%15%Oral health21%19%Did not see a doctor, nurse, or other health care professional for a check-up33%39%		46%	49%
Drinking alcohol  Your weight  Regular exercise  Regular exercise  How romantic relationships affect your health  Oral health  Did not see a doctor, nurse, or other health care professional for a check-up  32%  32%  28%  33%  31%  15%  15%  19%  33%  39%	•		
Your weight29%28%Regular exercise33%31%How romantic relationships affect your health14%15%Oral health21%19%Did not see a doctor, nurse, or other health care professional for a check-up33%39%	<u> </u>		
Regular exercise33%31%How romantic relationships affect your health14%15%Oral health21%19%Did not see a doctor, nurse, or other health care professional for a check-up33%39%			
How romantic relationships affect your health14%15%Oral health21%19%Did not see a doctor, nurse, or other health care professional for a check-up33%39%	-		
Oral health Did not see a doctor, nurse, or other health care professional for a check-up  21% 19% 33% 39%	-		
Did not see a doctor, nurse, or other health care professional for a check-up 33% 39%	· · · · · · · · · · · · · · · · · · ·		
in the 12 months prior to becoming pregnant			

No Birth Control was Used at Time of Conception         87%         85%           Unintended Pregnancy and Did NOT Use Birth Control         70%         66%           Plan to return to work outside of home following birth of this baby         74%         67%           No         26%         33%           Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk         55%         57%           Yes         55%         57%         70%         28%         27%<	Behavioral Indicators During Pregnancy	State	County
Plan to return to work outside of home following birth of this baby   Yes	No Birth Control was Used at Time of Conception	87%	85%
Yes         74%         67%           No         26%         33%           Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk         ****           Yes         55%         57%           No         28%         27%           Don't Know         17%         16%           Does worksite have written policy about breastfeeding?         22%         22%           Yes         28%         26%           Don't Know         50%         53%           Smoked within the past 2 years         21%         21%           Yes         21%         21%           No         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy         2           Zero cigarettes per day         53%         48%           1-10 per day         41%         48%           1-20 per day         01%         01%           1-20 per day         01%         01%           Yes         70%         77%           No         29%         23%           4         10         01%           1-20 per day         01%         01%           Yes	Unintended Pregnancy and Did NOT Use Birth Control	70%	66%
No         26%         33%           Does worksite have designated room/location (not counting bathroom stalls)           for mothers to breastfeed or pump/express their breast milk         55%         57%           No         28%         27%           Don't Know         17%         16%           Does worksite have written policy about breastfeeding?           Yes         22%         22%           No         28%         26%           Don't Know         50%         53%           Smoked within the past 2 years           Yes         21%         21%           No         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy           Zero cigarettes per day         53         48%           1-10 per day         53         48%           1-10 per day         61%         04%           More than 20 per day         10%         01%           Consumed alcohol in the past 2 years           Yes         70%         77%           No         29%         23%           Alcoholic Drinks During Last 3 Months of Pregnancy         98%         98%           1-2 drinks p	Plan to return to work outside of home following birth of this baby		
Press	Yes		
For mothers to breastfeed or pump/express their breast milk           Yes         55%         57%           No         28%         27%           Don't Know         17%         16%           Does worksite have written policy about breastfeeding?           Yes         22%         22%           No         28%         26%           Don't Know         50%         53%           Smoked within the past 2 years           Yes         21%         21%           No         29%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy           Zero cigarettes per day         53%         48%           1-10 per day         41%         48%           1-10 per day         41%         48%           11-20 per day         60%         04%           More than 20 per day         60%         04%           Consumed alcohol in the past 2 years           Yes         20         20           No         29%         23%           Alcoholic Drinks During Last 3 Months of Pregnancy         2           Zero drinks per week         98         98           1-2 drinks per week         <	No	26%	33%
Yes         55%         57%           No         28%         27%           Don't Know         17%         16%           Does worksite have written policy about breastfeeding?           Yes         22%         22%           No         28%         26%           Don't Know         50%         53%           Smoked within the past 2 years           Yes         21%         21%           No         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy           Zero cigarettes per day         48%         1-10 per day         41%         48%           1-10 per day         41%         48%         11-20 per day         60%         04%           More than 20 per day         60%         04%         04%         01%         01%           Consumed alcohol in the past 2 years         70%         77%         77%         02%         23%           Yes         70%         77%         02%         23%         23%         23%         23%         23%         23%         23%         23%         23%         23%         23%         23%         23%         23%			
No         28%         27%           Don't Know         17%         16%           Does worksite have written policy about breastfeeding?         2         22%         22%         26%         No         28%         26% <t< td=""><td></td><td>55%</td><td>57%</td></t<>		55%	57%
Don't Know         17%         16%           Does worksite have written policy about breastfeeding?           Yes         22%         22%           No         35%         26%           Don't Know         50%         53%           Smoked within the past 2 years           Yes         21%         21%           No         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy           Zero cigarettes per day         53%         48%           1-10 per day         41%         48%           1-10 per day         61%         04%           More than 20 per day         06%         04%           No         29%         20%           No         29%         23%           Alcoholic Drinks During Last 3 Months of Pregnancy         8         98%         98%           Alcoholic Drinks During Last 3 Months of Pregnancy         20%         02%         02%         02%           3-5 drinks per week         98% <t< td=""><td></td><td>28%</td><td></td></t<>		28%	
Yes         22%         22%           No         28%         26%           Don't Know         50%         538           Smoked within the past 2 years           Yes         21%         21%           No         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy           Zero cigarettes per day         53%         48%           1-10 per day         41%         48%           11-20 per day         06%         04%           More than 20 per day         01%         <01%	Don't Know	17%	16%
No         28%         26%           Don't Know         50%         53%           Smoked within the past 2 years         21%         21%           Yes         21%         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy         2         2         2         2         2         2         1         9         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         48%         2         <	Does worksite have written policy about breastfeeding?		
Smoked within the past 2 years         21%         21%           Yes         21%         21%           No         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy           Zero cigarettes per day         53%         48%           1-10 per day         41%         48%           11-20 per day         06%         04%           More than 20 per day         06%         04%           More than 20 per day         70%         77%           No         29%         23%           Alcoholic Drinks During Last 3 Months of Pregnancy           Zero drinks per week         98%         98%           1-2 drinks per week         98%         98%           1-2 drinks per week         01%         <01%	·	22%	22%
Smoked within the past 2 years           Yes         21%         21%           No         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy         3         48%           2ero cigarettes per day         53%         48%           1-10 per day         41%         48%           11-20 per day         06%         04%           More than 20 per day         01%         <01%	No	28%	26%
Yes         21%         21%           No         79%         79%           Cigarettes Smoked Per Day During Last 3 Months of Pregnancy         \$3%         48%           2ero cigarettes per day         53%         48%           1-10 per day         66%         04%           More than 20 per day         06%         04%           More than 20 per day         01%         <01%	Don't Know	50%	53%
Cigarettes Smoked Per Day During Last 3 Months of Pregnancy         Sample of Sample	Smoked within the past 2 years		
Cigarettes Smoked Per Day During Last 3 Months of PregnancyZero cigarettes per day53%48%1-10 per day41%48%11-20 per day06%04%More than 20 per day01%<01%	Yes	21%	21%
Zero cigarettes per day         53%         48%           1-10 per day         41%         48%           11-20 per day         66%         04%           More than 20 per day         01%         <01%	No	79%	79%
1-10 per day       41%       48%         11-20 per day       06%       04%         More than 20 per day       01%       <01%	Cigarettes Smoked Per Day During Last 3 Months of Pregnancy		
11-20 per day       06%       04%         More than 20 per day       01%       <01%	Zero cigarettes per day	53%	48%
More than 20 per day         01%         <01%           Consumed alcohol in the past 2 years         70%         77%           Yes         70%         77%           No         29%         23%           Alcoholic Drinks During Last 3 Months of Pregnancy         30%         29%         23%           Alcoholic Drinks per week         98%         90%         90%         90%         90%         95%         95%	·		
Consumed alcohol in the past 2 years           Yes         70%         77%           No         29%         23%           Alcoholic Drinks During Last 3 Months of Pregnancy         30%         29%           Zero drinks per week         98%         98%           1 - 2 drinks per week         02%         02%           3-5 drinks per week         01%         01%           6-10 drinks per week         01%         01%           6-10 drinks per week         01%         01%           More than 10 drinks per week         01%         01%           Prenatal Care         State         County           Mother received prenatal care as early in the pregnancy as wanted         Yes         95%         95%           No         05%         05%         05%           Where mother went for most of prenatal care         Yes         78%         54%           Midwife's office or home office from a midwife         07%         <01%	·		
Yes         70%         77%           No         29%         23%           Alcoholic Drinks During Last 3 Months of Pregnancy         30%         29%         23%           Zero drinks per week         98%         98%         98%         98%         1.2 drinks per week         02%         01%         05%         <	More than 20 per day	01%	<01%
No         29%         23%           Alcoholic Drinks During Last 3 Months of Pregnancy         State         98%         98%           2ero drinks per week         98%         98%         98%         198%         98%         98%         98%         198%         98%         98%         98%         102%         02%         02%         02%         02%         02%         02%         02%         02%         01% <td>· · ·</td> <td></td> <td></td>	· · ·		
Alcoholic Drinks During Last 3 Months of Pregnancy  Zero drinks per week 98% 98% 1 -2 drinks per week 02% 02% 3-5 drinks per week <01% <01% 6-10 drinks per week <01% <01% 6-10 drinks per week 01% <01% More than 10 drinks per week <01% <01%  Prenatal Care State County  Mother received prenatal care as early in the pregnancy as wanted  Yes 95% 95% No 05% 05%  Where mother went for most of prenatal care  Private doctor's office, clinic or OBGYN 78% 54% Midwife's office or home office from a midwife 07% <01% Public clinic 15% 46%			
Zero drinks per week         98%         98%           1 -2 drinks per week         02%         02%           3-5 drinks per week         <01%	No	29%	23%
1 - 2 drinks per week02%02%3-5 drinks per week<01%	• • • • • • • • • • • • • • • • • • • •	000/	000/
3-5 drinks per week	•		
6-10 drinks per week	·		
More than 10 drinks per week<01%<01%Prenatal CareStateCountyMother received prenatal care as early in the pregnancy as wanted Yes95%95%No95%95%Where mother went for most of prenatal care05%05%Private doctor's office, clinic or OBGYN78%54%Midwife's office or home office from a midwife07%<01%	·		
Mother received prenatal care as early in the pregnancy as wanted  Yes 95% 95% No 05% 05%  Where mother went for most of prenatal care  Private doctor's office, clinic or OBGYN 78% 54% Midwife's office or home office from a midwife 07% <01% Public clinic 15% 46%	·		
Mother received prenatal care as early in the pregnancy as wanted  Yes 95% 95% No 05% 05%  Where mother went for most of prenatal care  Private doctor's office, clinic or OBGYN 78% 54% Midwife's office or home office from a midwife 07% <01% Public clinic 15% 46%	Prenatal Care	State	County
Yes 95% 95% No 95% 05% 05% 05% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 54% Midwife's office or home office from a midwife 907% <01% Public clinic 15% 46%		State	County
No05%05%Where mother went for most of prenatal carePrivate doctor's office, clinic or OBGYN78%54%Midwife's office or home office from a midwife07%<01%		95%	95%
Private doctor's office, clinic or OBGYN 78% 54% Midwife's office or home office from a midwife 07% <01% Public clinic 15% 46%			
Private doctor's office, clinic or OBGYN 78% 54% Midwife's office or home office from a midwife 07% <01% Public clinic 15% 46%	Where mother went for most of prenatal care		
Midwife's office or home office from a midwife 07% <01% Public clinic 15% 46%	·	78%	54%
Public clinic 15% 46%	·		

	State	County
HIV/AIDS Testing During Pregnancy		
Yes	45%	55%
No	28%	23%
No, Testing was offered, but did not want to be tested	02%	03%
Don't know	26%	19%
Received Flu Shot During Pregnancy		
Yes	65%	79%
No, Received flu shot before became pregnant	06%	06%
No, Did not want flu shot during pregnancy	12%	06%
No, Doctor said to wait until after pregnancy	01%	01%
No, Do not ever get flu shots	13%	06%
No, Flu shot was not available	02%	02%
Hospital Services	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After	State	County
·	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After	State 85%	County 89%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby		
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes	85%	89%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No	85% 13%	89% 07%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember	85% 13%	89% 07%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember  During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other	85% 13%	89% 07%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember  During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:	85% 13% 02%	89% 07% 04%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember  During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques	85% 13% 02%	89% 07% 04%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember  During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques Action steps to decrease frustration when infant cries	85% 13% 02% 83% 43%	89% 07% 04% 81% 45%