IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2014 SURVEYS

2014 Respondents from All Hospitals in Iowa: 24,696 2014 Respondents with Babies Born in **Davis:** 70*

^{*}Because of the small number of cases, data may not be representative of the entire population of new mothers whose babies were in this county.

Demographic Indicators	State	County
Mother's Age		_
Less than 18 years	01%	00%
18-19 years	04%	07%
20-25 years	28%	37%
26-30 years	35%	27%
31-35 years	25%	21%
More than 35 years	07%	07%
Mother's Ethnicity		
Hispanic	07%	03%
Non-Hispanic	93%	97%
White	91%	100%
Black	05%	00%
Asian or Pacific Islander	03%	00%
American Indian or Native Alaskan	01%	00%
Socioeconomic Indicators	State	County
Socioeconomic Indicators Mother's Education	State	County
	State 08%	County
Mother's Education		-
Mother's Education Less than high school	08%	03%
Mother's Education Less than high school High school	08% 19%	03% 26%
Mother's Education Less than high school High school Some college	08% 19% 36%	03% 26% 46%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree)	08% 19% 36% 27%	03% 26% 46% 23%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income	08% 19% 36% 27%	03% 26% 46% 23%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school	08% 19% 36% 27% 10%	03% 26% 46% 23% 03%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000	08% 19% 36% 27% 10%	03% 26% 46% 23% 03%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999	08% 19% 36% 27% 10%	03% 26% 46% 23% 03%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999 \$20,000 - \$29,999	08% 19% 36% 27% 10% 14% 10%	03% 26% 46% 23% 03% 10% 14% 16%

Information Received in 12 Months Prior to Becoming Pregnant	State	County
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	47%	51%
Smoking	37%	39%
Drinking alcohol	32%	37%
Your weight	30%	23%
Regular exercise	33%	29%
How romantic relationships affect your health	13%	13%
Did not see a doctor, nurse, or other health care professional for a check-up	34%	30%
in the 12 months prior to becoming pregnant		
Behavioral Indicators During Pregnancy	State	County
No Birth Control was Used at Time of Conception	86%	83%
Unintended Pregnancy and Did NOT Use Birth Control	68%	44%
Dispose water was to combine of home fallowing birth of this bob.		
Plan to return to work outside of home following birth of this baby Yes	72%	63%
No	28%	37%
NO	20/0	37/0
Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk		
Yes	48%	49%
No	32%	27%
Don't Know	19%	24%
Does worksite have written policy about breastfeeding?		
Yes	18%	20%
No	30%	29%
Don't Know	52%	51%
Cigarettes Smoked During Last 3 Months of Pregnancy		
Not smoked in past 2 years	77%	60%
Zero cigarettes per day	03%	24%
1-10 per day	13%	13%
11-20 per day	06%	03%
More than 20 per day	01%	00%
Alcoholic Drinks During Last 3 Months of Pregnancy		
Not had any alcoholic drinks in past 2 years	23%	33%
Zero drinks per week	26%	67%
1 drink per week	32%	00%
2 or more drinks per week	41%	00%

Mother received prenatal care as early in the pregnancy as wanted Yes 93% 93% 93%
N- 070/ 070
No 07% 079
Where mother went for most of prenatal care
Private doctor's office or clinic 81% 829
Midwife's office or home office from a midwife 05% 00%
Public clinic 13% 189
Other 01% 00%
HIV/AIDS Testing During Pregnancy
Yes 55% 55%
No 25% 189
No, Testing was offered, but did not want to be tested 04% 049
Don't know 22% 22%
Received Flu Shot During Pregnancy
Yes 62% 55%
No, Received flu shot before became pregnant 07% 049
No, Did not want flu shot during pregnancy 13% 13%
No, Doctor said to wait until after pregnancy 01% 00%
No, Do not ever get flu shots 14% 22%
No, Flu shot was not available 02% 049
Hospital Services State Count
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby
Yes 83% 82%
No 15% 13%
Don't remember 03% 04%
During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other
Healthcare Professional Provided Information or Scheduled a Time to Discuss:
Breastfeeding or breastfeeding techniques 78% 73%
Action steps to decrease frustration when infant cries 49% 569
How to lay the baby down to sleep 56% 549
Dangers of shaking an infant 48% 499
Did not receive any information and have not scheduled a time to discuss 09% 139

Technical Note: Because percentages were rounded, the sum of values may not equal 100%. *For more information*: Call the University of Northern Iowa Center for Social & Behavioral Research: (319) 273-2105.

Data source: Iowa Barriers to Prenatal Care Project, Iowa Department of Public Health, University of Northern Iowa Center for Behavioral Research: 2014 Data.