IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2019 SURVEYS

2019 Respondents from All Hospitals in Iowa: 19,007 2019 Respondents with Babies Born in **Linn County: 978**

Demographic Indicators	State	County
Mother's Age		
Less than 18 years	01%	01%
18-19 years	03%	02%
20-25 years	24%	19%
26-30 years	37%	36%
31-35 years	26%	31%
More than 35 years	10%	11%
Mother's Ethnicity		
Hispanic	08%	04%
Non-Hispanic	92%	96%
White	90%	87%
Black	06%	09%
Asian or Pacific Islander	03%	03%
American Indian or Native Alaskan	01%	<01%
Socioeconomic Indicators	State	County
Mother's Education		
Less than high school	07%	06%
High school	21%	17%
Some college	33%	29%
College graduate (Bachelor's degree)	27%	32%
Graduate school	12%	16%
Household Income		
Less than \$10,000	11%	09%
\$10,000 - \$19,999	08%	06%
\$20,000 - \$29,999	09%	08%
\$30,000 - \$39,999	08%	08%
\$40,000 - \$49,999	07%	06%
\$50,000 or more	56%	63%
Information Received in 12 Months Prior to Becoming Pregnant	State	County
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	44%	51%
Smoking	30%	34%
Drinking alcohol	26%	31%
Your weight	25%	30%
Regular exercise	28%	34%
How romantic relationships affect your health	11%	10%
Oral health	23%	26%
Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant	32%	24%

Behavioral Indicators During Pregnancy	State	County
No Birth Control was Used at Time of Conception	88%	88%
Unintended Pregnancy and Did NOT Use Birth Control	72%	70%
Visited a dentist during pregnancy		
Yes	57%	66%
No	43%	34%
Diagnosed with depression during pregnancy		
Yes	03%	04%
No	85%	84%
No – Diagnosed before pregnancy	11%	12%
Take prescription medicine for depression during pregnancy		
Yes	52%	57%
No	32%	28%
No – Doctor told me to stop	05%	039
No – I decided to stop	11%	13%
Receive counseling for depression during pregnancy		
Yes	29%	319
No	71%	69%
Smoked within the past 2 years		
Yes	19%	169
No	81%	849
Cigarettes Smoked Per Day During Last 3 Months of Pregnancy		
Zero cigarettes per day	54%	51%
1-10 per day	41%	45%
11-20 per day	05%	03%
More than 20 per day	01%	019
Prenatal Care	State	Count
Mother received prenatal care as early in the pregnancy as wanted		
I did not have any problems getting prenatal care	91%	919
I couldn't get an appointment when I wanted one	01%	139
I had difficulty paying for my visits	01%	089
I had no way to get to the clinic of doctor's office I couldn't take time off from work	01% 01%	059
The doctor of my health plan would not start care as early as I wanted	<01%	039 029
I had problems signing up for Medicaid/Title 19	01%	027
My Medicaid coverage was dropped during my pregnancy	<01%	05%
I had no one to take care of my children	<01%	029
I had too many other things going on	<01%	019
I didn't want anyone to know I was pregnant	<01%	<019
Other	<01%	<019
Ever refused prenatal care during pregnancy		
Ever refused prenatal care during pregnancy Yes	01%	01%

	State	County
HIV/AIDS Testing During Pregnancy		
Yes	44%	45%
No	28%	29%
No, Testing was offered, but did not want to be tested	02%	02%
Don't know	27%	25%
Syphilis Testing During Pregnancy		
Yes	36%	37%
No	26%	27%
No, Testing was offered, but did not want to be tested	01%	01%
Don't know	37%	36%
Hospital Services	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After		
Birth of the Baby		
Birth of the Baby Yes	84%	84%
•	84% 13%	84% 14%
Yes		
Yes No	13%	14%
Yes No Don't remember	13%	14%
Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other	13%	14%
Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:	13% 03%	14% 02%
Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Action steps to decrease frustration when infant cries	13% 03% 47%	14% 02% 56%