IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2016 SURVEYS

2016 Respondents from All Hospitals in Iowa: 21,928

2016 Respondents with Babies Born in Union County: 17*

*Because of the small number of cases, data may not be representative of the entire population of new mothers whose babies were in this county.

Demographic Indicators	State	County
Mother's Age		
Less than 18 years	01%	<1%
18-19 years	03%	<1%
20-25 years	26%	35%
26-30 years	36%	47%
31-35 years	25%	12%
More than 35 years	08%	06%
Mother's Ethnicity		
Hispanic	07%	<1%
Non-Hispanic	93%	100%
Black	05%	<1%
White	91%	100%
Asian or Pacific Islander	03%	<1%
American Indian or Native Alaskan	01%	<1%

Socioeconomic Indicators	State	County
Mother's Education		
Less than high school	07%	06%
High school	20%	12%
Some college	34%	53%
College graduate (Bachelor's degree)	27%	18%
Graduate school	11%	12%
Household Income		
Less than \$10,000	12%	06%
\$10,000 - \$19,999	09%	29%
\$20,000 - \$29,999	09%	18%
\$30,000 - \$39,999	09%	18%
\$40,000 - \$49,999	08%	<1%
\$50,000 or more	53%	29%

Information Received in 12 Months Prior to Becoming Pregnant	State	County
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	46%	41%
Smoking	35%	41%
Drinking alcohol	31%	29%
Your weight	29%	29%
Regular exercise	32%	18%
How romantic relationships affect your health	13%	18%
Did not see a doctor, nurse, or other health care professional for a check-up	31%	53%
in the 12 months prior to becoming pregnant		

Behavioral Indicators During Pregnancy	State	County
No Birth Control was Used at Time of Conception	87%	94%
Unintended Pregnancy and Did NOT Use Birth Control	70%	86%
Plan to return to work outside of home following birth of this baby		
Yes	73%	71%
No	27%	29%
Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk		
Yes	52%	42%
No	30%	33%
Don't Know	18%	25%
Does worksite have written policy about breastfeeding?		
Yes	21%	25%
No	28%	33%
Don't Know	51%	42%
Cigarettes Smoked During Last 3 Months of Pregnancy		
Not smoked in past 2 years	77%	53%
Zero cigarettes per day	55%	57%
1-10 per day	40%	43%
11-20 per day	05%	<1%
More than 20 per day	01%	<1%
Alcoholic Drinks During Last 3 Months of Pregnancy		
Not had any alcoholic drinks in past 2 years	28%	41%
Zero drinks per week	98%	100%
1 drink per week	01%	<1%
2 drinks per week	<1%	<1%
3 or more drinks per week	<1%	<1%

Mother received prenatal care as early in the pregnancy as wantedYes94%100%No06%<1%No prenatal care01%<1%Where mother went for most of prenatal care78%88%Midwife's office or loinic78%88%Midwife's office or home office from a midwife07%<1%Public clinic15%12%Other<1%<1%HIV/AIDS Testing During Pregnancy26%29%No, Testing was offered, but did not want to be tested03%<1%Don't know24%35%Received Flu Shot During Pregnancy24%35%Ves64%75%75%No, Received flu shot before became pregnant07%<1%No, Doctor said to wait util after pregnancy13%<1%No, Dot ever get flu shots14%19%No, Flu shot was not available02%06%Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby22%21%Yes26%81%12%During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:22%<1%Breastfeeding or breastfeeding techniques83%71%<1%Action steps to decrease frustration when infant cries43%59%How to lay the baby down to sleep56%71%Dangers of shaking an infant41%59%Did not receive any information and have not schedul	Prenatal Care	State	County
No06%<1%No prenatal care01%<1%	Mother received prenatal care as early in the pregnancy as wanted		
No prenatal care01%<1%Where mother went for most of prenatal care Private doctor's office or clinic78%88%Midwife's office or home office from a midwife07%<1%	Yes	94%	100%
Where mother went for most of prenatal carePrivate doctor's office or clinic78%88%Midwife's office or home office from a midwife07%<1%	No	06%	<1%
Private doctor's office or clinic78%88%Midwife's office or home office from a midwife07%<1%	No prenatal care	01%	<1%
Private doctor's office or clinic78%88%Midwife's office or home office from a midwife07%<1%	Where mother went for most of prenatal care		
Public clinic15%12% ChterOther<1%	·	78%	88%
Other<1%<1%HIV/AIDS Testing During PregnancyYes48%No26%No, Testing was offered, but did not want to be tested03%Don't know24%Received Flu Shot During PregnancyYes64%No, Received flu shot before became pregnant07%No, Did not want flu shot during pregnancy13%No, Doctor said to wait until after pregnancy13%No, Flu shot was not available02%Off06%Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby12%Yes86%No12%During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:Breastfeeding techniques83%Breastfeeding techniques43%Action steps to decrease frustration when infant cries43%How to lay the baby down to sleep56%Dangers of shaking an infant41%System56%	Midwife's office or home office from a midwife	07%	<1%
HIV/AIDS Testing During PregnancyYes48%35%No26%29%No, Testing was offered, but did not want to be tested03%<1%	Public clinic	15%	12%
Yes48%35%No26%29%No, Testing was offered, but did not want to be tested03%<1%	Other	<1%	<1%
Yes48%35%No26%29%No, Testing was offered, but did not want to be tested03%<1%	HIV/AIDS Testing During Pregnancy		
No26%29%No, Testing was offered, but did not want to be tested03%<1%		48%	35%
No, Testing was offered, but did not want to be tested03% 24%<1% 24%Don't know24%35%Received Flu Shot During Pregnancy64%75% 7%Yes64%75%No, Received flu shot before became pregnant07% 41%41%No, Did not want flu shot during pregnancy13% 41%41%No, Doctor said to wait until after pregnancy01% 41%41%No, Do not ever get flu shots14% 19%19%No, Flu shot was not available02%06%Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes86% 81%No12% 19%19%Don't remember02% 41%19%During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques83% 43% 59% How to lay the baby down to sleep 56% 71%56% 71% 59%			
Don't know24%35%Received Flu Shot During PregnancyYes64%75%No, Received flu shot before became pregnant07%<1%			
Yes64%75%No, Received flu shot before became pregnant07%<1%			35%
Yes64%75%No, Received flu shot before became pregnant07%<1%	Received Flu Shot During Pregnancy		
No, Received flu shot before became pregnant07%<1%No, Did not want flu shot during pregnancy13%<1%		64%	75%
No, Did not want flu shot during pregnancy13%<1%No, Doctor said to wait until after pregnancy01%<1%			
No, Doctor said to wait until after pregnancy01%<1%No, Do not ever get flu shots14%19%No, Flu shot was not available02%06%Hospital ServicesStateCountyHospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes86%81%No12%19%Don't remember02%<1%			
No, Do not ever get flu shots14%19%No, Flu shot was not available02%06%Hospital ServicesStateCountyHospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby6%81%Yes86%81%No12%19%Don't remember02%<1%			
No, Flu shot was not available02%06%Hospital ServicesStateCountyHospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby6%81%Yes86%81%No12%19%Don't remember02%<1%			
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the BabyYes86%81%No12%19%Don't remember02%<1%	-	02%	
of the BabyYes86%81%No12%19%Don't remember02%<1%	Hospital Services	State	County
Yes86%81%No12%19%Don't remember02%<1%			
No Don't remember12% 19% 02%19% During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques83% 83%71% 71%	•	/	- · · · /
Don't remember02%<1%During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:			
During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:StateBreastfeeding or breastfeeding techniques83%71%Action steps to decrease frustration when infant cries43%59%How to lay the baby down to sleep56%71%Dangers of shaking an infant41%59%	-		
Healthcare Professional Provided Information or Scheduled a Time toDiscuss:Breastfeeding or breastfeeding techniques83%71%Action steps to decrease frustration when infant cries43%59%How to lay the baby down to sleep56%71%Dangers of shaking an infant41%59%	Don't remember	02%	<1%
Breastfeeding or breastfeeding techniques83%71%Action steps to decrease frustration when infant cries43%59%How to lay the baby down to sleep56%71%Dangers of shaking an infant41%59%	Healthcare Professional Provided Information or Scheduled a Time to		
Action steps to decrease frustration when infant cries43%59%How to lay the baby down to sleep56%71%Dangers of shaking an infant41%59%		83%	71%
How to lay the baby down to sleep56%71%Dangers of shaking an infant41%59%			
Dangers of shaking an infant41%59%	•		

Technical Note: Because percentages were rounded, the sum of values may not equal 100%.

For more information: Call the University of Northern Iowa Center for Social & Behavioral Research: (319) 273-2105. *Data source:* Iowa Barriers to Prenatal Care Project, Iowa Department of Public Health, University of Northern Iowa Center for Behavioral Research: 2016 Data.