IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2014 SURVEYS

2014 Respondents from All Hospitals in Iowa: 24,696 2014 Respondents with Babies Born in Black Hawk: 1,149

Demographic Indicators	State	County
Mother's Age		
Less than 18 years	01%	01%
18-19 years	04%	03%
20-25 years	28%	29%
26-30 years	35%	36%
31-35 years	25%	25%
More than 35 years	07%	06%
Mother's Ethnicity		
Hispanic	07%	04%
Non-Hispanic	93%	96%
White	91%	83%
Black	05%	13%
Asian or Pacific Islander	03%	03%
American Indian or Native Alaskan	01%	01%
Socioeconomic Indicators	State	County
Mother's Education		County
Less than high school	08%	08%
High school	19%	20%
Some college	36%	33%
College graduate (Bachelor's degree)	27%	28%
Graduate school	10%	11%
Household Income		
Household Income Less than \$10,000	14%	19%
	14% 10%	19% 09%
Less than \$10,000		
Less than \$10,000 \$10,000 - \$19,999	10%	09%
Less than \$10,000 \$10,000 - \$19,999 \$20,000 - \$29,999	10% 10%	09% 09%

Information Received in 12 Months Prior to Becoming Pregnant	State	County
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	47%	46%
Smoking	37%	41%
Drinking alcohol	32%	36%
Your weight	30%	34%
Regular exercise	33%	36%
How romantic relationships affect your health	13%	15%
Did not see a doctor, nurse, or other health care professional for a check-up	34%	30%
in the 12 months prior to becoming pregnant		
Behavioral Indicators During Pregnancy	State	County
No Birth Control was Used at Time of Conception	86%	87%
Unintended Pregnancy and Did NOT Use Birth Control	68%	73%
Plan to return to work outside of home following birth of this baby		
Yes	72%	74%
No	28%	26%
Does worksite have designated room/location (not counting bathroom		
stalls) for mothers to breastfeed or pump/express their breast milk		
Yes	48%	48%
No	32%	31%
Don't Know	19%	21%
Does worksite have written policy about breastfeeding?		
Yes	18%	18%
No	30%	28%
Don't Know	52%	54%
Cigarettes Smoked During Last 3 Months of Pregnancy		
Not smoked in past 2 years	77%	74%
Zero cigarettes per day	03%	13%
1-10 per day	13%	11%
11-20 per day	06%	02%
More than 20 per day	01%	00%
Alcoholic Drinks During Last 3 Months of Pregnancy		
Not had any alcoholic drinks in past 2 years	23%	31%
Zero drinks per week	26%	68%
1 drink per week	32%	01%
2 or more drinks per week	41%	00%

Prenatal Care	State	County
Mother received prenatal care as early in the pregnancy as wanted		
Yes	93%	93%
No	07%	07%
Where mother went for most of prenatal care		
Private doctor's office or clinic	81%	82%
Midwife's office or home office from a midwife	05%	13%
Public clinic	13%	03%
Other	01%	01%
HIV/AIDS Testing During Pregnancy		
Yes	50%	49%
No	25%	26%
No, Testing was offered, but did not want to be tested	04%	04%
Don't know	22%	20%
Received Flu Shot During Pregnancy		
Yes	62%	53%
No, Received flu shot before became pregnant	07%	08%
No, Did not want flu shot during pregnancy	13%	19%
No, Doctor said to wait until after pregnancy	01%	01%
No, Do not ever get flu shots	14%	17%
No, Flu shot was not available	02%	02%
Hospital Services	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby		
Yes	83%	83%
No	15%	15%
Don't remember	03%	03%
During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other		
Healthcare Professional Provided Information or Scheduled a Time to		
Discuss: Proactfooding or broactfooding techniques	700/	760/
Breastfeeding or breastfeeding techniques Action stops to decrease frustration when infant cries	78%	76% 49%
Action steps to decrease frustration when infant cries	49%	
How to lay the baby down to sleep	56%	58%
Dangers of shaking an infant Did not receive any information and have not scheduled a time to discuss	48%	51%
Did not receive any information and have not scheduled a time to discuss	09%	09%

Technical Note: Because percentages were rounded, the sum of values may not equal 100%. *For more information*: Call the University of Northern Iowa Center for Social & Behavioral Research: (319) 273-2105.

Data source: Iowa Barriers to Prenatal Care Project, Iowa Department of Public Health, University of Northern Iowa Center for Behavioral Research: 2014 Data.