## IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2019 SURVEYS

2019 Respondents from All Hospitals in Iowa: 19,007 2019 Respondents with Babies Born in Fremont County: 58\*

\*Because of the small number of cases, data may not be representative of the entire population of new mothers whose babies were in this county.

| Demographic Indicators  | State | County |
|---|-------|--------|
| Mother's Age  |       |        |
| Less than 18 years  | 01%   | 04%    |
| 18-19 years   | 03%   | 07%    |
| 20-25 years   | 24%   | 37%    |
| 26-30 years   | 37%   | 30%    |
| 31-35 years   | 26%   | 18%    |
| More than 35 years  | 10%   | 05%    |
| Mother's Ethnicity  |       |        |
| Hispanic  | 08%   | 03%    |
| Non-Hispanic  | 92%   | 97%    |
| White   | 90%   | 98%    |
| Black   | 06%   | 02%    |
| Asian or Pacific Islander   | 03%   | <01%   |
| American Indian or Native Alaskan   | 01%   | <01%   |
| Socioeconomic Indicators  | State | County |
| Mother's Education  |       |        |
| Less than high school   | 07%   | 21%    |
| High school   | 21%   | 33%    |
| Some college  | 33%   | 21%    |
| College graduate (Bachelor's degree)  | 27%   | 19%    |
| Graduate school   | 12%   | 07%    |
| Household Income  |       |        |
| Less than \$10,000  | 11%   | 26%    |
| \$10,000 - \$19,999   | 08%   | 19%    |
| \$20,000 - \$29,999   | 09%   | 07%    |
| \$30,000 - \$39,999   | 08%   | 07%    |
| \$40,000 - \$49,999   | 07%   | 06%    |
| \$50,000 or more  | 56%   | 35%    |
| Information Received in 12 Months Prior to Becoming Pregnant  | State | County |
| Doctor, Nurse, or Other Health Care Provider Talked About:  |       |        |
| Taking folic acid or a multivitamin   | 44%   | 38%    |
| Smoking   | 30%   | 29%    |
| Drinking alcohol  | 26%   | 21%    |
| Your weight   | 25%   | 21%    |
| Regular exercise  | 28%   | 24%    |
| How romantic relationships affect your health   | 11%   | 12%    |
| Oral health   | 23%   | 21%    |
| Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant | 32%   | 26%    |

| Behavioral Indicators During Pregnancy                                 | State | County |
|--|-------|--------|
| No Birth Control was Used at Time of Conception                        | 88%   | 78%    |
| Unintended Pregnancy and Did NOT Use Birth Control                     | 72%   | 55%    |
| Visited a dentist during pregnancy                                     |       |        |
| Yes  | 57%   | 53%    |
| No   | 43%   | 47%    |
| Diagnosed with depression during pregnancy                             |       |        |
| Yes  | 03%   | 12%    |
| No   | 85%   | 67%    |
| No – Diagnosed before pregnancy  | 11%   | 21%    |
| Take prescription medicine for depression during pregnancy             |       |        |
| Yes  | 52%   | 79%    |
| No   | 32%   | 11%    |
| No – Doctor told me to stop  | 05%   | <01%   |
| No – I decided to stop   | 11%   | 11%    |
| Receive counseling for depression during pregnancy                     |       |        |
| Yes  | 29%   | 42%    |
| No   | 71%   | 58%    |
| Smoked within the past 2 years   |       |        |
| Yes  | 19%   | 33%    |
| No   | 81%   | 67%    |
| Cigarettes Smoked Per Day During Last 3 Months of Pregnancy            |       |        |
| Zero cigarettes per day  | 54%   | 58%    |
| 1-10 per day   | 41%   | 32%    |
| 11-20 per day  | 05%   | 11%    |
| More than 20 per day   | 01%   | <01%   |
| Prenatal Care  | State | County |
| Mother received prenatal care as early in the pregnancy as wanted      |       |        |
| I did not have any problems getting prenatal care                      | 91%   | 91%    |
| I couldn't get an appointment when I wanted one                        | 01%   | <01%   |
| I had difficulty paying for my visits                                  | 01%   | <01%   |
| I had no way to get to the clinic of doctor's office                   | 01%   | <01%   |
| I couldn't take time off from work                                     | 01%   | <01%   |
| The doctor of my health plan would not start care as early as I wanted | <01%  | <01%   |
| I had problems signing up for Medicaid/Title 19                        | 01%   | 40%    |
| My Medicaid coverage was dropped during my pregnancy                   | <01%  | <01%   |
| I had no one to take care of my children                               | <01%  | <01%   |
| I had too many other things going on                                   | <01%  | <01%   |
| I didn't want anyone to know I was pregnant                            | <01%  | <01%   |
| Other  | <01%  | <01%   |
| Ever refused prenatal care during pregnancy                            |       |        |
| Yes  | 01%   | <01%   |
| No   | 99%   | 100%   |

|  | State             | County            |
|--|-------------------|-------------------|
| HIV/AIDS Testing During Pregnancy  |                   |                   |
| Yes  | 44%               | 32%               |
| No   | 28%               | 23%               |
| No, Testing was offered, but did not want to be tested   | 02%               | 02%               |
| Don't know   | 27%               | 44%               |
| Syphilis Testing During Pregnancy  |                   |                   |
| Yes  | 36%               | 32%               |
| No   | 26%               | 26%               |
| No, Testing was offered, but did not want to be tested   | 01%               | 02%               |
| Don't know   | 37%               | 40%               |
|  |                   |                   |
| Hospital Services  | State             | County            |
| Hospital Services  Hospital Staff Encouraged Breastfeeding During First 24 Hours After   | State             | County            |
|  | State             | County            |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After  | State<br>84%      | County<br>85%     |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby  |                   |                   |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes  | 84%               | 85%               |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No   | 84%<br>13%        | 85%<br>11%        |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember  | 84%<br>13%        | 85%<br>11%        |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember  During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other   | 84%<br>13%        | 85%<br>11%        |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember  During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:  | 84%<br>13%<br>03% | 85%<br>11%<br>04% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember  During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Action steps to decrease frustration when infant cries | 84%<br>13%<br>03% | 85%<br>11%<br>04% |