

IOWA DEPARTMENT OF NATURAL RESOURCES

Iowa Fishing Report Conservation and Recreation



Top Iowa Fishing Spots for the Week of Nov. 3

November Fishing Podcast

- NORTHWEST
- NORTHEAST
- MISSISSIPPI RIVER
- SOUTHEAST
- SOUTHWEST

NORTHWEST

Black Hawk Lake

Water levels are about 14 inches below the crest of the spillway. The walleye and panfish action has picked up. Black Crappie - Fair: Fish are 8- to 11-inches. Panfish action has picked up with the cooler water temperatures. Try along Ice House Point and around the fish house and stone piers in Town Bay. Channel Catfish - Fair: Try crawlers on the bottom, minnows or cut bait along shore. Walleye - Fair: Anglers are picking up walleye from shore and by boat. Throw twisters or crankbaits or fish crawlers or leeches under a bobber from shore. Anglers have picked up fish along Ice House Point, near the Ice House Point boat ramp and along the inlet bridge. Yellow Perch - Good: Anglers are picking up perch on jigs, crawlers, and minnows under a bobber. Fishing from shore has been productive; try along Ice House Point shoreline and the inlet bridge.

Browns Lake

Water levels remain low; use caution when launching boats.

Brushy Creek Lake

Water clarity is about 3 feet. Water levels are below the crest of the spillway. Bluegill - Fair: Drift jigs tipped with crawlers in 5-15 feet of water anywhere along weed lines or near submerged trees. Largemouth Bass - Fair: Try plastics and traditional bass lures along submerged woody structure and weed lines near shore.

Storm Lake (incl Little Storm Lake)

All walleye between 19 and 25-inches must be immediately released unharmed at Storm Lake; no more than one walleye longer than 25-inches can be taken per day. Black Crappie - Fair. Channel Catfish - Fair: Storm Lake has a good population of 4-6 pound catfish. Try cut bait, liver or crawlers fished on the bottom along shore. Walleye - Fair: Anglers are picking up walleye along shore with live bait, twisters or crankbaits in mornings or evenings. White Bass - Fair: Use crawlers, crankbaits, or twisters along shore. Yellow Bass - Fair: Fish are 5- to 11-inches long. Use a small piece of crawler fished under a bobber.

Surface water temperatures are in the low 50s in most area lakes. Most boat ramp courtesy docks are still in. For more information, contact the Black Hawk District office at 712-657-2638.

Clear Lake

The fish cleaning station at McIntosh Woods is closed for the season. The courtesy docks at boat ramps will be removed any day. Clear Lake has a protected slot on walleye. All walleye between 17 and 22 inches must be immediately released unharmed. The daily limit is 3 with no more than one walleye longer than 22 inches may be taken per day. Walleye - Good: Evening fishing near vegetation, sand beach areas and the Ventura Grade has been good. Use plastics and live bait. White Bass - Fair: Anglers are catching white bass while targeting walleye and yellow bass. Yellow Bass - Fair: Warmer afternoons are best to find schooling yellow bass. Use small jigs, live bait, or cut bait. Yellow Perch - Fair: Try live bait and small jigs near vegetation beds.

Rice Lake

Any water west of the North boat ramp is a waterfowl refuge and is closed to all activity from Sept. 1st through the final day of the duck season. Bluegill - Slow. Yellow Perch - Slow: Try a piece of nightcrawler or small plastic jigs in the deeper water along the south shoreline.

Silver Lake (Worth)

Yellow Perch - Fair: Vertical jig in mid-lake areas with small jigs tipped with a piece of nightcrawler.

For information on the lakes and rivers in north central lowa, contact the Clear Lake Fish and Wildlife office at 641-357-3517.

East Okoboji Lake

Lake temperature is in the upper 40s. The water level is 10 inches below crest. There has been a fairly good crappie, bluegill and yellow perch bite recently. Walleye fishing is picking up. Try fishing under structure or over the top of vegetation. **Black Crappie** - Good: Try small jigs tipped with a minnow or tube jig and bobber. **Bluegill** - Fair: Use tube jigs, plastics or other small jigs. **Walleye** - Fair: Try crawler harnesses, crankbaits and minnows. **Yellow Perch** - Fair: Minnows work well; some sorting may be needed.

Lost Island Lake

Walleye – Good: Try spinners, crankbaits and shallow shad raps. Evening bite is improving as the water cools.

Minnewashta Lake

Bluegill and crappie fishing has been good; some sorting may be needed.

Silver Lake (Dickinson)

The walleye bite has picked up as water temperatures cool. There is currently an algae bloom. **Walleye** - Good: Use spinners, crankbaits and long and shallow shad raps.

Spirit Lake

The lake is 13 inches below crest. **The walleye season is open**. The water temperature is in the upper 40s. Find structure to fish over or docks and hoists to fish under. **Muskellunge** - Good: Try crankbaits, buck tails and rubber baits. **Walleye** - Good: The bite is hit-or-miss at dusk, but the day bite is improving. Many anglers have started to fish in shallower with slip bobbers along weed edges. Try spinners, crankbaits and long and shallow shad raps; look for weed lines to troll or jig off of. **Yellow Perch** - Good: Use small jigs tipped with a minnow. Sorting may be needed.

West Okoboji Lake

Water temperature is in the low 50s. The water level is 10 inches below crest. A lot of fish are being caught in shallower water under structure or over weed beds. **Black Crappie** - Fair: Try small jigs tipped with a minnow. **Bluegill** - Good: Use tube jigs, plastics or other small jigs. **Muskellunge** - Fair: Try crankbaits, buck tails and rubber lures. **Walleye** - Fair: Crawler harnesses, crankbaits and minnows work well. **Yellow Perch** - Fair: Use small jigs tipped with a minnow. Sorting may be needed.

Area lake temperatures are dropping consistently lately with many in the upper 40s. The walleye bite around the area is picking up. Fishing around hoists and docks has been good, but a majority of them have been pulled out for the season. Most courtesy docks at ramps are still in. Lake levels are low, making points and shallow boat ramps more hazardous. For current conditions, call the Spirit Lake District Office at 712-336-1840.

NORTHEAST

Cedar River (above Nashua)

Water levels are very low, limiting some boat accesses. Try fishing in the deeper pools as water cools. **Channel Catfish** - Good: Dead chubs fished on the river bottom work well for a hungry catfish. The bite is light, so let them work it a bit before setting the hook. **Northern Pike** - Fair: Find pike in pools. Use a steel leader with a shiny lure. **Smallmouth Bass** - Fair: Smallie bite is variable. Try artificial lures or a lure tipped with a minnow around rocky outcroppings or ledges. **Walleye** - Good: Use a jig tipped with a minnow or worm near the bottom of deeper holes at dawn and dusk.

Decorah District Streams

2022 catchable stream trout stocking concluded October 31. Staff would like to thank all our trout anglers and supporters for making this season one of the best. Streams are in good condition. Hunting seasons are in full swing. Be visible to hunters. **Brook Trout** - Fair: Brookies are colored up for spawning. Look for small areas of freshly cleaned gravel; these are trout nests or redds. Please avoid walking on these. **Brown Trout** - Fair: Fall is brown trout spawning season. Walk carefully around freshly cleaned off gravel; these are trout nests or redds. Good hatches of midges on sunny days. **Rainbow Trout** - Good: Community trout stockings continue. Check the **DNR website** to find out when and where. Try fishing along grassed edges, undercut banks, pools, and around boulders.

Lake Hendricks

Water clarity is about 1 to 2 feet as temperatures drop. Best bite is in the evening as the water near shore warms. **Black Crappie** - Fair: Use a small minnow or lure in deeper water. **Bluegill** - Fair: Find gills along rocky shorelines. Use a small piece of worm fished under a bobber near shore. **Largemouth Bass** - Fair: Try a jig tipped with a plastic worm or nightcrawler.

Lake Meyer

Water clarity is improving as water temperatures drop. **Black Crappie** - Slow: Find crappie suspended in 10-13 feet of water. Use a jig tipped with a minnow or spinnerbait. **Bluegill** - Slow: Find bluegills along rocky shorelines in the evening. Try a small jig tipped with a small piece of worm. **Largemouth Bass** - Fair: Use a jig tipped with a plastic tail or nightcrawler.

Turkey River (above Clermont)

Water levels are low, but clear. Fish are moving to deeper water as the temperature drops. **Smallmouth Bass** - Good: Bass are taking a jig tipped with a variety of plastic tails. Run your lure along vegetated edges or woody debris. **Walleye** - Good: Find walleye in deeper pools or eddies. Use live bait.

<u>Upper Iowa River (above Decorah)</u>

Water levels are low, but clear. Find fish in deeper pools as temperatures drop. **Smallmouth Bass** - Good: Find smallies in eddies or near rock ledges. Use jigs tipped with a variety of plastics. **Walleye** - Good: Find walleye in deeper pools or near log jams or other woody debris.

Volga Lake

Water clarity is much improved. Try fishing at dusk and dawn. **Black Crappie** - Fair: Use minnows or small jigs in 5 to 8 feet of water. **Bluegill** - Slow: Find gills along rocky shoreline. Use a small jig tipped with a small piece of worm under a bobber. **Channel Catfish** - Fair: Use a dead chub, worm or squished minnow fished on the bottom in 10 feet or less of water near stumps or other woody structure. **Largemouth Bass** - Fair: Try crankbaits or jigs with plastic tails.

Rain forecast for the weekend beginning Friday. Temperatures falling from the 70s to 50s with lows in the upper 30s. Rivers and streams are low with excellent clarity; many are low, limiting boat access. Depending on rainfall amounts, streams may rise and turn off-color. For current fishing information, please call the Chuck Gipp Decorah Fish Hatchery at 563-382-8324.

Casey Lake (aka Hickory Hills Lake)

Anglers report catching crappies. **Black Crappie** - Good: Try a minnow under a slip bobber around structure in 8-12 feet of water.

Cedar River (Nashua to La Porte City)

Black Crappie - Fair: Anglers are catching some crappie on the river. Find brush piles or armored banks with a crappie minnow under a slip bobber. **Smallmouth Bass** - Good: Smallmouth bite has picked up. Cast crankbaits or jig and crawler rigs near rocky or rip-rap shorelines. **Walleye** - Good: Try a jig and crawler or cast crankbaits.

Heritage Pond

Heritage Pond was stocked with rainbow trout recently. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good: Cast and retrieve flashy spinnerbaits.

Maquoketa River (above Monticello)

Anglers report catching walleye and smallmouth bass on the Maquoketa River in Manchester and below the Lake Delhi Dam.

North Prairie Lake

North Prairie Lake was stocked with rainbow trout recently. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good: Cast and retrieve flashy spinnerbaits.

Shell Rock River (Greene to Shell Rock)

Smallmouth Bass - Good: Smallmouth bite has picked up. Cast crankbaits or jig and crawler rigs near rocky or rip-rap shorelines. **Walleye** - Good: Try a jig and crawler or cast crankbaits.

Wapsipinicon River (Tripoli to Troy Mills)

Smallmouth Bass - Good: Smallmouth bite has picked up. Cast crankbaits or jig and crawler rigs near rocky or rip-rap shorelines. **Walleye** - Good: Try a jig and crawler or cast crankbaits.

Interior rivers remain low and are in excellent condition for angling opportunities. Walleye and smallmouth bass are biting well on plastics. The lakes in and around Black Hawk County have been slow. Trout streams are in excellent condition. Contact your local area bait shops for the most recent hot spots. For more information, contact the Manchester Hatchery at 563-927-3276.

MISSISSIPPI RIVER

Mississippi River Pool 9

Water level is 8.0 feet at Lansing and is expected to remain steady this week. Water temperature is 52 degrees. Fish are biting to prepare for winter. Live minnows work well on a variety of species. Black Crappie - Fair: Catch bigger crappie on crappie minnows and hair jigs. Bluegill - Good: Bluegills are moving to less current. Use light tackle tipped with piece of worm along the weed edges in backwaters. Largemouth Bass - Good: Cast jigs or jerk baits in woody cover in the shallows of backwaters. Sauger - Good: Sauger are starting to bite as water temperatures cool. Try vertical jigging with a minnow in side channels and near Lock and Dam tailwaters. Walleye - Good: Walleye are moving into the Lock & Dam tailwaters. Bounce a jig and minnow off the bottom. Best bite is in the evenings. Yellow Perch - Good: Use a jig and minnow fished in the backwaters.

Mississippi River Pool 10

Water level is stable 612.6 feet at Lynxville. Water temperature is 54 degrees at the Lynxville dam. Water clarity is good. The bite has picked up as fish are feeding to prepare for winter. Live minnows work well on a variety of species. **Black Crappie** - Good: Catch bigger crappie on crappie minnows and hair jigs. **Bluegill** - Good Bluegills are moving to less current. Use light tackle tipped with piece of worm along the weed edges in backwaters. **Largemouth Bass** - Fair: Cast jigs or jerk baits in woody cover in the shallows of backwaters. **Sauger** - Good: Sauger are starting to bite as water temperatures cool. Try vertical jigging with a minnow in side channels and near Lock and Dam tailwaters. **Walleye** - Good: Walleye are moving into the Lock & Dam tailwaters. Bounce a jig and minnow off the bottom. Best bite is in the evenings. **Yellow Perch** - Fair: Use a jig and minnow fished in the backwaters.

Mississippi River Pool 11

Water level is low and stable around 4.6 feet at Guttenberg. Water temperature is 51

degrees. Fish are feeding to prepare for winter. Live minnows work well on a variety of species. Black Crappie - Fair: Catch bigger crappie on crappie minnows and hair jigs. Bluegill - Good: Bluegills are moving to less current. Use light tackle tipped with piece of worm along the weed edges in backwaters. Largemouth Bass - Good: Cast jigs or crankbaits in woody cover in the shallows of backwaters. Sauger - Good: Sauger are starting to bite as water temperatures cool. Try vertical jigging with a minnow in side channels and near Lock and Dam tailwaters. Walleye - Good: Walleye are moving into the Lock & Dam tailwaters. Bounce a jig and minnow off the bottom. Best bite is in the evenings. Yellow Perch - Fair: Use a jig and minnow fished in the backwaters.

Upper Mississippi River levels are low and stable. Water temperature is in the mid-50s. Panfish are moving into over-wintering backwater areas. Boaters are advised to use caution to avoid backing off the end of ramps with the extreme low water levels. Walleye slot length limits now apply on the entire lowa border of the Mississippi River. All walleyes less than 15 inches long and between 20-27 inches must be immediately released. One walleye over 27 inches may be kept. Walleye/sauger combined daily limit 6/possession 12.

Mississippi River Pool 12

The water level is 5.1 feet at Lock and Dam 11 and 7.4 feet at the RR bridge. Use caution to avoid backing a boat off the ends of the boat ramps with the low river levels. Water temperature is around 52 degrees; the water is clear. Black Crappie - Good: Use s small jig tipped with a minnow in areas around fallen brush. Bluegill - Slow: Try fishing the deeper sloughs around brush piles and rock lines. Rock lines in the tailwater has also been good. Freshwater Drum -Good: An egg sinker and worm rig fished in moderate current works best. Largemouth Bass -Good: Bass will start to feed heavily on shad; try minnow imitation plastics and crankbaits. Lotus pads around 4 feet deep can be ideal. Bass will feed on shad right up to ice-up conditions. Look for wind-swept backwater areas with lots of sun. Northern Pike - Good: Pike are chasing shad, just like bass are doing. Use gaudy white spinnerbaits. Fall is a good time to target pike. Sauger - Good: The walleye and sauger bite has been up and down all year. Some anglers are targeting walleyes with cranks on the edges of the wing-dams or on rock piles. One-eye jigs also have been very popular. Smallmouth Bass - Good: Target smallmouth in moderate current areas with lots of rock. White Bass - Excellent: Look for feeding schools hitting the water surface. Use white jigs or small spinners. Yellow Perch - Fair: Lots of yellow perch are being caught in nearly all habitats; worm and bobber works best. Mostly small fish are being caught.

Mississippi River Pool 13

The water level is 4.0 feet at Lock and Dam 12 at Bellevue. Use caution to avoid backing a boat off the ends of the boat ramps with the low river levels. Water clarity is excellent. Water temperature is 52 degrees. **Black Crappie** - Good: Use small jigs and minnows in brush piles in the larger sloughs. Some good reports with other anglers having difficulty and moving often. Some anglers are using slip bobbers to fish deeper sloughs. **Bluegill** - Good: Try a floating bobber and worm along rock lines. Fish will start to move to over-wintering sites when the water temperatures hit the lower 40s. **Freshwater Drum** - Excellent: A simple worm rig fished on the bottom in moderate current areas will produce plenty of drum. **Largemouth Bass** - Excellent: Bass fishing will heat up as they start to feed heavily on shad. Bass can be caught right up to ice-up. When it gets cold, try fishing in the wind-swept warmer water that gets a lot of sunlight. **Northern Pike** - Good: Use gaudy white spinnerbaits in backwater areas. They will bite right up to ice-up as they are feeding heavily on shad. **Smallmouth Bass** - Good: Try

fishing rock lines with moderate current or out to the tips of the wing-dams. **Walleye** - Good: Walleye and sauger angling has been up and down. Try cranks on the edges of wing-dams and rock piles. **White Bass** - Excellent: Use small white jigs or spinners.

Mississippi River Pool 14

The water level is 4.5 feet at Fulton, 9.3 feet at Camanche and 4.2 feet at LeClaire. Water clarity is excellent. Water temperature is in the low 50s. Use caution to avoid backing a boat off the ends of the boat ramps with the low river levels. **Black Crappie** - Good: Hit areas like Rock Creek backwaters near Camanche; try fishing in brush piles with deeper water near them. **Bluegill** - Good: Bobber and worms work best along old vegetation beds. Bluegill will be moving to deeper backwater areas. **Freshwater Drum** - Good: Use a worm and egg sinker rig in areas of moderate current. Drum are abundant on the Mississippi River and can be good eating if prepared correctly. **Largemouth Bass** - Excellent: Bass fishing will heat up as they start chasing gizzard shad in the backwater lakes. **Northern Pike** - Good: There are a lot of pike in Pool 14; target backwater areas with large gaudy spinnerbaits. **Smallmouth Bass** - Good: Try crankbaits and spinners fished in rock lines in moderate current areas. **Walleye** - Good: Use crankbaits on the wing-dams. Some anglers are starting to move to the Lock and Dam to target walleyes on jigs and one-eye jigging spoons. **White Bass** - Excellent: Find white bass feeding mainly in the tailwater areas. Use small white jigs or small spinners. **Yellow Perch** - Good: Lots of yellow perch are being caught; many are small.

Mississippi River Pool 15

The water level is 4.0 feet at Rock Island. Water clarity is excellent. Water temperature is 54 degrees. Use caution to avoid backing a boat off the ends of the boat ramps with the low river levels. **Freshwater Drum** - Good: Use an egg sinker and worm rig in moderate current areas. **Smallmouth Bass** - Good: Try crankbaits and small spinners along rock lines with moderate current. **Walleye** - No Report: Expect anglers to be fishing the tailwaters, mostly using a jig and minnow. **White Bass** - Good: Look for feeding schools of white bass, especially in the tailwater areas. Some hybrid striped bass can be caught within the white bass schools.

Fishing conditions are excellent on the Mississippi River. Water levels are low and stable throughout the district. Water temperature is in the low 50s. Water clarity is good. Use caution when backing off boat ramps with the low river levels. Use the minimum amount of ramp to float your boat to avoid backing off the ends of short ramps. If you have angling questions, please call the Bellevue Fisheries Management Station at 563-880-8781.

Mississippi River Pool 16

Tailwater stage is 3.99 feet at Lock and Dam 15 in the Quad Cities. Flood stage is 15 feet. We have not received any reports of tailwater fishing for walleyes and saugers. The bite should pick up as water temperature starts to drop. **Sauger** - No Report: Look for saugers below the dam and in Sylvan Slough. Try vertical jigging with minnows or trolling three-way rigs with minnows. **Walleye** - No Report: Look for walleye on the wing-dams. Cast crankbaits or troll three-way rigs with minnows. With the lower water conditions, most walleyes are being found out on the tips of the wing-dams. **White Crappie** - Fair: Look for crappies in the backwaters and side channels around brush piles. Try jigs and minnows or minnows under a bobber. Reports of crappies being caught in Sunset Marina.

Mississippi River Pool 17

Tailwater stage is 3.40 feet at Lock and Dam 16 in Muscatine. Flood stage is 15 feet. We have not received much for tailwater fishing reports for walleye and saugers. The bite should pick up

as water temperatures begin to fall. **Sauger** - Slow: A few boats have been out this past week, but fishing has been slow. As water temperatures start to fall, look for saugers in the tailwaters. Try vertical jigging with minnows. **Walleye** - No Report: Look for walleyes on the wing-dams. Cast crankbaits or troll three-way rigs with minnows. **White Crappie** - Fair: Look for crappies around brush piles and snags in the backwaters and side channels. Use jigs and minnows or minnows under a bobber in Big Timber or Cleveland Slough.

Mississippi River Pool 18

Tailwater stage is 3.24 feet at Lock and Dam 17 above New Boston. Flood stage is 15 feet. We have not received any tailwater reports for walleye and sauger fishing. The tailwater bite should pick up as water temperatures start to fall. **Sauger** - No Report: Look for saugers in the tailwaters. Try vertical jigging with minnows. **Walleye** - No Report: Look for walleyes on the wing-dams. Cast crankbaits or troll three-way rigs with minnows. **White Crappie** - No Report: Look for crappies around brush piles in the backwaters and sides channels. Try jigs and minnows or minnows under a bobber in the Huron Island complex.

Mississippi River Pool 19

Tailwater stage is 1.39 feet at Lock and Dam 18 above Burlington. Flood stage is 10 feet. We have not received any tailwater fishing reports for walleye and saugers. **Sauger** - No Report: Look for saugers below the Lock and Dam. Try vertical jigging with minnows. **White Crappie** - No Report: Use jigs and minnows or minnows under a bobber around brush piles in the backwaters and side channels.

Tailwater stages have fallen slightly this past week. Main channel water temperature is 55 degrees. Water clarity is fair. Tailwater fishing for walleye and sauger has been slow. River conditions are low; use caution when boating. If you have questions on fishing Pools 16-19, contact the Fairport Fish Hatchery at 563-263-5062.

SOUTHEAST

Big Hollow Lake

Water temperature is in the mid-50s. The fish are staying out in deeper water. **Black Crappie** - Fair: Try working the old creek channel down through the trees. The bite is hit-or-miss, but some anglers are catching them there. Mostly vertically jigging and moving spot to spot. Slow trolling through here doesn't work well, too many trees. **Bluegill** - Fair: Look for bluegill in 6-8 feet of water. They are working their way deeper.

Discovery Park Pond

Still plenty of trout left after a recent stocking. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Bluegill** - Fair: Trout anglers are picking up nice bluegills. **Rainbow Trout**: Good - Trout have made themselves at home; look for them around the fishing pier and off the points and corners of the dam. Those are the places they like to hide in every year.

East Lake Park Pond

Still plenty of trout left after a recent stocking. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow trout**: Good - It took them a little while to get use to there new home. With the more turbid water, use something with a little flash to get their attention.

Lake Belva Deer

Water temperature is 54-55 degrees in the afternoons. Water clarity is 6 feet. **Black Crappie** - Slow: Crappies are not moving with the warmer water temperatures. Work the face of the dam or the flooded trees in deeper water just out from the old pond's dam. **Bluegill** - Fair: Anglers out slow trolling for crappies are also catching some bluegills as they head out to deeper water. **Largemouth Bass** - Fair: Most bass being caught in shallow water are smaller fish. Bigger fish are sticking to deeper water.

Lake Darling

Water temperature is 54 degrees. Water clarity is good, but a little green color to the water. **Black Crappie** - Fair: Anglers are catching crappies over the cedars in 10-12 feet of water. **Bluegill** - Fair: Bluegills are staying out in 6-8 feet of water. Try jigs tipped with a worm or slip bobber rigs in rock piles in 4-5 feet of water if the weather stays warm. **Largemouth Bass** - Fair: A few 10- to 12-inch bass are coming in shallower to catch (eat) some of the green sunfish hanging out in the rip-rap.

Lost Grove Lake

Water temperature is 52 degrees. Water still has a little green cast to it, but the patches of scummy film of algae have broken up. **Bluegill** - Fair: Find bigger bluegills in 6 to 7 feet of water around the flooded brush. **Largemouth Bass** - Fair: Still picking up 10- to 12-inch bass in 4 to 5 feet of water around the rock piles and trees; most have moved t to deeper water along the old creek channel.

Wilson Lake

Still trout left after a recent stocking. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow trout**: Good - Trout have settled in. Look for them around the trees and cedars in 4 to 6 feet of water.

For more information on the above lakes call the Lake Darling Fisheries Office at 319-694-2430.

Coralville Reservoir

The current lake level is 685.3 feet. **Black Crappie** - Fair. **Channel Catfish**: Fair. **Walleye** - Slow.

Diamond Lake

The lake is reported as 3 feet low. The boat dock stays in year-round. **Black Crappie** - Good: Most fish are 8- to 9-inches. **Bluegill** - Fair. **Channel Catfish** - Fair.

Hannen Lake

Bluegill - Fair: Size has been good. **Channel Catfish** - Good: Nice-sized fish are reported. **Largemouth Bass** - Fair: Most fish are less than 15-inches.

<u>Iowa River (Marshalltown to Coralville Lake)</u>

Walleye- Good.

Lake Macbride

Water temperatures are in the low 50s. Any size motor may be operated at no wake (5 mph) speed. The boat docks have started to be removed; may all be out by the weekend. There are permanent slips at main ramp and north shore, and a plastic dock will remain at main ramp. **Black Crappie** - Fair. **Bluegill** - Fair. **Largemouth Bass** - Fair. **Walleye** - Slow.

Liberty Centre Pond

2000 rainbow trout were stocked recently. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good.

Pleasant Creek Lake

The fish cleaning station and modern bathrooms are shut down; docks will remain until ice-up. **Bluegill** - Fair: Try fishing the shallow structure. **Largemouth Bass** – Fair: There are lots of smaller fish around shallow structure. **Walleye** – Slow: A few walleye are being caught after dark.

Sand Lake

2000 rainbow trout were stocked recently. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good.

Union Grove Lake

The docks have been removed for the season. **Bluegill** - Fair. **Largemouth Bass** - Fair. **Walleye** - Slow.

Wapsipinicon River (Troy Mills to Oxford Junction)

The boat dock at Pinicon Ridge was removed due to low water, but the ramp will be open until snowfall. **Black Crappie** – Good: Use jigs or minnows over brush. **Bluegill** – Fair: Try jigs or worms over deeper rock or wood. **Largemouth Bass** – Fair: Use artificials around wood or deeper rock edges. **Northern Pike** - Fair. **Smallmouth Bass** – Fair: Try crankbaits or plastics along rock edges. **Walleye** –Fair: Use plastics or live bait in deeper holes.

For more information, contact the Lake Macbride Fisheries Station at 319-624-3615.

Lake Miami

Bluegill - Slow: Use small jigs around the submerged cedar tree piles and along the shoreline. **Channel Catfish** - Slow: Try dead chubs around the jetties and shoreline. **Largemouth Bass** - Slow: Use plastics around the jetties and cedar tree piles.

Lake Sugema

Black Crappie - Slow: Try small jigs or minnows fished around structure. **Bluegill** - Slow: Use small jigs around shorelines and on the edge of vegetated areas. **Largemouth Bass** - Fair: Try plastics around the rock jetties and along the face of the dam.

Lake Wapello

Black Crappie - Fair: Look for crappies to be close to structure. Try small jigs and minnows. **Bluegill -** Fair: Use small jigs around the cedar tree piles and rock jetties. **Largemouth Bass -** Fair: Try rubber worms or other plastics fished around the cedar tree piles.

Ottumwa Park Pond South (Trout Pond)

Trout were stocked recently. You need a valid fishing license and pay the trout fee to fish for or possess trout. Try small spinners or jigs.

Rathbun Reservoir

The current lake level is 903.41 msl; recreation pool is 904 msl. Water temperature is in the mid-50s. Prairie Ridge boat ramp and campground is closed. Bridgeview and Island View campgrounds are closed. Lake Rathbun has zebra mussels, so make sure to properly drain, clean and dry equipment before transporting to another waterbody. **Black Crappie** - Slow: Try jig and minnow combos around docks and over submerged structure. **Walleye** - Slow: Troll

nightcrawler rigs or crankbaits over underwater rock piles. **Wiper (Hybrid Striped Bass)** - Slow: Try vertically jigging around rock piles or trolling crankbaits near the old river channel.

Red Haw Lake

Red Haw State Park has partially reopened. Visitors can access the beach and north boat ramp area, but are asked to avoid the campground. **Bluegill** - Fair: Try small jigs along the shoreline and around structure. **Largemouth Bass** - Fair: Use plastics near structure and the rock jetties.

Contact the Rathbun Fish Hatchery at 641-647-2406 with questions about fishing in south central Iowa.

SOUTHWEST

Ada Hayden Heritage Park Lake

Trout were stocked last week. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good: Use small inline spinners, spoons, 1/8 ounce or smaller twister tail jigs or live bait under a float.

Big Creek Lake

Docks will start to be removed during the week of November 7. The Williams Drive Ramp dock will remain in until just before ice-up. **Walleye** - Fair: Try jigging or trolling live bait rigs or shad imitating plastics and crankbaits over humps, near points and where shallow flats drop off to deeper water. A good starting area is out from the marina around to the beach. Target depths of 10 to 20 feet during the day and as shallow as 5 feet after sunset.

Des Moines River (Stratford to Saylorville Lake)

Walleye - Fair: Try slowly retrieving jigs tipped with twister tails, paddle tails or live baits. Find areas of slow current with depths greater than 3 feet.

Lake Petocka

Trout were stocked last week. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good: Use small inline spinners, spoons, 1/8 ounce or smaller twister tail jigs or live bait under a float.

Red Rock Reservoir

White Bass - Fair: Drift or troll small plastics or live minnows in wind-protected coves off the main lake and Whitebreast Arm.

Terra Lake

Trout were stocked last week. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good: Use small inline spinners, spoons, 1/8 ounce or smaller twister tail jigs or live bait under a float.

Triumph Park West

Trout were stocked last week. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good: Use small inline spinners, spoons, 1/8 ounce or smaller twister tail jigs or live bait under a float.

For information on Central Iowa lakes and rivers contact Ben Dodd at 641-891-3795 or Andy Otting at 515-204-5885.

Big Lake (Including Gilbert's Pond)

Trout were stocked last week. You need a valid fishing license and pay the trout fee to fish for or possess trout. **Rainbow Trout** - Good: Try similar size tackle used for bluegill and crappie; nightcrawlers and minnows are good live bait options.

Greenfield Lake

Black Crappie - No Report: The lake has a good population of 9- to 10-inch black crappie. **Largemouth Bass** - Fair: Greenfield has a high percentage of 14- to 16-inch largemouth.

Lake Anita

Black Crappie - No Report: Look for crappies drifting the roadbeds and around deep tree piles. Fish average 9-inches. **Bluegill** - No Report: Look for bluegills around deep structure and along creek channel edges. **Largemouth Bass** - Fair: Lake Anita has a good bass population. Try casting the lily edges.

Meadow Lake

Black Crappie - Good: Vertical jig or cast minnows under a bobber to the cedar tree piles in the lake to catch 10-inch black crappie. **Bluegill** - Fair: Look for 8-inch fish around cedar tree piles.

Prairie Rose Lake

Black Crappie - Fair: Prairie Rose has a good population of 10-inch black crappie. Anglers are having success fishing brush piles with jigs under a bobber. **Bluegill** - Slow: Look for bluegills slow trolling or casting around structure; tipping jigs with crawler or powerbait helps. Fish will average 8.5-inches. **Largemouth Bass** - Fair: There is a high percentage of 14- to 16-inch bass in Prairie Rose.

Viking Lake

Black Crappie - Slow: Minnows and slip bobbers work well around tree piles. Fish average 9-inches. **Channel Catfish** - No Report: Channel catfish are in shallow water, especially the upper ends of coves. Cast cut bait close to flooded terrestrial vegetation. **Largemouth Bass** - Fair.

For information on lakes in the Southwest District call the Cold Springs office at 712-769-2587.

Little River Watershed Lake

The dock is in at main ramp. **Black Crappie** - Slow: Catch crappie up to 10.5-inches with jigs fished along rocky shorelines. **Bluegill** - Fair: Try nightcrawlers under a bobber fished in shallow coves to catch bluegills up to 8.5-inches. **Largemouth Bass** - Fair: Catch all sizes of largemouth bass with finesse plastics fished near cedar tree brush piles or rocky shoreline areas.

Three Mile Lake

Courtesy docks are in at the main ramp. **Bluegill** - Slow: Catch bluegill up to 8.5-inches with nightcrawlers under a bobber fished in shallow coves. **Walleye** - Fair: Try trolling crankbaits along the dam or fish the mounds to catch all sizes of walleye.

Twelve Mile Creek Lake

The dock is in at the main ramp. Black Crappie - Fair: Catch black crappie up to 11-inches

with jigs tipped with a minnow fished near cedar tree brush piles or rock piles. **Bluegill** - Slow: Use small jigs tipped with a nightcrawler fished near brush piles or shallow coves to catch bluegill up to 8.5-inches.

Water temperature is in the low to mid-50s at most Mount Ayr district lakes. For more information, call the Mount Ayr Fisheries office at 641-464-3108.

