Name of Agency: Public Health

Agency Mission: Protecting & Improving the Health of Iowans

Core Function	Outcome Measure(s)	Outcome Target(s)	Prior Year Actual	Link to Strategic Plan Goal(s)
Health				
Desired Outcomes Assure individual, community- & facility-based prevention, intervention, treatment, & support services to all lowans. Provide risk reduction & prevention services to maintain & improve health status & access to health services. Provide disease epidemiology services to families & communities in lowa.	Percent of Iowa adults who are obese 588_34_001	35.0%	35.3% (2018)	Goal 1: Strengthen the department's role as lowa's chief health strategist.
	Percent of lowa adults who are overweight 588_34_002	34.0%	34.1% (2018)	Goal 2: Strengthen the department's capability and capacity to improve population health through partnerships, communications, workforce development, and quality improvement (OI)
	Percent of lowa youth (10-17 years old) who are obese or overweight 588_34_008	34.0%	34.6% (2018)	improvement (QI). Goal 3: Implement a collaborative, department-wide approach to addressing lowa's top health issues.
	Age-adjusted cancer incidence rate (per 100,000 lowans). 588_34_004	465.0	473.6 (2016)	
Develop & implement a system of public health services ready to deal with outbreaks of infectious disease, food borne illness, &	Age-adjusted cancer death rate (per 100,000 lowans). 588_34_005	153.0	155.3 (2018)	
other public health threats or emergencies.	Age-adjusted death rate due to intentional injury (per 100,000 lowans) 588_34_009	17.2	18.4 (2018)	
	Age-adjusted death rate due to unintentional injury (per 100,000 lowans) 588_34_010	39.0	39.6 (2018)	
	Age-adjusted rate of hospitalization due to injury (per 100,000 lowans) 588_34_011	246.5	275.0 (2018)	

August 2020

Percent of lowa 2-year-olds fully immunized (4-3-1-3-3-1-4). 588_34100_007	90.0%	72.9% (2019)	
Percent of lowa adolescents (13-15 years old) fully immunized 588_34_012	90.0%	66.6% (2019)	
Births rate among females ages 15 to 17 (per 1,000 females ages 15 to 17) 588_34_003	6.4	6.6 (2019)	
Infant mortality rate among lowa babies 588_34_013	4.2	5.3 (2017)	
Percent of lowa babies breastfeeding at 12 months 588_34_014	42.6%	42.6% (2019)	
Percent of lowa children (9-35 months old) participating in a developmental screening 588_34_015	35.0%	34.2% (2018)	
Percent of lowa children (1-17 years old) receiving a preventative dental visit 588_34_016	87.0%	86.7% (2017-2018)	
Prevalence of substance use disorders among lowa adults 588_34_017	7.7%	9.1% (2017-2018)	
Prevalence of substance use disorders among lowa youth (12-17) 588_34_018	4.1%	4.2% (2017-2018)	

	Services, Products, Activities	Performance Measures	Performance Target(s)	Prior Year Actual	Strategies/Recommended Actions
1.	Increase the number of lowans who are at a healthy weight 588_34106	Percent of lowa adults eating at least one fruit each day. 588_34106_009	65%	63.4% (2017)	Develop, implement and improve activities in the following program areas: Diabetes Prevention and Management
		Percent of lowa adults eating at least one vegetable each day. 588_34106_010	81%	80.7% (2017)	 Disability and Health Heart Disease and Stroke Prevention Nutrition Physical Activity
	8 and 11 ea	Percent of lowa youth in grades 6, 8 and 11 eating at least one fruit each day. 588_34106_001	82.5%	82.0% (2018)	WIC - Special Supplemental Nutrition Program for Women, Infants, and Children Profiles for each of these program areas including
		Percent of lowa youth in grades 6, 8 and 11 eating at least one vegetable each day. 588_34106_002	rades 6, 76.5% 76.0% (2018) https://idph.iowa.gov/About	descriptions of specific strategies are available at https://idph.iowa.gov/About/Program-Profiles .	
		Percent of lowa adults getting the recommended amount of physical activity 588_34106_005 50.2% (2017)			
		Percent of lowa 6-11 year olds getting the recommended amount of physical activity 588_34106_003	33%	32.7% (2018)	
		Percent of lowa 12-17 year olds getting the recommended amount of physical activity 588_34106_004	25%	17.0% (2018)	
		Age-adjusted coronary heart disease (CHD) death rate (per 100,000 lowans). 588_34_006	100.0	101.1 (2018)	
		Age-adjusted stroke death rate (per 100,000 lowans). 588_34_007	31.0	33.0 (2018)	

	Services, Products, Activities	Performance Measures	Performance Target(s)	Prior Year Actual	Strategies/Recommended Actions
2.	Reduce the impact of cancer among lowans 588_34102	Age-adjusted breast cancer incidence rate (per 100,000 females) 588_34102_001	126.5	129.4 (2016)	Develop, implement and improve activities in the following program areas: Cancer Prevention, Screening and Quality of
		Age-adjusted breast cancer mortality rate (per 100,000 females) 588_34102_002	18.0	18.3 (2018)	Life Immunization Nutrition Physical Activity
		Age-adjusted colorectal cancer incidence rate (per 100,000 lowans) 588_34102_003	42.5	42.7 (2016)	 Radiation Protection and Emergency Response Tobacco Use Prevention and Control Profiles for each of these program areas including
		Age-adjusted colorectal cancer mortality rate (per 100,000 lowans) 588_34102_004	14.0	14.7 (2018)	descriptions of specific strategies are available at https://idph.iowa.gov/About/Program-Profiles .
		Age-adjusted lung cancer incidence rate (per 100,000 lowans) 588_34102_005	58.0	58.6 (2016)	
		Age-adjusted lung cancer mortality rate (per 100,000 lowans) 588_34102_006	37.5	37.9 (2018)	

August 2020

	Services, Products, Activities	Performance Measures	Performance Target(s)	Prior Year Actual	Strategies/Recommended Actions
3. Prevent unintentional injuries & violence among lowans 588_34103 Age-adjusted death rate due to suicide (per 100,000 lowans) 588_34103_001	13.4	15.6 (2018)	Develop, implement and improve activities in the following program areas: Emergency Medical Services & Trauma		
		Age-adjusted death rate due to falls (per 100,000 lowans) 588_34103_002	11.0	13.0 (2018)	 Environmental Health Services and Outreach Injury and Violence Prevention Medical Examiner, Office of the State Prevention in Iowa: Addressing Substance
		Age-adjusted rate of hospitalization due to falls (per 100,000 lowans) 588_34103_003 Age-adjusted death rate due to 9.1 9.2 (2018) Misus Misus Profiles for description desc	 Misuse and Problem Gambling Treatment in Iowa: Addressing Substance Misuse and Gambling Disorders 		
			9.1	9.2 (2018)	Profiles for each of these program areas including descriptions of specific strategies are available at https://idph.iowa.gov/About/Program-Profiles .
			19.6	19.8 (2018)	
		Percent of autopsy reports completed within 90 days from date of death. 588_10100_003	90.0%	96% (2018)	

	Services, Products, Activities	Performance Measures	Performance Target(s)	Prior Year Actual	Strategies/Recommended Actions
4.	Control and mitigate the spread of disease in lowa. 588_34100	Percent of adolescents (13-15) receiving the HPV vaccination 588_34100_002	80.0%	37.9% (2019)	Develop, implement and improve activities in the following program areas: Center for Acute Disease Epidemiology
		Percent of Title X female clients (ages 15-24) who received a chlamydia screening in the past 12 months 588_34100_004	60.0%	59.3% (2019)	 Environmental Health Services and Outreach Family Planning HIV/AIDS and Viral Hepatitis Immunization Public Health and Hospital Emergency
	Percent of persons who received an AIDS diagnosis within 3 months of initial HIV diagnosis (late diagnoses of HIV infection) 588_34100_001 20.0% (2019)	20.0% (2019)	Preparedness Sexually Transmitted Disease Prevention Tuberculosis Control Profiles for each of these program areas including descriptions of specific strategies are available at		
Percent of lowans living with HIV who had a suppressed viral load at last test 588_34100_006 81% (2019)	https://idph.iowa.gov/About/Program-Profiles.				
		Number of lowans under 40 with Hepatitis C 588_34100_010	400	353 (2019)	
		Percent of gonorrhea cases that are treated according to CDC recommendations 588_34100_008	95.0%	86.0% (2019)	
		Percent of local public health disease investigations evaluated for completeness within 5 days. 588_34100_005	90.0%	87.2% (2019)	
		Percent of TB patients who complete treatment in 12 months. 588_34100_003	95.0%	98% (2018)	
		Percent of children with an elevated blood lead level retested within 84 days of the initial test. 588_34100_009	100%	74.5% (2019)	

August 2020

	Services, Products, Activities	Performance Measures	Performance Target(s)	Prior Year Actual	Strategies/Recommended Actions
5.	well-being of women, infants, children and	Percent of Title X clients receiving a most or moderately effective contraceptive method 588_34101_002	75%	70.2% (2019)	Develop, implement and improve activities in the following program areas: Adolescent Health
	families in lowa. 588_34101	Percent of Title X client visits that include Reproductive Life Planning (One Key Question) 588_34101_003	65%	56% (2019)	 Center for Congenital and Inherited Disorders Child Health Family Planning Home Visiting and Early Childhood
		Percent of women served in the maternal health program who report a medical home. 588_34101_001	93%	91.4% (2019)	 Immunization Maternal Health Oral Health WIC - Special Supplemental Nutrition Program for Women, Infants, and Children
		Percent of lowa babies breastfeeding at birth 588_34101_008	85%	84.5% (2019)	Profiles for each of these program areas including descriptions of specific strategies are available at https://idph.iowa.gov/About/Program-Profiles.
		Percent of Iowa babies breastfeeding at 3 months of age 588_34101_009	59%	58.5% (2019)	nttps://idpn.iowa.gov/About/Program-Profiles.
		Percent of lowa babies breastfeeding at 6 months of age 588_34101_010	62%	62% (2019)	
		Percent of children served in Child Health programs who report a medical home. 588_34101_005	87.0%	86.2% (2019)	
		Percent of 1st Five practices doing screening for clients ages 0-5 years old 588_34101_011	100%	83.3% (2020)	

Percent of Medicaid-enrolled children, ages 0-12 years that receive any dental service. 588_34101_006	71.0%	69.9% (2019)	
Percent of infants who did not pass their hearing screen at birth diagnosed with a hearing loss no later than 3 months of age. 588_34101_007	75%	73.0% (2018)	
Percent of newborn screening specimens that are received at SHL within 65 hours of birth. 588_34101_004	95%	93.3% (2019)	

	Services, Products, Activities	Performance Measures	Performance Target(s)	Prior Year Actual	Strategies/Recommended Actions
6.	6. Prevent & Treat Addictive Conditions among lowans 588_34104	Percent of lowa adults who are current smokers. 588_34104_005	16.0%	16.6% (2018)	Develop, implement and improve activities in the following program areas: Prevention in Iowa: Addressing Substance
		Percent of lowa 6th, 8th & 11th grade students who are currently using any type of tobacco product. 588_34104_020	11.0%	11.4% (2018)	Misuse and Problem Gambling Tobacco Use Prevention and Control Treatment in Iowa: Addressing Substance Misuse and Gambling Disorders
		Percent of lowa adults who binge drink 588_34104_001	19.1%	22.6% (2018)	Profiles for each of these program areas including descriptions of specific strategies are available at
		Percent of lowa youth (6 th , 8 th and 11 th graders) who use alcohol 588_34104_002	8.5%	9.6% (2018)	https://idph.iowa.gov/About/Program-Profiles.
		Percent of new moms reporting smoking during pregnancy 588_34104_003	11.0%	11.6% (2018)	

	Services, Products, Activities	Performance Measures	Performance Target(s)	Prior Year Actual	Strategies/Recommended Actions
7.	Increase Access to Health Services 588 34105	Percent of lowans under 65 who are uninsured 588_34105_001	5%	5.6% (2018)	Develop, implement and improve activities in the following program areas: Access to Health Services
	588_34105	Bureau of Professional Licensure: Percent of license renewals completed online. 588_61100_001	90%	87.7% (2019)	Board Licensure of Healthcare ProfessionalsHealth StatisticsOral Health
		Bureau of Professional Licensure: Percent of new licensees who are satisfied with the licensing process. 588_61100_003	80%	63.8% (2019)	 Public Health and Hospital Emergency Preparedness Radiation Protection and Emergency Response Profiles for each of these program areas including
		Percent births registered in 7 days. 588_34105_002	90%	79.1% (2019)	descriptions of specific strategies are available at https://idph.iowa.gov/About/Program-Profiles .
		Percent of deaths registered within 15 days. 588_34105_003	85%	84.6% (2019)	

Core Function	Outcome Measure(s)	Outcome Target(s)	Prior Year Actual	Link to Strategic Plan Goal(s)
Resource Management				
Desired Outcomes Provide administrative, financial, & support services to IDPH personnel, programs, &	Percent of employees rating organizational performance positively 588_67_003	73.0%	71.5% (2020)	Goal 1: Strengthen the department's role as lowa's chief health strategist. Goal 2: Strengthen the department's capability and
contractors to support improved services & results for lowans. Implement, maintain, & support technology services for the department & statewide.	Percent of employees who agree that there is a connection between their work and the strategic plan 588_67_001	70.0%	64.0% (2020)	capacity to improve population health through partnerships, communications, workforce development, and quality improvement (QI). Goal 3: Implement a collaborative, department-wide approach to addressing lowa's top health issues.
Services, Products, Activities	Performance Measures	Performance Target(s)	Prior Year Actual	Strategies/Recommended Actions
Improve operational effectiveness and efficiency and	Information Management vulnerability score 588_67100_001	Below 2,000	245.8 (2019 avg.)	Develop, implement and improve activities in the following program areas: Health Statistics
workforce development 588_67100	Average number of days for processing for contractor/vendor claims 588_67100_003	14 days	19.9 days (2019)	Organizational Development and Support Profiles for each of these program areas including descriptions of specific strategies are available at
	Percent of IDPH staff with exposure to quality improvement 588_67100_002	40.0%	37.9% (2019)	https://idph.iowa.gov/About/Program-Profiles.
	Employees agree that IDPH had the right people with the right skills 588_67100_004	70.0%	64.0% (2020)	
	Percent of IDPH staff who attend at least 1 in-house training 588_67100_006	70.0%	59.0% (2019)	