



Iowa Field Office · 210 Walnut Street Ste 833 · Des Moines IA 50309 · (515) 776-3400 · (800) 772-0825  
fax (855) 271-9802 · www.nass.usda.gov/ia

Cooperating with the Iowa Department of Agriculture and Land Stewardship

June 5, 2023 - For Immediate Release

Media Contact: Greg Thessen

Isolated rain showers during the week led to **5.8 days suitable for fieldwork** during the week ending June 4, 2023, according to the USDA, National Agricultural Statistics Service. Farmers were still planting some corn and soybeans this week, however nearly all planting activities are finished. There were limited reports of crop replanting in certain fields. Other field activities included cutting hay and spraying emerging crops.


**Topsoil moisture** condition rated 13 percent very short, 42 percent short, 44 percent adequate and 1 percent surplus. **Subsoil moisture** condition rated 12 percent very short, 41 percent short, 46 percent adequate and 1 percent surplus.

**Corn** emergence reached 94 percent, 1 week ahead of last year and 8 days ahead of the 5-year average. Corn condition declined 5 percentage points to 72 percent good to excellent. Ninety-eight percent of Iowa’s expected **soybean** crop has been planted, 10 days ahead of last year and 2 weeks ahead of normal. Eighty-seven percent of soybeans have emerged, 10 days ahead of last year and 12 days ahead of the average. Soybean condition rated 70 percent good to excellent. Thirty-eight percent of the **oat** crop has headed, 8 days ahead of last year and the average. Oat condition declined to 70 percent good to excellent.

Seventy-eight percent of the State’s first cutting of **alfalfa hay** has been completed, 12 days ahead of the 5-year average. **Hay condition** fell 6 percentage points to 52 percent good to excellent. **Pasture condition** dropped to 42 percent good to excellent. Some livestock producers have already had to feed hay due to drying pastures.

**Crop Condition as of June 4, 2023**

Item	Very Poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Corn .....	0	3	25	60	12
Hay, all .....	1	8	39	42	10
Oats .....	1	2	27	61	9
Pasture and range ..	2	19	37	36	6
Soybeans .....	0	4	26	59	11



**Crop Progress as of June 4, 2023**

Item	Districts									State			
	NW	NC	NE	WC	C	EC	SW	SC	SE	This week	Last week	Last year	5-year avg
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Corn emerged .....	97	97	96	88	92	98	90	86	97	94	85	85	86
Hay, alfalfa, 1st cutting .....	55	85	81	77	85	93	58	78	79	78	52	38	38
Oats headed .....	24	36	30	42	50	56	25	43	54	38	21	20	19
Soybeans planted .....	99	99	99	96	98	100	98	96	99	98	94	93	86
Soybeans emerged .....	87	88	90	84	88	95	75	78	93	87	67	66	65

**Days Suitable for Fieldwork and Soil Moisture Condition as of June 4, 2023**

Item	Districts									State		
	NW	NC	NE	WC	C	EC	SW	SC	SE	This week	Last week	Last year
	(days)	(days)	(days)	(days)	(days)	(days)	(days)	(days)	(days)	(days)	(days)	(days)
Days suitable .....	5.8	5.9	6.4	6.0	4.8	6.6	5.4	5.1	6.6	5.8	6.6	4.8
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Topsoil moisture												
Very short .....	10	3	9	20	7	21	18	3	31	13	10	2
Short .....	45	32	47	42	25	57	39	49	53	42	40	12
Adequate .....	44	64	43	37	66	22	41	43	15	44	49	78
Surplus .....	1	1	1	1	2	0	2	5	1	1	1	8
Subsoil moisture												
Very short .....	11	4	3	30	10	15	9	3	20	12	10	3
Short .....	41	30	41	34	27	59	53	46	53	41	36	17
Adequate .....	48	65	55	36	61	26	34	46	26	46	53	74
Surplus .....	0	1	1	0	2	0	4	5	1	1	1	6

The complete report can be found on the USDA NASS website at [www.nass.usda.gov/Publications](http://www.nass.usda.gov/Publications).

**IOWA PRELIMINARY WEATHER SUMMARY**  
**Provided by Justin Glisan, Ph.D., State Climatologist**  
**Iowa Department of Agriculture and Land Stewardship**

*Reports from the Iowa Department of Agriculture and Land Stewardship and maps from the Midwestern Regional Climate Center reflect data collected from 7:00 A.M. Central Time on May 29, 2023, through 7:00 A.M. Central Time on June 4, 2023.*


A large-scale high-pressure system over Canada produced anomalous southeasterly to easterly flow across Iowa towards the end of the reporting period. Widely scattered pop-up thunderstorms also formed over portions of Iowa on several days, though rainfall was below average. Unseasonably warm conditions continued with positive departures of up to 12 degrees in northwest Iowa; the statewide average temperature was 73.7 degrees, 8.3 degrees above normal.

Sunshine and southeasterly winds continued through Sunday (28<sup>th</sup>) afternoon with daytime temperatures in the low 80s statewide. Clouds increased in southwestern Iowa overnight as scattered showers formed near sunrise on Monday (29<sup>th</sup>) before dissipating in west-central Iowa by mid-morning. Partly cloudy skies remained in western Iowa with afternoon highs in the mid to upper 80s at many stations. A disturbance moving across the Dakotas produced isolated thunderstorms over northwestern and north-central Iowa late in the day and through the early morning hours of Tuesday (30<sup>th</sup>). Only a handful of stations observed rainfall totals above 0.10 inches though Mapleton (Monona County) measured 0.78 inches. Storms re-fired in western Iowa as temperatures pushed into the upper 80s with southerly flow. Many stations observed 0.25 to 0.50-inch totals with slower moving thunderstorms dropping 3.13 inches and 3.66 inches at two stations in Fort Dodge (Webster County); 20 stations reported at least an inch. Wednesday (31<sup>st</sup>) morning lows remained in the 60s with light showers over northern Iowa. Afternoon thunderstorms popped up in northwestern Iowa with locally heavy rainfall and flash flooding in O'Brien County; Sheldon measured 1.34 inches with a half-inch total at Rock Rapids (Lyon County). Pockets of showers and thunderstorms formed from southwest to central Iowa into Thursday (1<sup>st</sup>) morning with afternoon heat producing scattered pop-up storms across the state several hours later.

Partly to mostly cloudy skies persisted into Friday (2<sup>nd</sup>) as temperatures rose into the upper 80s at many stations. In the presence of ample low-level moisture and instability, afternoon thunderstorms again fired over much of Iowa. Most of the thunderstorm activity fizzled out around sunset with rain showers remaining in western Iowa. Rain totals over the previous 48 hours were above 0.30 inches at most stations receiving rainfall with Atlantic (Cass County) and Little Sioux (Harrison County) reporting 2.09 and 2.30 inches, respectively. Saturday (3<sup>rd</sup>) was generally quiet across Iowa with daytime conditions in the upper 80s and low 90s at southern and eastern stations; the statewide average high was 89 degrees, 12 degrees above normal. Easterly flow pushed scattered thundershowers across northern Iowa during the afternoon hours; Rock Valley (Sioux County) reported 1.24 inches while Swea City (Kossuth County) picked up 1.45 inches. Skies remained mostly clear into Sunday (4<sup>th</sup>) with unseasonably warm morning temperatures in the mid to upper 60s, up to 10 degrees above average.

Weekly rain totals ranged from no accumulation at eastern Iowa stations to 3.93 inches in St. Charles (Madison County). The statewide weekly average precipitation was 0.64 inches, while the normal is 0.97 inches. Dubuque Lock and Dam (Dubuque County) reported the week's high temperature of 94 degrees on the 3<sup>rd</sup>, 16 degrees above normal. Anamosa (Jones County) and Centerville (Appanoose County) reported the week's low temperature of 43 degrees on the 29<sup>th</sup>, on average 10 degrees below normal.

**Average Temperature (°F): Departure from 1991-2020 Normals**  
May 29, 2023 to June 04, 2023



**Accumulated Precipitation (in)**  
May 29, 2023 to June 04, 2023

