



































































**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

---

16. Percentage of schools in which teachers taught each of the following physical activity topics in a required course for students in any of grades 6 through 12 during the current school year.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
j. Increasing daily physical activity	93.8	88.1 - 96.8	93.2	87.9 - 96.2	95.2	86.7 - 98.4	93.8	90.7 - 95.9
k. Incorporating physical activity into daily life (without relying on a structured exercise plan or special equipment)	92.0	85.7 - 95.7	90.8	84.9 - 94.5	95.0	86.3 - 98.3	92.1	88.7 - 94.6
l. Using safety equipment for specific physical activities	81.3	72.9 - 87.5	83.2	76.1 - 88.5	90.0	79.7 - 95.4	83.8	79.3 - 87.5
m. Benefits of drinking water before, during, and after physical activity	96.1	90.9 - 98.4	90.7	84.8 - 94.5	95.0	86.3 - 98.3	93.6	90.5 - 95.8

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

---

16N. Percentage of schools that taught all 13 physical activity topics during the current school year.\*

<b>High Schools</b>		<b>Middle Schools</b>		<b>Junior/Senior High Schools</b>		<b>All Schools</b>	
Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
63.1	54.9 - 70.7	69.2	61.5 - 76.0	85.0	73.8 - 92.0	70.0	65.1 - 74.5

\*Responses to question 16 a through m all are "yes."



**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

17. Percentage of schools in which teachers taught each of the following mental and emotional health topics in a required course for students in any of grades 6 through 12 during the current school year.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Identifying and labeling emotions	88.6	82.4 - 92.9	89.9	83.8 - 93.9	79.5	68.8 - 87.2	87.4	83.6 - 90.4
b. How to express feelings in a healthy way	88.9	84.3 - 92.3	93.3	88.0 - 96.3	89.9	79.6 - 95.3	91.0	87.9 - 93.3
c. The importance of engaging in activities that are mentally and emotionally healthy	91.6	86.5 - 94.9	93.3	88.0 - 96.3	92.6	83.1 - 96.9	92.5	89.4 - 94.7
d. How to manage interpersonal conflict in healthy ways	88.6	82.7 - 92.6	93.3	88.1 - 96.3	87.1	76.6 - 93.3	90.3	86.9 - 92.9
e. How to prevent and manage emotional stress and anxiety in healthy ways	93.0	88.6 - 95.8	92.2	86.6 - 95.5	84.8	73.5 - 91.8	91.1	87.8 - 93.6
f. How to use self-control and impulse control strategies to promote health (e.g., goal setting and tracking, breathing techniques)	89.0	83.1 - 93.0	90.1	84.1 - 93.9	81.6	69.4 - 89.7	88.1	84.3 - 91.0
g. How to get help for troublesome thoughts, feelings, or actions for oneself and others	87.7	81.4 - 92.1	89.8	83.8 - 93.8	89.9	79.6 - 95.3	89.1	85.4 - 91.9
h. Value of individual differences (e.g., culture, ethnicity, ability)	87.2	81.9 - 91.1	87.6	81.1 - 92.1	79.5	69.1 - 87.1	85.9	82.1 - 88.9
i. How to establish and maintain healthy relationships	88.7	82.8 - 92.8	93.1	87.7 - 96.2	89.6	79.1 - 95.2	90.8	87.3 - 93.3
j. Importance of habits (e.g., exercise, healthy eating, meditation, mindfulness) that promote mental well-being	90.4	84.8 - 94.0	90.9	85.1 - 94.5	92.4	82.7 - 96.9	91.0	87.6 - 93.5

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

18. Percentage of schools in which teachers taught each of the following violence prevention topics in a required course for students in any of grades 6 through 12 during the current school year.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Building empathy (e.g., identification with and understanding of another person’s feelings)	84.4	76.3 - 90.1	90.5	84.5 - 94.3	71.9	58.0 - 82.5	84.4	79.8 - 88.1
b. Perspective taking (e.g., taking another person’s point of view)	78.4	70.7 - 84.5	87.1	80.5 - 91.7	77.0	64.0 - 86.3	81.8	77.3 - 85.5
c. Strategies for being a positive bystander (e.g., safely de-escalating, preventing, or stopping bullying and harassment)	78.6	70.2 - 85.1	84.9	78.8 - 89.6	80.4	67.3 - 89.1	81.7	77.1 - 85.5
d. Describing how stigma, bias, and prejudice can lead to stereotypes, discrimination, and violence	78.2	69.7 - 84.9	76.9	69.8 - 82.7	66.4	53.5 - 77.2	75.3	70.4 - 79.6
e. Identifying the signs and symptoms of when someone may be thinking of hurting themselves	85.8	79.0 - 90.7	82.8	76.2 - 87.9	81.3	68.4 - 89.7	83.7	79.4 - 87.2
f. Getting help to prevent or stop violence (including inappropriate touching, harassment, abuse, bullying, hazing, fighting, and hate crimes)	86.0	79.1 - 90.9	86.3	79.5 - 91.0	76.0	64.0 - 85.0	84.2	79.9 - 87.7
g. Getting help for self or others who are in danger of hurting themselves	90.2	83.3 - 94.5	85.0	78.7 - 89.7	76.4	62.7 - 86.2	85.3	81.0 - 88.8

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

19. Percentage of schools that provided parents and families with health information designed to increase parent and family knowledge of the following topics during the current school year.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Alcohol- or other drug-use prevention	44.3	35.4 - 53.6	44.7	36.8 - 52.8	59.8	46.8 - 71.6	47.7	42.2 - 53.2
b. Asthma	36.2	27.9 - 45.4	36.8	29.6 - 44.5	29.6	18.4 - 44.1	35.1	30.0 - 40.6
c. Chronic disease prevention (e.g., diabetes, obesity prevention)	45.0	36.2 - 54.1	47.0	39.6 - 54.5	41.9	29.6 - 55.3	45.2	39.9 - 50.6
d. Food allergies	43.2	34.8 - 52.1	43.5	35.4 - 52.0	52.1	39.5 - 64.4	45.2	39.8 - 50.7
e. HIV, other STD, or pregnancy prevention	46.9	37.8 - 56.1	38.5	30.8 - 46.9	36.9	25.6 - 49.8	41.4	36.0 - 47.0
f. Nutrition and healthy eating	55.0	46.0 - 63.7	48.2	40.8 - 55.7	53.3	40.5 - 65.6	51.8	46.5 - 57.1
g. Physical activity	50.9	42.2 - 59.6	46.4	38.9 - 54.0	57.2	43.8 - 69.7	50.4	45.0 - 55.7
h. Preventing student bullying and sexual harassment, including electronic aggression (i.e., cyber-bullying)	53.6	44.6 - 62.3	56.7	48.2 - 64.8	57.3	44.3 - 69.3	55.6	50.1 - 61.0
i. Tobacco-use prevention or cessation	42.0	33.5 - 51.1	44.7	37.3 - 52.2	54.7	41.3 - 67.3	45.7	40.5 - 51.1

# IOWA

## 2022 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

---

20. Percentage of schools in which teachers have given students health education homework assignments or activities to do at home with their parents during the current school year.

<b>High Schools</b>		<b>Middle Schools</b>		<b>Junior/Senior High Schools</b>		<b>All Schools</b>	
95% Confidence		95% Confidence		95% Confidence		95% Confidence	
Percent	Interval	Percent	Interval	Percent	Interval	Percent	Interval
44.0	35.7 - 52.6	47.8	39.8 - 55.9	32.2	22.5 - 43.8	38.1	28.4 - 48.4

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

21. Percentage of schools in which the lead health education teacher received professional development (e.g., workshops, conferences, continuing education, any other kind of in-service) on each of the following topics during the past two years.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Alcohol- or other drug-use prevention	19.1	13.3 - 26.6	30.7	24.0 - 38.5	22.1	13.1 - 34.7	24.6	20.3 - 29.4
b. Asthma	19.9	14.3 - 26.9	14.7	10.1 - 20.8	**	**	16.6	13.2 - 20.7
c. Chronic disease prevention (e.g., diabetes, obesity prevention)	14.3	9.4 - 21.1	16.1	10.9 - 23.2	21.9	13.2 - 34.1	16.6	13.0 - 21.0
d. Epilepsy or seizure disorder	27.3	21.4 - 34.2	28.7	22.5 - 35.9	24.6	16.4 - 35.2	27.4	23.4 - 31.7
e. Food allergies	20.9	14.6 - 29.0	27.7	21.2 - 35.2	21.7	13.8 - 32.5	23.9	19.8 - 28.6
f. Foodborne illness prevention	14.7	9.4 - 22.3	20.6	15.2 - 27.4	24.6	15.4 - 36.9	19.2	15.4 - 23.7
g. Human immunodeficiency virus (HIV) prevention	12.9	8.0 - 20.2	27.1	20.6 - 34.7	19.5	11.3 - 31.6	20.2	16.3 - 24.9
h. Human sexuality	14.2	9.0 - 21.7	27.1	20.5 - 34.9	21.9	14.0 - 32.6	21.2	17.2 - 25.8
i. Infectious disease prevention (e.g., influenza [flu] or COVID-19 prevention)	32.3	26.3 - 38.9	42.1	33.5 - 51.2	39.3	27.9 - 51.9	37.8	32.9 - 43.0
j. Injury prevention and safety	27.6	21.7 - 34.3	35.0	27.6 - 43.1	29.1	18.8 - 42.2	31.0	26.5 - 35.9
k. Mental and emotional health	59.3	50.5 - 67.6	62.1	53.1 - 70.3	31.9	23.0 - 42.3	54.9	49.6 - 60.1
l. Nutrition and dietary behavior	18.5	12.7 - 26.1	18.3	12.7 - 25.7	21.9	12.8 - 34.7	19.1	15.1 - 23.8
m. Physical activity and fitness	23.6	17.7 - 30.8	28.0	21.2 - 35.9	26.8	17.7 - 38.3	26.1	21.8 - 30.8

\*\* Data is suppressed due to a numerator of less than 6.

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

---

21. Percentage of schools in which the lead health education teacher received professional development (e.g., workshops, conferences, continuing education, any other kind of in-service) on each of the following topics during the past two years.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
n. Pregnancy prevention	12.9	8.1 - 20.1	19.1	13.3 - 26.7	**	**	14.9	11.4 - 19.2
o. Sexually transmitted disease (STD) prevention	14.3	9.1 - 21.7	24.7	18.2 - 32.6	17.0	9.4 - 28.9	19.2	15.3 - 23.9
p. Sleep health (e.g., how much sleep students need, good sleeping habits)	19.6	13.6 - 27.5	19.7	14.1 - 26.9	19.6	11.6 - 31.0	19.7	15.8 - 24.2
q. Suicide prevention	50.0	41.2 - 58.9	52.6	44.5 - 60.5	44.1	32.9 - 56.0	49.9	44.6 - 55.2
r. Tobacco-use prevention or cessation	19.5	13.9 - 26.6	23.9	17.6 - 31.6	19.7	11.9 - 30.9	21.4	17.4 - 26.0
s. Violence prevention (e.g., bullying, fighting, dating violence prevention)	32.4	25.3 - 40.6	42.2	35.0 - 49.8	34.5	24.0 - 46.9	37.0	32.2 - 42.0

\*\* Data is suppressed due to a numerator of less than 6.

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

22. Percentage of schools in which the lead health education teacher received professional development (e.g., workshops, conferences, continuing education, any other kind of in-service) on each of the following topics during the past two years.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Teaching students with physical, medical, or cognitive disabilities	58.9	50.2 - 67.0	59.8	52.2 - 67.0	51.4	38.8 - 63.8	57.8	52.6 - 62.8
b. Teaching students of various racial/ethnic and cultural backgrounds	51.6	42.5 - 60.5	52.2	43.8 - 60.4	38.7	27.4 - 51.4	49.2	43.8 - 54.7
c. Teaching English language learners (ELL)	50.7	41.9 - 59.3	54.9	46.0 - 63.6	23.9	14.5 - 36.7	47.0	41.5 - 52.5
d. How to support lesbian, gay, bisexual, and transgender students (e.g., bystander intervention skills, implementing safe spaces, use of inclusive language, providing students with information about LGBT resources within the school)	35.4	27.1 - 44.6	36.5	29.1 - 44.6	27.3	17.5 - 39.8	34.2	29.2 - 39.6
e. Using interactive teaching methods (e.g., role plays, cooperative group activities)	51.3	41.8 - 60.7	58.5	49.9 - 66.7	39.1	27.4 - 52.2	51.8	46.1 - 57.5
f. Encouraging family or community involvement	40.6	32.0 - 49.9	46.1	38.1 - 54.2	27.5	17.2 - 40.8	40.3	35.0 - 45.8
g. Teaching skills for behavior change	45.3	37.0 - 53.9	57.5	49.6 - 65.0	34.2	23.4 - 46.9	48.1	43.0 - 53.3
h. Classroom management techniques (e.g., social skills training, environmental modification, conflict resolution and mediation, behavior management)	64.0	56.0 - 71.2	72.7	65.3 - 79.1	53.7	41.5 - 65.5	65.6	60.6 - 70.2
i. Assessing student performance in health education	33.4	26.9 - 40.5	38.9	31.0 - 47.5	26.8	18.0 - 37.9	34.4	29.7 - 39.3

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

23. Percentage of schools in which the lead health education teacher received professional development on each of the following topics related to teaching sexual health education during the past two years.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Aligning lessons and materials with the district scope and sequence for sexual health education	32.0	26.3 - 38.2	37.7	30.5 - 45.6	29.3	18.7 - 42.9	33.9	29.4 - 38.7
b. Creating a comfortable and safe learning environment for students receiving sexual health education	26.4	20.5 - 33.3	35.6	28.5 - 43.5	24.4	14.9 - 37.4	29.8	25.4 - 34.6
c. Connecting students to on-site or community-based sexual health services	17.7	12.7 - 24.2	21.7	16.0 - 28.7	17.2	9.6 - 28.8	19.3	15.7 - 23.5
d. Using a variety of effective instructional strategies to deliver sexual health education	21.3	15.6 - 28.3	31.2	24.9 - 38.2	19.4	11.0 - 31.7	25.0	21.0 - 29.5
e. Building student skills in HIV, other STD, and pregnancy prevention	15.8	11.3 - 21.7	26.2	19.9 - 33.7	**	**	20.0	16.3 - 24.3
f. Assessing student knowledge and skills in sexual health education	19.8	14.4 - 26.6	27.3	20.8 - 34.9	22.1	13.3 - 34.3	23.4	19.4 - 28.0
g. Understanding current district or school board policies or curriculum guidance regarding sexual health education	22.9	17.1 - 29.9	26.5	20.0 - 34.1	21.9	14.3 - 32.1	24.2	20.2 - 28.7
h. Identifying appropriate modifications to the sexual health curriculum to meet the needs of all students	20.0	15.1 - 26.0	24.0	18.0 - 31.3	26.8	16.8 - 39.8	23.1	19.2 - 27.5
i. Engaging parents in sexual health education	12.3	8.6 - 17.2	18.3	12.6 - 25.7	16.8	9.3 - 28.6	15.7	12.4 - 19.9
j. Delivering virtual or eLearning sexual health education instruction	14.8	10.4 - 20.8	21.8	16.2 - 28.7	17.0	9.5 - 28.5	18.2	14.7 - 22.4

\*\* Data is suppressed due to a numerator of less than 6.



**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

24. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following topics.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Alcohol- or other drug-use prevention	54.2	45.1 - 63.0	51.5	43.6 - 59.4	44.8	33.1 - 57.1	51.1	45.7 - 56.4
b. Asthma	24.9	17.6 - 34.0	25.0	18.9 - 32.3	28.4	19.8 - 38.9	25.7	21.4 - 30.6
c. Chronic disease prevention (e.g., diabetes, obesity prevention)	45.9	37.7 - 54.4	44.7	36.6 - 53.1	45.0	33.3 - 57.3	45.2	40.0 - 50.6
d. Epilepsy or seizure disorder	33.0	25.5 - 41.5	37.3	29.4 - 45.8	33.2	23.3 - 44.8	34.8	29.8 - 40.0
e. Food allergies	25.8	19.2 - 33.7	35.9	28.7 - 43.7	24.2	16.2 - 34.6	29.6	25.2 - 34.5
f. Foodborne illness prevention	28.2	21.0 - 36.8	29.5	22.7 - 37.4	23.6	15.9 - 33.6	27.8	23.3 - 32.7
g. Human immunodeficiency virus (HIV) prevention	42.4	33.1 - 52.3	33.5	26.2 - 41.8	37.8	27.0 - 49.8	37.8	32.5 - 43.4
h. Human sexuality	55.5	46.4 - 64.3	46.6	37.9 - 55.6	46.3	33.7 - 59.4	50.0	44.2 - 55.7
i. Infectious disease prevention (e.g., influenza [flu] or COVID-19 prevention)	44.9	36.2 - 53.8	36.9	30.0 - 44.4	37.4	27.2 - 49.0	40.1	35.1 - 45.2
j. Injury prevention and safety	34.9	27.3 - 43.3	36.4	29.0 - 44.3	37.6	26.4 - 50.2	36.1	31.1 - 41.3
k. Mental and emotional health	73.6	64.8 - 80.9	60.2	51.8 - 68.0	62.2	49.3 - 73.6	65.7	60.3 - 70.8
l. Nutrition and dietary behavior	64.2	55.4 - 72.1	46.8	39.2 - 54.4	42.5	31.0 - 54.9	52.6	47.4 - 57.7
m. Physical activity and fitness	54.3	46.3 - 62.2	50.5	42.1 - 58.9	40.2	28.0 - 53.7	49.8	44.4 - 55.1

IOWA

**2022 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

24. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following topics.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
n. Pregnancy prevention	46.2	37.5 - 55.2	41.3	33.6 - 49.4	33.1	23.1 - 45.0	41.4	36.2 - 46.7
o. Sexually transmitted disease (STD) prevention	53.9	44.3 - 63.3	42.1	34.6 - 49.9	37.9	27.9 - 49.0	45.7	40.4 - 51.1
p. Sleep health (e.g., how much sleep students need, good sleep habits)	56.6	47.5 - 65.3	47.4	39.2 - 55.7	42.3	31.8 - 53.6	49.8	44.5 - 55.2
q. Suicide prevention	63.5	54.0 - 72.0	62.9	54.5 - 70.6	52.0	41.3 - 62.5	60.8	55.4 - 66.0
r. Tobacco-use prevention or cessation	46.1	37.1 - 55.4	41.2	33.8 - 49.0	37.4	28.2 - 47.6	42.2	37.2 - 47.4
s. Violence prevention (e.g., bullying, fighting, dating violence prevention)	58.5	49.0 - 67.3	58.4	50.5 - 65.9	52.4	38.7 - 65.7	57.1	51.5 - 62.6

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

---

25. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following topics.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Teaching students with physical, medical, or cognitive disabilities	47.9	38.8 - 57.2	53.0	45.2 - 60.7	42.9	32.3 - 54.1	48.8	43.5 - 54.2
b. Teaching students of various racial/ethnic and cultural backgrounds	43.8	34.8 - 53.2	51.7	44.0 - 59.4	32.8	24.6 - 42.2	44.6	39.5 - 49.7
c. Teaching English language learners (ELL)	36.5	27.9 - 46.1	45.9	38.0 - 53.9	18.5	12.5 - 26.7	36.3	31.4 - 41.4
d. How to support lesbian, gay, bisexual, and transgender students (e.g., bystander intervention skills, implementing safe spaces, use of inclusive language, providing students with information about LGBT resources within the school)	47.7	37.7 - 57.8	53.7	46.2 - 61.0	36.0	27.4 - 45.6	47.5	42.2 - 52.8
e. Using interactive teaching methods (e.g., role plays, cooperative group activities)	47.5	38.0 - 57.1	49.3	41.2 - 57.4	37.7	26.2 - 50.8	46.1	40.4 - 51.8
f. Encouraging family or community involvement	50.4	42.3 - 58.5	54.1	45.8 - 62.2	37.6	26.7 - 49.9	49.1	43.9 - 54.3
g. Teaching skills for behavior change	60.8	52.1 - 68.9	60.7	52.5 - 68.3	52.6	41.3 - 63.5	59.0	53.7 - 64.0
h. Classroom management techniques (e.g., social skills training, environmental modification, conflict resolution and mediation, behavior management)	49.4	40.4 - 58.3	50.5	42.5 - 58.4	37.7	27.5 - 49.2	47.3	42.0 - 52.6
i. Assessing student performance in health education	61.7	52.1 - 70.5	58.5	51.1 - 65.6	45.2	33.5 - 57.4	56.9	51.4 - 62.1

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

26. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following topics related to teaching sexual health education.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Aligning lessons and materials with the district scope and sequence for sexual health education	47.3	38.6 - 56.3	42.6	34.6 - 51.1	30.9	22.4 - 40.8	41.9	36.8 - 47.2
b. Creating a comfortable and safe learning environment for students receiving sexual health education	49.0	40.1 - 57.9	42.0	33.7 - 50.7	33.3	24.2 - 43.9	42.8	37.6 - 48.2
c. Connecting students to on-site or community-based sexual health services	51.4	42.2 - 60.6	41.4	33.9 - 49.3	38.1	28.6 - 48.6	44.5	39.4 - 49.8
d. Using a variety of effective instructional strategies to deliver sexual health education	60.5	51.0 - 69.2	50.4	41.9 - 58.8	37.9	28.0 - 49.0	51.6	46.2 - 57.0
e. Building student skills in HIV, other STD, and pregnancy prevention	56.2	46.7 - 65.3	42.5	34.4 - 51.0	38.1	27.7 - 49.7	46.9	41.4 - 52.4
f. Assessing student knowledge and skills in sexual health education	49.1	40.8 - 57.5	43.3	34.9 - 52.1	33.3	24.2 - 43.9	43.4	38.3 - 48.6
g. Understanding current district or school board policies or curriculum guidance regarding sexual health education	46.4	37.0 - 56.1	39.2	31.0 - 48.2	26.3	18.8 - 35.4	39.2	33.9 - 44.7
h. Identifying appropriate modifications to the sexual health curriculum to meet the needs of all students	49.9	41.3 - 58.4	45.1	36.6 - 54.0	30.9	21.4 - 42.3	43.9	38.6 - 49.3
i. Engaging parents in sexual health education	46.6	38.0 - 55.4	41.9	34.2 - 50.0	28.2	19.7 - 38.6	40.7	35.8 - 45.9
j. Delivering virtual or eLearning sexual health education instruction	37.2	28.5 - 46.9	35.8	28.2 - 44.1	21.0	14.1 - 30.1	33.1	28.2 - 38.4

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

27. Percentage of schools in which the major emphasis of the lead health education teacher's professional preparation was on the following:

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. Health and physical education combined	55.0	46.1 - 63.5	47.1	39.8 - 54.5	48.0	37.0 - 59.1	50.3	45.2 - 55.3
b. Health education	7.8	4.3 - 14.0	12.5	8.3 - 18.3	**	**	8.7	6.2 - 11.9
c. Physical education	12.8	8.1 - 19.8	13.5	9.2 - 19.4	25.8	17.4 - 36.3	15.7	12.5 - 19.6
d. Other education degree	**	**	**	**	**	**	4.3	2.7 - 6.6
e. Kinesiology, exercise science, or exercise physiology	8.1	4.9 - 13.0	**	**	**	**	6.8	4.7 - 9.7
f. Home economics or family and consumer science	**	**	**	**	**	**	6.0	4.0 - 9.0
g. Biology or other science	0.0	†	**	**	**	**	**	**
h. Nursing	**	**	**	**	**	**	**	**
i. Counseling	0.0	†	**	**	**	**	**	**
j. Public health	0.0	†	0.0	†	0.0	†	0.0	†
k. Nutrition	0.0	†	**	**	0.0	†	**	**
l. Other	**	**	0.0	†	**	**	**	**

† Confidence intervals not applicable for 0 percent or 100 percent.

\*\* Data is suppressed due to a numerator of less than 6.

# IOWA

## 2022 School Health Profiles Report Weighted Lead Health Education Teacher Survey Results

---

28. Percentage of schools in which the lead health education teacher is certified, licensed, or endorsed by the state to teach health education in middle school or high school.

<b>High Schools</b>		<b>Middle Schools</b>		<b>Junior/Senior High Schools</b>		<b>All Schools</b>	
95% Confidence Interval		95% Confidence Interval		95% Confidence Interval		95% Confidence Interval	
Percent	Interval	Percent	Interval	Percent	Interval	Percent	Interval
95.9	90.7 - 98.3	86.7	80.0 - 91.4	97.7	90.3 - 99.5	92.5	89.2 - 94.8

**IOWA**  
**2022 School Health Profiles Report**  
**Weighted Lead Health Education Teacher Survey Results**

---

29. Percentage of schools in which the lead health education teacher had the following number of years of experience teaching health education courses or topics.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval	Percent	95% Confidence Interval
a. 1 year	10.7	6.2 - 17.7	23.1	17.5 - 30.0	**	**	16.1	12.7 - 20.2
b. 2 to 5 years	24.0	17.4 - 32.2	16.1	11.1 - 22.8	23.8	15.0 - 35.7	20.7	16.7 - 25.4
c. 6 to 9 years	15.8	10.3 - 23.5	16.4	10.9 - 24.0	21.3	13.3 - 32.4	17.2	13.4 - 21.8
d. 10 to 14 years	10.3	6.3 - 16.2	16.4	10.9 - 24.0	**	**	13.6	10.3 - 17.8
e. 15 years or more	39.2	30.6 - 48.4	28.0	21.3 - 35.9	28.7	19.5 - 40.1	32.4	27.6 - 37.6

\*\* Data is suppressed due to a numerator of less than 6.