
# **Iowa Respiratory Virus Surveillance Report**

MMWR Week 30 July 21, 2024 - July 27, 2024

Date and time of issue: 8/2/2024 12:24:24 PM


# Quick Stats for Week 30 (7/21/2024 - 7/27/2024)

Influenza



NOTE: Line graphs display current week, or most recent available week, and previous 52 weeks


COVID-19



NOTE: Line graphs display current week, or most recent available week, and previous 52 weeks

Other Respiratory Viruses

Top 3 Pathogen Groups by Positive Percent on Respiratory Virus Survey - MOLECULAR ONLY Current Week and Previous 52 Weeks Trends



 $\textbf{All data presented in this report are provisional and may change as additional reports are received} \, . \\$ 

See the Survillance Methods page for a detailed description of each component of the lowa respiratory virus surveillance system including methodology and definitions

 $\textbf{Visit}\ \underline{\text{https://hhs.iowa.gov/public-health/center-acute-disease-epidemiology/flu-report}}\ \ \textbf{to subscribe to weekly email reports}$ 

### **International Influenza Activity Summary**

World Health Organization Influenza Update

Published 31 July 2024 | For reporting Week 29, ending 21 July 2024

### Influenza

In the Northern hemisphere, elevated influenza activity was reported in countries in Central America and the Caribbean, Western Africa, Southern Asia, and South East Asia. In these areas, activity was primarily due to A(H3N2) viruses, except in South East Asia where A(H1N1) pdm09 viruses were predominant. Activity in temperate countries remains low at interepidemic levels. Activity increased in countries in Western Africa and Southern Asia.

In the Southern hemisphere, influenza activity continues to be elevated in South America, Eastern Africa, Southern Africa, and Oceania. Influenza A(H3N2) viruses continue to be the most reported virus in South America and Oceania and influenza A(H1N1) pdm09 viruses were primarily reported in Eastern Africa. Activity was similar or decreasing compared with prior weeks in most countries reporting.


### SARS-CoV-2

SARS-CoV-2 activity, reported from sentinel surveillance in 56 countries, was elevated and increasing in some countries in Central America and the Caribbean, Tropical South America, South West Europe, Western Africa, Eastern Asia, and South East Asia.

Global Influenza and Response System (GISRS), FluNet (www.who.int/flunet).

 $\underline{https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-updates/current-influenza-u$ 


### **NATIONAL INFLUENZA LIKE ILLNESS (ILI) - CDC**



 $Weekly~U.S.~influenza~surveillance~report.~Centers~for~Disease~Control~and~Prevention.~\underline{https://www.cdc.gov/flu/weekly/index.htm}\\$ 

# Iowa Respiratory Survey - Influenza


Number of Influenza Molecular Tests and Positive A and B Percentage - Current and Previous 52 Weeks



Flu Tests and Positivity by Method - Current Week


Test Method	Number Positives	Number Tests	Percent Positive
Molecular	8	1,569	0.5%
Antigen	1	42	2.4%
Total	9	1,611	0.6%

Number of Influenza Antigen Tests and Positive A and B Percentage - Current and Previous 52 Weeks



# Iowa Respiratory Survey - COVID-19

Number of COVID-19 Molecular Tests and Positive Percentage - Current and Previous 52 Weeks




Week Ending

COVID-19 Tests and Positivity by Method - Current Week

Test Method	Number Positives	Number Tests	Percent Positive	
Molecular	386	1,872	20.6%	
Antigen	23	Ш	20.7%	
Total	409	1,983	20.6%	

Number of COVID-19 Antigen Tests and Positive Percentage - Current and Previous 52 Weeks



Week Ending


# Influenza testing at the State Hygienic Laboratory (SHL)

Cumulative Influenza Viruses Detected by SHL (10/1/2023 - Current Week)

		Influenza A	A		Influenza B			
	A H3	A not subtyped	AHINIpdm09	Total	B not subtyped	B Vic	B Yam	Total
Current Week Positives	0	1	1	2	0	0	0	0
Cumulative Positives	178	14	204	396	6	234	0	240

Table Note: Only lowa residents are included. Specimens listed as "not subtyped" may be pending or were not able to be subtyped due to weak positive lab results. This can be due to poor collection, timing of collection or stage of infection.

Influenza Viruses Detected by SHL by Week (Current Week and Previous 52 Weeks)




SHL Flu Testing Note: The State Hygienic Laboratory (SHL) is the primary laboratory in lowa characterizing specimens for influenza surveillance. SHL reports the number of tests performed and the type and subtype/lineage of positive tests to the influenza surveillance network daily. SHL also sends a portion of specimens to CDC for further characterization.

# **Outpatient Health Care Provider Surveillance Program** (ILINET)

Percent Of Outpatient Visits Attributed to Influenza-like Illness (ILI) as Reported by ILINet Sites



### ILI Percent by Season and Week




ILI by Age Group Past 4 Weeks

MMWR Week	End Date	Age 0-4	Age 5-24	Age 25-49	Age 50-64	Age 65 and older	Total ILI	ILI Pct
27	7/6/2024	2	6	7	2	ı	18	0.58%
28	7/13/2024	2	2	3	10	2	19	0.49%
29	7/20/2024	3	7	4	0	2	16	0.47%
30	7/27/2024	1	6	4	0	0	11	0.30%


Outpatient ILI Note: Outpatient health care providers who participate in the ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week. The ILI Definition changed in 2021-22 so that persons with ILI symptoms (cough, sore throat, fever) will be counted even if positive for other respiratory illness (e.g., COVID-19) which makes comparison across seasons difficult

# **Iowa Syndromic Surveillance Program**

Weekly Proportion of Iowa Emergency Room Visits for Respiratory Syndromes (January 7, 2023 - Current Week)




Weekly Proportion of Iowa Inpatient Visits for Respiratory Syndromes (January 7, 2023 - Current Week)




# **Iowa Respiratory Virus Survey**

Percent of Positive Respiratory Viruses by Pathogen Group and Week - Molecular Only (Current and Previous 52 Weeks)



Top 5 Pathogen Groups by Positive Percent on Respiratory Virus Survey - Molecular Only (Current and Previous 52 Weeks)



### **Report Methods, Definitions and Data Sources**

### **NATIONAL INFLUENZA LIKE ILLNESS (ILI) - CDC**

The CDC national ILI map shows influenza-like illness, which is determined by symptoms such as fever, cough, and sore throat that can be caused by a number of pathogens in addition to influenza (e.g., COVID-19). Detailed information can be found online at <a href="https://www.cdc.gov/flu/weekly/">www.cdc.gov/flu/weekly/</a>.

### **IOWA RESPIRATORY SURVEY**

lowa HHS and SHL run a weekly web-based survey program where laboratorians report the number of influenza, COVID-19 and other respiratory virus tests performed, the testing method (molecular, antigen, or virus isolation) and the number of positive tests.

### INFLUENZA TESTING AT THE STATE HYGIENIC LAB

The State Hygienic Laboratory (SHL) is the primary laboratory in lowa characterizing specimens for influenza surveillance. SHL reports the number of tests performed and the type and subtype/lineage of positive tests to the influenza surveillance network daily. SHL also sends a portion of specimens to CDC for further characterization.

### **OUTPATIENT HEALTH CARE PROVIDER SURVEILLANCE PROGRAM (ILINET)**

Outpatient health care providers who participate in ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week.

### **INFLUENZA AND COVID-19 DEATHS:**

The Iowa HHS Center for Acute Disease Epidemiology works with the Bureau of Health Statistics to monitor mortality among Iowa residents related to Influenza and COVID-19. Deaths are considered to be influenza-associated when influenza is listed on the death certificate. COVID-associated deaths are determined by diagnosis codes listed on the death certificate.

Both Influenza and COVID-19 death totals are cumulative from the start of the fillu season (October 1, 2023 through the end or the current reporting week).

### LONG TERM CARE FACILITY INFLUENZA OUTBREAKS

A confirmed influenza outbreak in a care facility is defined as at least two residents with lab-confirmed influenza in the same area of a facility having an illness onset within 72 hours of each other.

### **IOWA SYNDROMIC SURVEILLANCE**

lowa HHS, CyncHealth lowa and CDC started implementing syndromic surveillance for the state of lowa in May 2021. lowa continues to enroll hospitals to participate and currently has over 90 hospitals participating. Syndromic surveillance provides public health with a near real time system for detecting, understanding, and monitoring health events based on symptoms and diagnoses of patients visiting participating hospitals.