



## **Iowa Respiratory Virus Surveillance Report**

**MMWR Week 44**

**October 27, 2024 - November 2, 2024**


**Date and time of issue: 11/8/2024 11:35:44 AM**



## Quick Stats for Week 44 (10/27/24 - 11/2/24)

### Influenza


**Overall Influenza Activity: VERY LOW**



NOTE: Line graphs display current week, or most recent available week, and previous 52 weeks

### COVID-19

**Overall COVID-19 Activity: VERY LOW**



NOTE: Line graphs display current week, or most recent available week, and previous 52 weeks


### Other Respiratory Viruses

Top Pathogen Group by Positive Percent on Respiratory Virus Survey - MOLECULAR ONLY  
Current Week and Previous 52 Weeks Trends

**Percent Positive for Current Week**

**Rhinovirus/Enterovirus**  
23.0%

**Positive Percent by Week**



All data presented in this report are provisional and may change as additional reports are received .

See the **Surveillance Methods** page for a detailed description of each component of the Iowa respiratory virus surveillance system including methodology and definitions.

Visit <https://hhs.iowa.gov/center-acute-disease-epidemiology/iowa-influenza-surveillance> to subscribe to weekly email reports

## International Influenza Activity Summary

### World Health Organization Influenza Update

Published 7 November 2024 | For reporting Week 43, ending 27 October 2024

#### Influenza

In the Northern hemisphere, influenza activity in temperate countries remained at inter-epidemic levels and was elevated in Western Africa (due to B viruses), one country in Middle Africa (due to A(H3N2) viruses), Western Asia (due to A(H1N1)pdm09 viruses), Southern Asia (due to A(H1N1)pdm09 and B viruses), South East Asia (due to A(H1N1)pdm09 viruses) and one country in Central America (due to A(H3N2) viruses). Activity increased in some countries in Middle Africa, Western Asia, and Southern Asia.


In the Southern hemisphere, influenza activity was elevated in some countries in South America (due to A(H3N2) and B viruses), Eastern Africa (due to A(H1N1)pdm09 and B viruses), and one country in Oceania, Melanesia, and Polynesia (due to A viruses). Increased activity was reported in one country Tropical South America, but similar or declined in all other reporting countries.

#### SARS-CoV-2

SARS-CoV-2 activity remained elevated in many countries in Europe and a few countries in Western Africa and Central Asia. Increased activity was reported in a few countries in Europe, the Caribbean, Temperate South America, and Eastern Africa but declined or was similar in all other reporting countries.

<https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-updates/current-influenza-update>

### National Outpatient Respiratory Illness Activity - CDC




Weekly U.S. influenza surveillance report. Centers for Disease Control and Prevention.

<https://www.cdc.gov/fluview/index.html>

## Iowa Respiratory Survey - Influenza


### Number of Influenza Molecular Tests and Positive Percentage - Current and Previous 52 Weeks



### Flu Tests and Positivity by Method - Current Week


Test Method	Number Positives	Number Tests by Group and Method	Percent Positive across Methods
Molecular	21	2,188	1.0%
Antigen	13	237	5.5%
<b>Total</b>	<b>34</b>	<b>2,425</b>	<b>1.4%</b>

### Number of Influenza Antigen Tests and Positive Percentage - Current and Previous 52 Weeks



## Iowa Respiratory Survey - COVID-19


Number of COVID-19 Molecular Tests and Positive Percentage - Current and Previous 52 Weeks



COVID-19 Tests and Positivity by Method - Current Week

Test Method	Percent Positive
Molecular	3.8%
Antigen	3.0%
<b>Total</b>	<b>3.7%</b>

Number of COVID-19 Antigen Tests and Positive Percentage - Current and Previous 52 Weeks



## Influenza Testing at the State Hygienic Laboratory (SHL)


### Cumulative Influenza Viruses Detected by SHL (9/29/2024 - Current Week)

	Flu A		Flu B		Grand Total
	AH1N1pdm09	A H3	B/Victoria	B/Yamagata	
Current Positives	1	1	0	0	2
Cumulative Positives	3	1	0	0	4

**Table Note:** Only Iowa residents are included.

### Influenza Viruses Detected by SHL by Week (Current Week and Previous 52 Weeks)

■ AH1N1pdm09   
 ■ A H3   
 ■ B/Victoria   
 ■ B/Yamagata




**SHL Flu Testing Note:** The State Hygienic Laboratory (SHL) is the primary laboratory in Iowa characterizing specimens for influenza surveillance. SHL reports the number of tests performed and the type and subtype/lineage of positive tests to the influenza surveillance network daily. SHL also sends a portion of specimens to CDC for further characterization.

## Outpatient Health Care Provider Surveillance Program (ILINET)

### Percent Of Outpatient Visits with Influenza-like Illness (ILI) as Reported by ILINet Sites

■ 2022-23 ■ 2023-24 ■ 2024-25

#### ILI Percent by Season and Week




#### ILI by Age Group Past 4 Weeks

MMWR Week	End Date	Age 0-4	Age 5-24	Age 25-49	Age 50-64	Age 65 and older	Total ILI	ILI Pct
41	10/12/2024	10	21	6	4	5	46	0.86%
42	10/19/2024	12	17	9	4	1	43	0.94%
43	10/26/2024	7	26	12	6	6	57	1.12%
44	11/2/2024	8	18	6	5	2	39	0.77%


**Outpatient ILI Note:** Outpatient health care providers who participate in the ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week. The ILI Definition changed in 2021-22 so that persons with ILI symptoms (cough, sore throat, fever) will be counted even if positive for other respiratory illness (e.g., COVID-19).

## Iowa Syndromic Surveillance Program

Proportion of Iowa Emergency Room Visits for Respiratory Syndromes - Current and Previous 52 Weeks



Proportion of Iowa Inpatient Visits for Respiratory Syndromes - Current and Previous 52 Weeks








## Iowa Respiratory Virus Survey

Percent of Positive Respiratory Viruses by Pathogen Group and Week - Molecular Only (Current and Previous 52 Weeks)

Percent Positive by Week




Top 5 Pathogen Groups by Positive Percent on Respiratory Virus Survey - Molecular Only (Current and Previous 52 Weeks)

Percent Positive for Current Week

- 23.0% Rhinovirus/Enterovirus
- 5.3% Parainfluenza virus
- 3.8% COVID-19
- 2.2% Adenovirus
- 1.8% Coronavirus (not COVID-19)

Percent Positive by Week



## Report Methods, Definitions and Data Sources

### **NATIONAL INFLUENZA LIKE ILLNESS (ILI) - CDC**

The CDC national ILI map shows influenza-like illness, which is determined by symptoms such as fever, cough, and sore throat that can be caused by a number of pathogens in addition to influenza (e.g., COVID-19). Detailed information can be found online at [www.cdc.gov/flu/weekly/](http://www.cdc.gov/flu/weekly/).

### **IOWA RESPIRATORY SURVEY**

Iowa HHS and SHL run a weekly web-based survey program where laboratorians report the number of influenza, COVID-19 and other respiratory virus tests performed, the testing method (molecular, antigen, or virus isolation) and the number of positive tests.

### **INFLUENZA TESTING AT THE STATE HYGIENIC LAB**

The State Hygienic Laboratory (SHL) is the primary laboratory in Iowa characterizing specimens for influenza surveillance. SHL reports the number of tests performed and the type and subtype/lineage of positive tests to the influenza surveillance network daily. SHL also sends a portion of specimens to CDC for further characterization.

### **OUTPATIENT HEALTH CARE PROVIDER SURVEILLANCE PROGRAM (ILINET)**

Outpatient health care providers who participate in ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week.

### **INFLUENZA AND COVID-19 DEATHS**

The Iowa HHS Center for Acute Disease Epidemiology works with the Bureau of Health Statistics to monitor mortality among Iowa residents related to Influenza and COVID-19. Deaths are considered to be influenza-associated when influenza is listed on the death certificate. COVID-associated deaths are determined by diagnosis codes listed on the death certificate.

Both Influenza and COVID-19 death totals are cumulative from the start of the flu season (approximately October 1 each year through the end of the current reporting week).

### **LONG TERM CARE FACILITY INFLUENZA OUTBREAKS**

A confirmed influenza outbreak in a care facility is defined as at least two residents with lab-confirmed influenza in the same area of a facility having an illness onset within 72 hours of each other.

### **IOWA SYNDROMIC SURVEILLANCE**

Iowa HHS, CyncHealth Iowa and CDC started implementing syndromic surveillance for the state of Iowa in May 2021. Iowa continues to enroll hospitals to participate and currently has over 90 hospitals participating. Syndromic surveillance provides public health with a near real time system for detecting, understanding, and monitoring health events based on symptoms and diagnoses of patients visiting participating hospitals.

### **SCHOOL ILLNESS REPORTING**

Iowa HHS works with Iowa schools, local public health and the Iowa Department of Education to track and respond to reports of illness in school in two main groups: 10% daily student absences and sentinel school weekly illness totals. All K-12 schools are asked to report all days where student absences due to illness are at least 10% of expected enrollment. Weekly illness data is from a subset of schools that voluntarily report weekly totals of students ill throughout the school year regardless of the level of illness.