



## **Iowa Respiratory Virus Surveillance Report**

**MMWR Week 16**

**April 13, 2025 - April 19, 2025**


**Date and time of issue: 4/25/2025 10:00:32 AM**



## Quick Stats for Week 16 (4/13/25 - 4/19/25)


## Influenza

## Overall Influenza Activity: VERY LOW




## COVID-19

## Overall COVID-19 Activity: VERY LOW



## Other Respiratory Viruses

## Top Pathogen Group by Positive Percent on Respiratory Virus Survey - MOLECULAR ONLY



All data presented in this report are provisional and may change as additional reports are received .

See the **Surveillance Methods** page for a detailed description of each component of the Iowa respiratory virus surveillance system including methodology and definitions.

Visit <https://hhs.iowa.gov/center-acute-disease-epidemiology/iowa-influenza-surveillance> to subscribe to weekly email reports

## International Influenza Activity Summary

### World Health Organization Influenza Update

Published 23 April 2025 | For reporting Week 15, ending 13 April 2025

#### Influenza

In the Northern hemisphere, activity continued to decline or remained at low level in most countries. Minor increases in activity were reported in a few countries in Tropical South America, Western Africa, Eastern Europe and Eastern Asia. Influenza positivity remained elevated (>10%) in the Americas (predominantly A(H1N1)pdm09), Western Africa (predominantly A(H1N1)pdm09), Northern Africa, Eastern Africa (predominantly A(H1N1)pdm09 and A(H3N2)), in Europe (predominantly A(H3N2) and B viruses), and Western (predominantly A(H3N2) and B), Southern (predominantly A(H3N2)), Southeast (predominantly A(H1N1)pdm09 and B) and Eastern Asia (predominantly A(H1N1)pdm09).


In the Southern hemisphere, influenza positivity was generally low (<10%) except in a few countries in Southern (predominantly A(H3N2)), Eastern Africa and Oceania (predominantly A(H1N1)pdm09). Activity remained at low level or decreased in all countries except for a small increase in a few countries in Temperate South America.

#### SARS-CoV-2

Globally, activity decreased or remained at low level in most countries except for a few countries in Central America and the Caribbean, Southwest Europe and Western Asia where positivity was also elevated (>10%). Positivity was also elevated in single countries in Temperate South America and Eastern Asia.

<https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-updates/current-influenza-update>

### National Outpatient Respiratory Illness Activity - CDC




*Weekly U.S. influenza surveillance report.* Centers for Disease Control and Prevention.

<https://www.cdc.gov/fluview/index.html>

## Iowa Respiratory Survey - Influenza


### Number of Influenza Molecular Tests and Positive Percentage - Current and Previous 52 Weeks



### Flu Tests and Positivity by Method - Current Week


Test Method	Number Positives	Number Tests	Percent Positive
Molecular	88	2,162	4.1%
Antigen	11	231	4.8%
<b>Total</b>	<b>99</b>	<b>2,393</b>	<b>4.1%</b>

### Number of Influenza Antigen Tests and Positive Percentage - Current and Previous 52 Weeks



## Iowa Respiratory Survey - COVID-19


### Number of COVID-19 Molecular Tests and Positive Percentage - Current and Previous 52 Weeks



### COVID-19 Tests and Positivity by Method - Current Week

Test Method	Number Positives	Number Tests	Percent Positive
Molecular	81	2,093	3.9%
Antigen	17	279	6.1%
<b>Total</b>	<b>98</b>	<b>2,372</b>	<b>4.1%</b>

### Number of COVID-19 Antigen Tests and Positive Percentage - Current and Previous 52 Weeks



# Influenza Testing at the State Hygienic Laboratory (SHL)

## Cumulative Influenza Viruses Detected by SHL (9/29/2024 - Current Week)

	Flu A		Flu B	Grand Total
	AH1N1pdm09	A H3	B	
Current Positives	3	0	4	7
Cumulative Positives	1044	504	107	1655


**Table Note:** Only Iowa residents are included.

**Novel Influenza A Note:** SHL detected one human case of avian influenza A(H5) which is not included in the table above or the graph below.

**Influenza B Note:** CDC no longer supplies the public health laboratories with the testing kits to genotype influenza B after not detecting any influenza B Yamagata for over 3 years. SHL will still send a subsample of influenza B positive specimens to CDC for further characterization.

## Influenza Viruses Detected by SHL by Week (Current Week and Previous 52 Weeks)

■ AH1N1pdm09
 ■ A H3
 ■ B




## Outpatient Health Care Provider Surveillance Program (ILINET)

### Percent Of Outpatient Visits with Influenza-like Illness (ILI) as Reported by ILINet Sites

2022-23 2023-24 2024-25

#### ILI Percent by Season and Week



#### ILI by Age Group Past 4 Weeks


MMWR Week	End Date	Age 0-4	Age 5-24	Age 25-49	Age 50-64	Age 65 and older	Total ILI	ILI Pct
13	3/29/2025	7	19	13	10	11	60	1.21%
14	4/5/2025	8	18	10	8	7	51	1.20%
15	4/12/2025	7	12	10	3	3	35	0.93%
16	4/19/2025	0	9	4	0	1	14	0.36%

**Outpatient ILI Note:** Outpatient health care providers who participate in the ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week. The ILI Definition changed in 2021-22 so that persons with ILI symptoms (cough, sore throat, fever) will be counted even if positive for other respiratory illness (e.g., COVID-19).




## Iowa Syndromic Surveillance Program

### Proportion of Iowa Emergency Room Visits for Respiratory Syndromes - Current and Previous 52 Weeks




### Proportion of Iowa Inpatient Visits for Respiratory Syndromes - Current and Previous 52 Weeks





## School Illness

Percent of Enrolled Students Absent Due to Illness Reported by Sentinel Schools




Some weeks are not shown due to large numbers of missing data (e.g., winter and spring breaks)

Number of Schools Reporting 10% Illness by County - Current Week

Preparedness Service Area


1A 1C 2 3 4 5 6 7



## Iowa Respiratory Virus Survey

Percent of Positive Respiratory Viruses by Pathogen Group and Week - Molecular Only (Current and Previous 52 Weeks)

Percent Positive by Week



Top 5 Pathogen Groups by Positive Percent on Respiratory Virus Survey - Molecular Only (Current and Previous 52 Weeks)

Percent Positive for Current Week

24.7%  
Rhinovirus/Enterovirus


7.2%  
Parainfluenza virus

6.7%  
HMPV

4.1%  
Influenza

3.9%  
COVID-19

Percent Positive by Week



## Report Methods, Definitions and Data Sources

### **NATIONAL INFLUENZA LIKE ILLNESS (ILI) - CDC**

The CDC national ILI map shows influenza-like illness, which is determined by symptoms such as fever, cough, and sore throat that can be caused by a number of pathogens in addition to influenza (e.g., COVID-19). Detailed information can be found online at [www.cdc.gov/flu/weekly/](http://www.cdc.gov/flu/weekly/).

### **IOWA RESPIRATORY SURVEY**

Iowa HHS and SHL run a weekly web-based survey program where laboratorians report the number of influenza, COVID-19 and other respiratory virus tests performed, the testing method (molecular, antigen, or virus isolation) and the number of positive tests.

### **INFLUENZA TESTING AT THE STATE HYGIENIC LAB**

The State Hygienic Laboratory (SHL) is the primary laboratory in Iowa characterizing specimens for influenza surveillance. SHL reports the number of tests performed and the type and subtype/lineage of positive tests to the influenza surveillance network daily. SHL also sends a portion of specimens to CDC for further characterization.

### **OUTPATIENT HEALTH CARE PROVIDER SURVEILLANCE PROGRAM (ILINET)**

Outpatient health care providers who participate in ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week.

### **INFLUENZA AND COVID-19 DEATHS**

The Iowa HHS Center for Acute Disease Epidemiology works with the Bureau of Health Statistics to monitor mortality among Iowa residents related to Influenza and COVID-19. Deaths are considered to be influenza-associated when influenza is listed on the death certificate. COVID-associated deaths are determined by diagnosis codes listed on the death certificate.

Both Influenza and COVID-19 death totals are cumulative from the start of the flu season (approximately October 1 each year through the end of the current reporting week).

### **LONG TERM CARE FACILITY INFLUENZA OUTBREAKS**

A confirmed influenza outbreak in a care facility is defined as at least two residents with lab-confirmed influenza in the same area of a facility having an illness onset within 72 hours of each other.

### **IOWA SYNDROMIC SURVEILLANCE**

Iowa HHS, CyncHealth Iowa and CDC started implementing syndromic surveillance for the state of Iowa in May 2021. Iowa continues to enroll hospitals to participate and currently has over 90 hospitals participating. Syndromic surveillance provides public health with a near real time system for detecting, understanding, and monitoring health events based on symptoms and diagnoses of patients visiting participating hospitals.

### **SCHOOL ILLNESS REPORTING**

Iowa HHS works with Iowa schools, local public health and the Iowa Department of Education to track and respond to reports of illness in school in two main groups: 10% daily student absences and sentinel school weekly illness totals. All K-12 schools are asked to report all days where student absences due to illness are at least 10% of expected enrollment. Weekly illness data is from a subset of schools that voluntarily report weekly totals of students ill throughout the school year regardless of the level of illness.