



Glenwood, IA

Urban Forestry Management Plan



Table of Contents

| EXECUTIVE SUMMARY | 1 |
|-----------------------------------|----|
| Overview | 1 |
| Inventory and Results | 1 |
| Recommendations | 1 |
| INTRODUCTION | 3 |
| INVENTORY | 5 |
| INVENTORY RESULTS | 5 |
| ANNUAL BENEFITS | 5 |
| Annual Energy Benefits | 5 |
| Annual Stormwater Benefits | 5 |
| Annual Air Quality Benefits | 6 |
| Annual Carbon Benefits | 6 |
| Annual Aesthetics Benefits | 6 |
| Financial Summary of All Benefits | 6 |
| FOREST STRUCTURE | 7 |
| Species Distribution | 7 |
| Age Class | 7 |
| Condition: Wood and Foliage | 8 |
| Management Needs | 8 |
| Canopy Cover | 8 |
| Land Use and Location | 8 |
| RECOMMENDATIONS | 10 |
| Risk Management | 10 |
| Hazardous Trees | 10 |
| Poor Tree Species | 10 |



Table of Contents

| Pruning Cycle | 10 |
|---|----|
| Planting | 10 |
| Continual Monitoring | 11 |
| | |
| EMERALD ASH BORER PLAN | 11 |
| Ash Tree Removal | 11 |
| Treatment of Ash Trees | 11 |
| EAB Quarantines | 12 |
| Wood Disposal | 12 |
| Canopy Replacement | 12 |
| Postponed Work | 13 |
| Monitoring | 13 |
| Private Ash Trees | 13 |
| PROPOSED WORK SCHEDULE & BUDGET | 15 |
| PROPOSED WORK SCHEDULE WITH INCREASED BUDGET | 16 |
| WORKS CITED | 17 |
| APPENDIX A: I-TREE DATA | 18 |
| Table 1: Annual Energy Benefits | 19 |
| Table 2: Annual Stormwater Benefits | 20 |
| Table 3: Annual Air Quality Benefits | 21 |
| Table 4: Annual Carbon Stored | 22 |
| Table 5: Annual Carbon Sequestered | 23 |
| Table 6: Annual Social and Aesthetic Benefits | 24 |
| Table 7: Summary of Benefits in Dollars | 25 |
| Figure 1: Species Distribution | 26 |
| Figure 2: Relative Age Class | 27 |
| Figure 3: Foliage Condition | 28 |





Table of Contents

| Figure 4: Wood Condition | 29 |
|--|----|
| Figure 5: Canopy Cover in Acres | 30 |
| Figure 6: Land Use of City/Park Trees | 31 |
| | |
| APPENDIX B: ARCGIS MAPPING | 32 |
| Figure 1: Location of Ash Trees | 32 |
| Figure 2: Location of EAB Symptoms | 32 |
| Figure 3: Location of Poor Condition Trees | 32 |
| Figure 4: Location of Trees with Recommended Maintenance | 32 |
| | |
| APPENDIX C: GLENWOOD TREE ORDINANCES | 33 |





Executive Summary



EXECUTIVE SUMMARY

Overview

This plan was developed to assist the City of Glenwood in managing its urban forest, including budgeting and future planning. Trees bring numerous benefits to a community, and sound management helps leaders take advantage of these benefits. Management is especially important now considering the serious threats posed by forest pests like the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees except mountain ash. There is a strong possibility that 13% of Glenwood's city-owned trees will die once EAB becomes established in the community, unless local leaders begin preventative treatment. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

Inventory and Results

In 2021, JEO conducted a tree inventory using Global Positioning System (GPS) data collectors. The inventory was a complete inventory of street and park trees. Below are some key findings of the 718 trees inventoried.

- Glenwood's trees provide \$169,096 of benefits annually, an average of \$236 per tree
- There are over 52 species of trees
- The top three genera are: Maple 33%, Ash 13%, and Walnut 8%
- 70% of trees need some type of management
- 65 trees should be removed

Recommendations


We detail our core recommendations in the Recommendations Section. In the Emerald Ash Borer Plan, we include management recommendations. Below are some key recommendations.

- Out of the 65 trees needing removal, 41 trees are over 24 inches in diameter at 4.5 ft and must be addressed immediately. *City ownership of the trees recommended for removal should be verified prior to any removal*
- 44 of the 94 ash trees should be carefully examined, as they have one or more symptoms that could be related to an EAB infestation.
- All trees should be pruned on a routine schedule: one third of the city every other year.
- Plant a diverse mix of trees that do not include: ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.
- Check ash trees yearly with a visual survey.
- With the current budget it could take 6.5 years to remove ash. We suggest that city officials request a budget increase to \$15,000 annually and apply for grants to plant replacement trees





Introduction



INTRODUCTION



This plan was developed to assist Glenwood with managing, budgeting, and future planning of their urban forest. Across the state, forestry budgets continue to decrease as a higher percentage of the budgets are devoted to tree removal. With the anticipated arrival of Emerald Ash Borer (EAB), an invasive pest that kills native ash trees, it is time to prepare for the increased costs of tree removal, treatment, and replacement planting. With proper planning and management of the current canopy in Glenwood, these costs can be spread out over the years and public safety issues from dead and dying ash trees can be mitigated.

Trees are an important part of Glenwood's infrastructure and one of the city's greatest assets. The benefits of trees are immense. Trees improve air quality, intercept stormwater runoff, conserve energy, lower traffic speeds, increase property values, reduce crime, improve mental health, and create a desirable place to live, to name just a few. Good urban forestry management will maintain these important benefits for the people of Glenwood and future generations.

Urban forestry management sets goals and develops management strategies to achieve them. To develop management strategies, a comprehensive public tree inventory must be conducted. The inventory informs maintenance, removal schedules, tree planting, and budgeting. Aligning management actions with the tree inventory results will help meet Glenwood's urban forestry goals.



Assist
Glenwood with
Managing its
Urban Forest



Inform on the Benefits of a Healthy Urban Forest



Establish
Preventative
Treatment for
Emerald Ash Borer



Develop Efficient City Tree Management Techniques



Mitigate Public Safety Issues





Findings



INVENTORY

In 2021, JEO conducted a tree inventory that included 100% of the city-owned trees on both streets and parks. The team collected tree data using a handheld Global Positioning System (GPS) receiver. The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in ArcGIS as an active GIS data layer. Because the inventory is a digital document, the data can be updated with new information and become a working document.

The data collectors' programming was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide. The i-Tree suite is a public domain which can be accessed for free.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes location, land use, species, diameter at 4.5 ft, recommended maintenance, priority of that maintenance, leaf health, and wood condition. Additionally, for all ash trees, the team notes signs and symptoms associated with EAB including canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and woodpecker damage.

INVENTORY RESULTS

JEO entered the data collected for the 718 city trees into the USDA Forest service program Street Tree Resource Analysis Tool for Urban forestry Management as part of the i-Tree suite. Following are results from the i-Tree STREETS analysis.

ANNUAL BENEFITS

Annual Energy Benefits

Trees conserve energy by shading buildings and blocking winds. Glenwood's trees reduce energy-related costs by approximately \$45,530 annually (Appendix A, Table 1). These savings are both in electricity (202.9 MWh) and in natural gas (27,683 Therms).

Annual Stormwater Benefits

Glenwood's trees intercept about 2,475,980 gallons of rainfall or snow melt per year (Appendix A, Table 2). This interception provides \$67,099 in benefit to the city.





Annual Air Quality Benefits

Air quality is a persistent public health issue in Iowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and lessens emissions of volatile organic matter (ozone). In Glenwood, it is estimated that trees remove 2,724 lb. of air pollution (ozone (O3), particulate matter less than 10 microns (PM10), carbon monoxide (CO), nitrogen dioxide (NO2), and sulfur dioxide (SO2)) per year with a net value of \$7,697 (Appendix A, Table 3).

Annual Carbon Benefits

Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Glenwood, trees sequester about 513,515 lb. of carbon per year with an associated value of \$3,851 (Appendix A, Table 5). In addition, the trees store 10,709,136 lb. of carbon, with a yearly benefit of \$80,319 (Appendix A, Table 4).

Annual Aesthetics Benefits

The social benefits of trees are hard to capture. The i-Tree analysis does have a calculation for this area that includes aesthetic value, property values, lowered rates of mental illness and crime, city livability and much more. Glenwood receives \$45,768 in annual social benefits from trees (Appendix A, Table 6).

Financial Summary of All Benefits

According to the USDA Forest Service i-Tree STREETS analysis, Glenwood's trees provide \$169,096 of benefits annually. Benefits of individual trees vary based on size, species, health and location, but on average each of the 718 trees in Glenwood provide approximately \$236 annually (Appendix A, Table 7).

ENERGY STORMWATER AIR QUALITY CARBON AESTHETICS SUMMARY Reduce Intercept Remove Sequester • \$45,768 in \$169,096 energy cost 2,724 lbs of 2,475,980 513,515 lb. social annual pollution by \$45,530 gallons benefits benefits Value of · Net value of \$3,851 Provides Each tree \$7,697 \$67,099 Store provides benefit 10,709,136 \$236 lb. annually · Value of \$80,319





FOREST STRUCTURE

Species Distribution

Glenwood has over 52 different tree species along city streets and parks (Appendix A, Figure 1).

The distribution of trees by genera is as follows:

| Maple | 236 | 33% |
|-----------------|-----|-----|
| Ash | 94 | 13% |
| Oak | 55 | 8% |
| Walnut | 61 | 8% |
| Hackberry | 44 | 6% |
| Apple | 38 | 5% |
| Locust | 30 | 4% |
| Basswood/Linden | 22 | 3% |
| Spruce | 18 | 3% |
| Elm | 17 | 2% |
| Pine | 11 | 2% |
| Cottonwood | 10 | 1% |
| Sycamore | 6 | <1% |
| Coffee Tree | 5 | <1% |
| Eastern Redbud | 5 | <1% |

| Mulberry | 5 | <1% |
|----------------|----|-----|
| Buckeye | 4 | <1% |
| Cherry | 3 | <1% |
| Plum | 3 | <1% |
| Poplar | 3 | <1% |
| Catalpa | 2 | <1% |
| Cedar | 2 | <1% |
| Hickory | 2 | <1% |
| Birch | 1 | <1% |
| Buckthorn | 1 | <1% |
| Lilac | 1 | <1% |
| Pear | 1 | <1% |
| Tulip Tree | 1 | <1% |
| Willow | 1 | <1% |
| Other Conifers | 22 | 3% |

Age Class

Most of Glenwood's trees (37%) are between 12 and 28 inches in diameter at 4.5 ft (Appendix A, Figure 2).

To prepare for natural mortality and to maintain canopy cover, most trees should be in the smallest size category (a downward slope), indicating youth. Glenwood's size curve is on the larger side, indicating an older than average stand.





Condition: Wood and Foliage

Both wood condition and leaf condition are good indicators of the urban forest's overall health. The foliage condition results for Glenwood indicate that 92% of the trees are in good health, with only 8% of the foliage in poor health, dead, or dying (Appendix A, Figure 3 & Appendix B, Figure 3). Similarly, 88% of Glenwood's trees are in good health for wood condition (Appendix A, Figure 4 & Appendix B, Figure 3). Twelve percent of the tree population's wood condition is in poor health, dead, or dying. This 12% is an estimate of trees that need management follow up.

Management Needs

The following outlines the specific management needs of the street and park trees by number of trees and percent of canopy (Appendix B, Figure 3).

| Action | Number of Trees | Percentage |
|-----------------|-----------------|------------|
| Crown Cleaning | 383 | 53% |
| Crown Reduction | 18 | 3% |
| Tree Removal | 65 | 9% |
| Crown Raising | 40 | 6% |
| Tree Staking | 0 | 0% |

Canopy Cover

The total canopy with both private and public trees is 483 acres or 25% cover. The canopy cover included in the Glenwood inventory includes approximately 25 acres (Appendix A, Figure 4). The city's canopy goal is to increase canopy by 6% in 30 years. To achieve this goal, it is estimated that 9 trees need to be planted annually on public and private lands.

Land Use and Location


The majority of Glenwood's city and park trees are in planting strips in single family residential neighborhoods (Appendix A, Figure 6 & Appendix A, Figure 7). The following describes the land use and locations for the street and park trees.

| Land Use | Percentage |
|-----------------------------|------------|
| Single Family Residential | 57% |
| Industrial/Large Commercial | 42% |
| Park/Vacant/Other | 0% |
| Small Commercial | 0% |
| Multifamily Residential | 0% |





Recommendations



RECOMMENDATIONS

Risk Management

Hazardous trees can be a significant threat to both people and property. Trees that are dead, dying, or have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorists' vision of pedestrians, vehicles, traffic signs and signals should be removed.

HAZARDOUS TREES

Glenwood has 65 critical concern trees that need immediate removal. These trees can be seen on the Location of Trees with Recommended Maintenance Map (Appendix B, Figure 4). We recommend starting with the large-diameter, critical concern trees first. There are 41 trees over 24 inches in diameter at 4.5 ft that should be addressed immediately. Please refer to the Six-Year Maintenance Plan at the end of this section. After all of the critical concern trees are addressed, there should be follow up on the trees marked as needing maintenance. There are a total of 506 trees with maintenance needs.

POOR TREE SPECIES

After removing the critical concern trees, ash trees in poor health should be assessed for removal (Appendix B, Figure 3 & Appendix B, Figure 4). Of the 65 removals, 37 are ash trees. There are a total of 94 ash trees, and 44 of those have signs and symptoms that have been associated with EAB. In addition, there are 48 trees that are in poor health. *City ownership of the trees recommended for removal should be verified prior to any removal*

Pruning Cycle

Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising removes lower branches that are two inches in diameter or larger to provide clearance for pedestrians or vehicles. Crown reduction removes individual limbs from structures or utility wires. We recommend that all trees be pruned on a routine schedule every five to seven years. Please refer to the Six Year Maintenance Plan for further information.

Planting

Most of the planting over the next five years will replace the trees that are removed. We recommend planting 1.2 trees for every tree removed, since survival rates will not be 100%. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Glenwood.





It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with maple (33%) (Appendix A, Figure 1). Maples should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid planting along streets because they are public nuisances include: fruit-bearing trees or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, or evergreens as outlined in section 151.02 of the city ordinance (Appendix C). All trees planted must meet the restrictions in city ordinance 151.02 (Appendix C).

Continual Monitoring

Due to the threat of EAB, it is important to continuously check the health of ash trees. We recommend that ash trees be checked with a visual survey every year for tree decline and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and woodpecker damage.

EMERALD ASH BORER PLAN

Ash Tree Removal

Tree removal will be prioritized by first removing dead, dying, hazardous trees (Appendix B, Figure 4). Next will be all ash in poor condition that display EAB signs and symptoms (Appendix B, Figure 2 & Appendix B, Figure 3). *City ownership of the tree recommended for removal should be verified prior to any removal*

Treatment of Ash Trees

Chemical treatment can be an effective tool for communities to spread removal costs out over several years while allowing trees to continue providing benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit http://extension.entm.purdue.edu/treecomputer/







EAB Quarantines

EAB is an extremely destructive plant pest, and it is responsible for the death and decline of millions of ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's quarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- nursery stock and green lumber of ash
- any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product, or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees? Is there an accessible, secured site big enough to store and sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website

http://www.aphis.usda.gov/plant_health/plant_pest_info/emerald_ash_b/regulatory.shtml. Wood waste can be normally disposed of if your county is not part of a quarantine.

Canopy Replacement

As budget permits, all removed trees will be replaced. All trees will meet the restrictions in city ordinance 151.02 (Appendix C). The new plantings will be a diverse mix and will not include any fruit-bearing trees or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, or evergreens





Postponed Work

While finances, staffing, and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genera other than ash will be prioritized by hazardous or emergency situations only.

Monitoring

It is recommended that ash trees be checked with a visual survey every year for tree death and for EAB signs and symptoms including canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and woodpecker damage.


Private Ash Trees

It is strongly recommended that private property owners start removing ash trees on their property upon arrival of EAB if preventative treatments are not being used. City Code 151.06 states, "If the Council upon inspection or examination in person or by some qualified person, shall determine with reasonable certainty that any condition as defined in Section 151.05 exists in or upon private property, including the strip between the curb and the lot line of private property, and he/she shall immediately notify by certified mail the owner, occupant or person in charge of such property, to correct such condition within fourteen (14) days of such notification. If such owner, occupant or person in charge of said property fails to comply within fourteen (14) days of receipt of notice, the Council may cause the nuisance to be removed and the costs shall be assessed against the property."





Schedule & Budget



PROPOSED WORK SCHEDULE & BUDGET

Budget Allowance of \$10,150/Year – (No budget provided, based off \$2/resident estimation)

| YEAR 1 | Est. Cost |
|---|-----------|
| Remove 10 trees recommended for immediate removal | \$7,000 |
| Plant 9 trees in open locations | \$1,350 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$10,145 |

| YEAR 4 | Est. Cost |
|---|-----------|
| Remove 10 trees recommended for immediate removal | \$7,000 |
| Plant 9 trees in open locations | \$1,350 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$10,145 |

| YEAR 2 | Est. Cost |
|---|-----------|
| Remove 10 trees recommended for immediate removal | \$7,000 |
| Plant 9 trees in open locations | \$1,350 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$10,145 |

| YEAR 5 | Est. Cost |
|---|-----------|
| Remove 10 trees recommended for immediate removal | \$7,000 |
| Plant 9 trees in open locations | \$1,350 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$10,145 |

| YEAR 3 | Est. Cost |
|---|-----------|
| Remove 10 trees recommended for immediate removal | \$7,000 |
| Plant 9 trees in open locations | \$1,350 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$10,145 |

| YEAR 6 | Est. Cost |
|---|-----------|
| Remove 10 trees recommended for immediate removal | \$7,000 |
| Plant 9 trees in open locations | \$1,350 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$10,145 |

Estimated costs based on average costs of \$700/tree for removal, \$150/tree for planting and maintenance, and \$15/tree for pruning.

^{**}To remove all ash trees within 6 years alone, the budget would need to be \$11,000 a year. If the budget were increased to \$15,000 a year all ash could be removed in 4.5 years.





PROPOSED WORK SCHEDULE WITH INCREASED BUDGET

Budget Allowance of \$15,000/Year – (Budget Increase Suggested to Best Manage City Trees)

| YEAR 1 | Est. Cost |
|---|-----------|
| Remove 16 trees recommended for immediate removal | \$11,200 |
| Plant 13 trees in open locations | \$1,950 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$14,945 |

| YEAR 4 | Est. Cost |
|---|-----------|
| Remove 16 trees recommended for immediate removal | \$11,200 |
| Plant 13 trees in open locations | \$1,950 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$14,945 |

| YEAR 2 | Est. Cost |
|---|-----------|
| Remove 16 trees recommended for immediate removal | \$11,200 |
| Plant 13 trees in open locations | \$1,950 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$14,945 |

| YEAR 5 | Est. Cost |
|---|-----------|
| Remove 16 trees recommended for immediate removal | \$11,200 |
| Plant 13 trees in open locations | \$1,950 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$14,945 |

| YEAR 3 | Est. Cost |
|---|-----------|
| Remove 16 trees recommended for immediate removal | \$11,200 |
| Plant 13 trees in open locations | \$1,950 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$14,945 |

| YEAR 6 | Est. Cost |
|---|-----------|
| Remove 16 trees recommended for immediate removal | \$11,200 |
| Plant 13 trees in open locations | \$1,950 |
| Prune 1/6 of city owned trees | \$1,795 |
| Visual Survey of EAB Signs/Symptoms | n/a |
| TOTAL | \$14,945 |

Purposed Budget Increase

EAB could potentially kill all ash trees in Glenwood within four years of its arrival. To remove all ash trees within six years, the budget would need to be increased to \$11,000 a year. If the





budget were increased to \$15,000 per year all ash could be removed within 4.5 years. Additionally, we recommend that Glenwood apply for grants to fund replacement trees. Utility Company grants are usually between \$500 and \$10,000 for community-based, tree-planting projects that include parks, gateways, cemeteries, nature trails, libraries, nursing homes, and schools.

Another option considered by many communities is treating selected trees, either to maintain those trees in the landscape or to delay their removal – to spread out the costs and number of trees needing removal all at once. Trunk injection is administered every two years for the life of the tree. If treatment is discontinued, the tree dies. For instance, in this treatment scenario, the average ash diameter is 20 inches and at \$15 per inch, about 4 trees could be treated per year (every other year treatment). Four trees would be selected for treatment, and Glenwood would still need to find \$63,000 for removal. Alternatively, if there are 8 treatable trees, it would cost approximately \$2,400 a year for treatment and leave \$60,200 for removal. These are alternatives to straight removal of ash trees. However, whether or not the treatment option is selected, there will be an increased cost of dealing with ash trees if EAB is found in Glenwood. We suggest considering an increased budget to plan for this.

WORKS CITED

Census Bureau. 2010. http://censtats.census.gov/data/IA/1601964290.pdf (April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57


Nowak, DJ and JF Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.

Peper, Paula J; McPherson, E Gregory; Simpson, James R; Vargas, Kelaine E; Xiao, Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting. Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115





Appendices



APPENDIX A: i-TREE DATA

Table 1: Annual Energy Benefits





Glenwood

Annual Energy Benefits of Public Trees

4/1/2022

| | Total Electricity | Electricity | Total Natural | Natural | Total Standard | % of Total | % of | Avg. |
|--------------------------|-------------------|-------------|---------------|----------|----------------|------------|----------|---------|
| Species | (MWh) | (\$) | Gas (Therms) | Gas (\$) | (\$) Error | Trees | Total \$ | \$/tree |
| Silver maple | 41.0 | 3,110 | 5,424.2 | 5,316 | 8,426 (N/A) | 15.5 | 19.8 | 75.91 |
| Green ash | 24.5 | 1,858 | 3,384.9 | 3,317 | 5,175 (N/A) | 10.4 | 12.2 | 69.01 |
| Red maple | 12.5 | 945 | 1,589.5 | 1,558 | 2,503 (N/A) | 8.5 | 5.9 | 41.03 |
| Black walnut | 18.8 | 1,426 | 2,592.6 | 2,541 | 3,966 (N/A) | 8.5 | 9.3 | 65.02 |
| Norway maple | 11.4 | 866 | 1,625.1 | 1,593 | 2,458 (N/A) | 6.8 | 5.8 | 50.16 |
| Northern hackberry | 18.3 | 1,387 | 2,532.9 | 2,482 | 3,869 (N/A) | 6.1 | 9.1 | 87.93 |
| Apple | 5.7 | 432 | 838.0 | 821 | 1,253 (N/A) | 5.3 | 2.9 | 32.97 |
| Honeylocust | 9.3 | 704 | 1,244.2 | 1,219 | 1,923 (N/A) | 4.0 | 4.5 | 66.31 |
| Bur oak | 7.7 | 582 | 1,042.9 | 1,022 | 1,604 (N/A) | 3.8 | 3.8 | 59.42 |
| Conifer Evergreen Large | 2.9 | 222 | 384.0 | 376 | 598 (N/A) | 2.8 | 1.4 | 29.91 |
| American basswood | 5.8 | 442 | 827.4 | 811 | 1,253 (N/A) | 2.6 | 2.9 | 65.92 |
| White ash | 5.5 | 415 | 740.0 | 725 | 1,140 (N/A) | 2.6 | 2.7 | 60.01 |
| Northern red oak | 3.9 | 293 | 541.3 | 530 | 823 (N/A) | 2.2 | 1.9 | 51.44 |
| Pear | 2.6 | 200 | 384.9 | 377 | 578 (N/A) | 2.2 | 1.4 | 36.10 |
| Blue spruce | 1.8 | 140 | 246.3 | 241 | 381 (N/A) | 2.1 | 0.9 | 25.40 |
| Sugar maple | 2.8 | 210 | 380.7 | 373 | 583 (N/A) | 1.8 | 1.4 | 44.88 |
| Cottonwood | 4.8 | 364 | 626.9 | 614 | 979 (N/A) | 1.4 | 2.3 | 97.87 |
| Swamp white oak | 2.1 | 157 | 283.0 | 277 | 434 (N/A) | 1.3 | 1.0 | 48.27 |
| Chinese elm | 3.0 | 224 | 399.5 | 392 | 616 (N/A) | 1.0 | 1.4 | 87.95 |
| American sycamore | 2.1 | 161 | 279.6 | 274 | 435 (N/A) | 0.8 | 1.0 | 72.53 |
| Siberian elm | 2.7 | 202 | 344.7 | 338 | 540 (N/A) | 0.8 | 1.3 | 89.94 |
| Kentucky coffeetree | 1.5 | 114 | 197.9 | 194 | 308 (N/A) | 0.7 | 0.7 | 61.54 |
| Eastern white pine | 0.9 | 67 | 118.1 | 116 | 183 (N/A) | 0.7 | 0.4 | 36.63 |
| Mulberry | 0.7 | 57 | 120.5 | 118 | 175 (N/A) | 0.7 | 0.4 | 34.96 |
| Red pine | 0.3 | 23 | 43.1 | 42 | 65 (N/A) | 0.6 | 0.2 | 16.22 |
| Ohio buckeye | 0.7 | 54 | 102.8 | 101 | 154 (N/A) | 0.6 | 0.4 | 38.60 |
| Littleleaf linden | 0.9 | 65 | 125.7 | 123 | 188 (N/A) | 0.4 | 0.4 | 62.69 |
| Black poplar | 1.4 | 103 | 179.9 | 176 | 279 (N/A) | 0.4 | 0.7 | 93.09 |
| Spruce | 0.3 | 20 | 38.7 | 38 | 58 (N/A) | 0.4 | 0.1 | 19.21 |
| Eastern redbud | 0.5 | 35 | 69.1 | 68 | 102 (N/A) | 0.4 | 0.2 | 34.15 |
| Cherry plum | 0.3 | 25 | 50.3 | 49 | 75 (N/A) | 0.4 | 0.2 | 24.84 |
| Hickory | 0.6 | 47 | 80.7 | 79 | 126 (N/A) | 0.3 | 0.3 | 63.12 |
| Scotch pine | 0.3 | 25 | 44.3 | 43 | 69 (N/A) | 0.3 | 0.2 | 34.32 |
| Eastern cottonwood | 0.9 | 66 | 118.0 | 116 | 182 (N/A) | 0.3 | 0.4 | 91.02 |
| Eastern red cedar | 0.2 | 12 | 24.4 | 24 | 36 (N/A) | 0.3 | 0.1 | 18.02 |
| Catalpa | 0.8 | 58 | 105.8 | 104 | 162 (N/A) | 0.3 | 0.4 | 80.97 |
| Conifer Evergreen Medius | m 0.2 | 14 | 25.4 | 25 | 39 (N/A) | 0.3 | 0.1 | 19.66 |
| Kwanzan cherry | 0.0 | 1 | 1.2 | 1 | 2 (N/A) | 0.3 | 0.0 | 0.87 |
| Northern pin oak | 0.6 | 49 | 94.8 | 93 | 142 (N/A) | 0.3 | 0.3 | 70.84 |
| Black cherry | 0.2 | 15 | 31.6 | 31 | 46 (N/A) | 0.1 | 0.1 | 46.14 |
| Birch | 0.3 | 20 | 39.6 | 39 | 59 (N/A) | 0.1 | 0.1 | 58.69 |
| Callery pear | 0.0 | 3 | 6.2 | 6 | 9 (N/A) | 0.1 | 0.0 | 8.99 |
| Pin oak | 0.1 | 8 | 15.8 | 15 | 24 (N/A) | 0.1 | 0.1 | 23.64 |
| Black locust | 0.3 | 24 | 47.4 | 46 | 71 (N/A) | 0.1 | 0.2 | 70.84 |
| Black maple | 0.3 | 22 | 39.9 | 39 | 61 (N/A) | 0.1 | 0.1 | 60.68 |
| American elm | 0.6 | 45 | 71.2 | 70 | 114 (N/A) | 0.1 | 0.3 | 114.45 |
| Tulip tree | 0.4 | 29 | 53.7 | 53 | 82 (N/A) | 0.1 | 0.2 | 82.02 |
| Japanese tree lilac | 0.0 | 2 | 3.8 | 4 | 5 (N/A) | 0.1 | 0.0 | 5.40 |
| River birch | 0.3 | 24 | 47.4 | 46 | 71 (N/A) | 0.1 | 0.2 | 70.84 |
| Amur maple | 0.1 | 6 | 12.8 | 13 | 18 (N/A) | 0.1 | 0.0 | 18.19 |
| Willow | 0.3 | 24 | 47.4 | 46 | 71 (N/A) | 0.1 | 0.2 | 70.84 |
| Buckthorn | 0.1 | 6 | 12.8 | 13 | 18 (N/A) | 0.1 | 0.0 | 18.19 |
| Total | 202.9 | 15,401 | 27,683.0 | 27,129 | 42,530 (N/A) | 100.0 | 100.0 | 59.23 |

Table 2: Annual Stormwater Benefits





Glenwood

Annual Stormwater Benefits of Public Trees

4/1/2022

| | Total rainfall | Total | Standard | % of Total | % of Total | Avg. |
|-------------------------|--------------------|--------|-----------|------------|------------|---------|
| Species | interception (Gal) | (\$) | Error | Trees | \$ | \$/tree |
| Silver maple | 652,714 | 17,689 | (N/A) | 15.5 | 26.4 | 159.36 |
| Green ash | 316,182 | 8,569 | (N/A) | 10.4 | 12.8 | 114.25 |
| Red maple | 88,252 | 2,392 | (N/A) | 8.5 | 3.6 | 39.21 |
| Black walnut | 218,277 | | (N/A) | 8.5 | 8.8 | 96.97 |
| Norway maple | 106,390 | 2,883 | (N/A) | 6.8 | 4.3 | 58.84 |
| Northern hackberry | 208,063 | 5,639 | (N/A) | 6.1 | 8.4 | 128.15 |
| Apple | 25,521 | 692 | (N/A) | 5.3 | 1.0 | 18.20 |
| Honeylocust | 101,050 | 2,738 | (N/A) | 4.0 | 4.1 | 94.43 |
| ur oak | 94,816 | 2,570 | (N/A) | 3.8 | 3.8 | 95.17 |
| onifer Evergreen Large | 56,728 | 1,537 | (N/A) | 2.8 | 2.3 | 76.87 |
| merican basswood | 71,033 | | (N/A) | 2.6 | 2.9 | 101.32 |
| /hite ash | 55,004 | | (N/A) | 2.6 | 2.2 | 78.45 |
| orthern red oak | 43,155 | 1,169 | (N/A) | 2.2 | 1.7 | 73.09 |
| ear | 11,800 | 320 | | 2.2 | 0.5 | 19.99 |
| lue spruce | 26,631 | 722 | ` ' | 2.1 | 1.1 | 48.11 |
| ıgar maple | 31,404 | | (N/A) | 1.8 | 1.3 | 65.46 |
| ottonwood | 72,389 | | (N/A) | 1.4 | 2.9 | 196.17 |
| wamp white oak | 15,069 | | (N/A) | 1.3 | 0.6 | 45.38 |
| hinese elm | 45,628 | 1,237 | (N/A) | 1.0 | 1.8 | 176.65 |
| merican sycamore | 29,281 | | (N/A) | 0.8 | 1.2 | 132.25 |
| iberian elm | 35,884 | | (N/A) | 0.8 | 1.4 | 162.08 |
| entucky coffeetree | 16,704 | | (N/A) | 0.7 | 0.7 | 90.53 |
| astern white pine | 21,388 | | (N/A) | 0.7 | 0.9 | 115.92 |
| ulberry | 4,051 | | (N/A) | 0.7 | 0.2 | 21.96 |
| ed pine | 3,325 | 90 | | 0.6 | 0.1 | 22.53 |
| hio buckeye | 5,060 | | (N/A) | 0.6 | 0.2 | 34.28 |
| ttleleaf linden | 11,232 | | (N/A) | 0.4 | 0.5 | 101.46 |
| ack poplar | 19,968 | | (N/A) | 0.4 | 0.8 | 180.38 |
| oruce | 4,160 | | (N/A) | 0.4 | 0.2 | 37.58 |
| astern redbud | 2,105 | | (N/A) | 0.4 | 0.1 | 19.02 |
| herry plum | 1,196 | | (N/A) | 0.4 | 0.0 | 10.80 |
| lickory | 6,956 | | (N/A) | 0.3 | 0.3 | 94.25 |
| cotch pine | 7,574 | | (N/A) | 0.3 | 0.3 | 102.63 |
| astern cottonwood | 14,478 | | (N/A) | 0.3 | 0.6 | 196.17 |
| astern red cedar | 2,294 | | (N/A) | 0.3 | 0.1 | 31.08 |
| atalpa | 11,182 | | (N/A) | 0.3 | 0.5 | 151.51 |
| onifer Evergreen Medium | 2,300 | | (N/A) | 0.3 | 0.1 | 31.16 |
| wanzan cherry | 15 | | (N/A) | 0.3 | 0.0 | 0.20 |
| Jorthern pin oak | 7,529 | | (N/A) | 0.3 | 0.3 | 102.01 |
| Black cherry | 1,174 | | (N/A) | 0.1 | 0.0 | 31.82 |
| Birch | 2,479 | | (N/A) | 0.1 | 0.1 | 67.19 |
| Callery pear | 163 | | (N/A) | 0.1 | 0.0 | 4.41 |
| Pin oak | 579 | | (N/A) | 0.1 | 0.0 | 15.69 |
| Black locust | 3,764 | | (N/A) | 0.1 | 0.2 | 102.01 |
| Black maple | 2,867 | | (N/A) | 0.1 | 0.1 | 77.70 |
| merican elm | 4,551 | | (N/A) | 0.1 | 0.1 | 123.33 |
| Fulip tree | 5,491 | | (N/A) | 0.1 | 0.2 | 148.79 |
| Japanese tree lilac | 69 | | (N/A) | 0.1 | 0.0 | 1.86 |
| | 0) | 2 | (* " * *) | 0.1 | 0.0 | 1.00 |

1

Annual Stormwater Benefits of Public Trees

4/1/2022

| Species | Total rainfall interception (Gal) | Total Standard (\$) Error | % of Total Trees | % of Total \$ | Avg. \$/tree |
|----------------|-----------------------------------|------------------------------|---------------------|------------------|-----------------|
| River birch | 3,764 | 102 (N/A) | 0.1 | 0.2 | 102.01 |
| Amur maple | 264 | 7 (N/A) | 0.1 | 0.0 | 7.17 |
| Willow | 3,764 | 102 (N/A) | 0.1 | 0.2 | 102.01 |
| Buckthorn | 264 | 7 (N/A) | 0.1 | 0.0 | 7.17 |
| Citywide total | 2,475,980 | 67,099 (N/A) | 100.0 | 100.0 | 93.45 |

Table 3: Annual Air Quality Benefits





Glenwood

Annual Air Quality Benefits of Public Trees

4/1/2022

| | | Deposition (lb) | | | Total | | Avoid | led (lb) | | Total | BVOC | BVOC Total | | Total Standard | % of Total Avg. |
|-------------------------|-------|-----------------|------------------|------|-------------|---------|------------------|----------|-----------------|--------------|----------------|----------------|-------|----------------|-----------------|
| Species | 03 | NO $_2$ | PM ₁₀ | so 2 | Depos. (\$) | NO $_2$ | PM ₁₀ | VOC | so ₂ | Avoided (\$) | Emissions (lb) | Emissions (\$) | (lb) | (\$) Error | Trees \$/tree |
| Silver maple | 127.8 | 21.7 | 61.4 | 5.7 | 685 | 193.5 | 28.3 | 27.0 | 185.3 | 1,210 | -68.8 | -258 | 582.0 | 1,637 (N/A) | 15.5 14.75 |
| Green ash | 45.6 | 7.3 | 20.9 | 2.0 | 240 | 117.2 | 17.0 | 16.2 | 110.9 | 729 | 0.0 | 0 | 337.3 | 970 (N/A) | 10.4 12.93 |
| Red maple | 18.8 | 3.2 | 9.0 | 0.8 | 101 | 58.4 | 8.6 | 8.2 | 56.4 | 366 | -6.7 | -25 | 156.8 | 442 (N/A) | 8.5 7.25 |
| Black walnut | 27.7 | 4.4 | 13.1 | 1.2 | 147 | 89.9 | 13.1 | 12.5 | 85.1 | 559 | 0.0 | 0 | 247.0 | 706 (N/A) | 8.5 11.58 |
| Norway maple | 21.9 | 3.8 | 10.8 | 1.0 | 118 | 55.1 | 8.0 | 7.6 | 51.7 | 342 | -5.1 | -19 | 154.7 | 441 (N/A) | 6.8 9.00 |
| Northern hackberry | 39.5 | 6.8 | 19.3 | 1.8 | 213 | 87.7 | 12.7 | 12.1 | 82.8 | 545 | 0.0 | 0 | 262.7 | 758 (N/A) | 6.1 17.23 |
| Apple | 8.4 | 1.4 | 3.9 | 0.4 | 45 | 27.7 | 4.0 | 3.8 | 25.8 | 171 | 0.0 | 0 | 75.3 | 216 (N/A) | 5.3 5.67 |
| Honeylocust | 19.6 | 3.2 | 9.0 | 0.9 | 104 | 43.9 | 6.4 | 6.1 | 42.0 | 274 | -14.9 | -56 | 116.3 | 322 (N/A) | 4.0 11.11 |
| Bur oak | 14.6 | 2.3 | 6.7 | 0.7 | 77 | 36.6 | 5.3 | 5.1 | 34.8 | 228 | 0.0 | 0 | 106.0 | 305 (N/A) | 3.8 11.29 |
| Conifer Evergreen Large | 6.6 | 1.3 | 5.4 | 0.8 | 43 | 13.8 | 2.0 | 1.9 | 13.2 | 86 | -26.5 | -100 | 18.5 | 30 (N/A) | 2.8 1.50 |
| American basswood | 10.3 | 1.8 | 5.0 | 0.5 | 55 | 28.1 | 4.1 | 3.9 | 26.4 | 174 | -8.6 | -32 | 71.4 | 198 (N/A) | 2.6 10.40 |
| White ash | 6.3 | 1.0 | 3.2 | 0.3 | 34 | 26.0 | 3.8 | 3.6 | 24.8 | 162 | 0.0 | 0 | 68.9 | 196 (N/A) | 2.6 10.33 |
| Northern red oak | 9.4 | 1.6 | 4.5 | 0.4 | 51 | 18.5 | 2.7 | 2.6 | 17.5 | 115 | -13.6 | -51 | 43.6 | 115 (N/A) | 2.2 7.16 |
| Pear | 3.9 | 0.6 | 1.8 | 0.2 | 21 | 12.8 | 1.8 | 1.8 | 12.0 | 79 | 0.0 | 0 | 34.9 | 100 (N/A) | 2.2 6.25 |
| Blue spruce | 3.8 | 0.8 | 3.1 | 0.5 | 25 | 8.7 | 1.3 | 1.2 | 8.3 | 54 | -9.9 | -37 | 17.9 | 43 (N/A) | 2.1 2.84 |
| Sugar maple | 4.6 | 0.8 | 2.3 | 0.2 | 25 | 13.2 | 1.9 | 1.8 | 12.6 | 82 | -3.6 | -13 | 33.7 | 94 (N/A) | 1.8 7.20 |
| Cottonwood | 15.4 | 2.5 | 6.7 | 0.7 | 80 | 22.7 | 3.3 | 3.2 | 21.7 | 142 | 0.0 | 0 | 76.2 | 222 (N/A) | 1.4 22.20 |
| Swamp white oak | 2.6 | 0.5 | 1.3 | 0.1 | 14 | 9.9 | 1.4 | 1.4 | 9.4 | 62 | -0.7 | -2 | 26.0 | 74 (N/A) | 1.3 8.17 |
| Chinese elm | 7.5 | 1.2 | 3.3 | 0.3 | 39 | 14.1 | 2.0 | 2.0 | 13.4 | 88 | 0.0 | 0 | 43.8 | 127 (N/A) | 1.0 18.13 |
| American sycamore | 5.3 | 0.8 | 2.3 | 0.2 | 27 | 10.0 | 1.5 | 1.4 | 9.6 | 63 | 0.0 | 0 | 31.2 | 90 (N/A) | 0.8 15.04 |
| Siberian elm | 7.6 | 1.3 | 3.5 | 0.3 | 40 | 12.5 | 1.8 | 1.8 | 12.0 | 78 | 0.0 | 0 | 40.8 | 119 (N/A) | 0.8 19.76 |
| Kentucky coffeetree | 2.1 | 0.3 | 1.0 | 0.1 | 11 | 7.1 | 1.0 | 1.0 | 6.8 | 44 | 0.0 | 0 | 19.5 | 56 (N/A) | 0.7 11.14 |
| Eastern white pine | 2.6 | 0.5 | 2.1 | 0.3 | 17 | 4.2 | 0.6 | 0.6 | 4.0 | 26 | -12.8 | -48 | 2.1 | -5 (N/A) | 0.7 -0.97 |
| Mulberry | 1.4 | 0.2 | 0.6 | 0.1 | 7 | 3.7 | 0.5 | 0.5 | 3.4 | 23 | 0.0 | 0 | 10.5 | 30 (N/A) | 0.7 6.03 |
| Red pine | 0.3 | 0.1 | 0.3 | 0.0 | 2 | 1.4 | 0.2 | 0.2 | 1.3 | 9 | -1.0 | -4 | 2.9 | 7 (N/A) | 0.6 1.81 |
| Ohio buckeye | 0.8 | 0.1 | 0.4 | 0.0 | 5 | 3.4 | 0.5 | 0.5 | 3.2 | 21 | -0.2 | -1 | 8.8 | 25 (N/A) | 0.6 6.25 |
| Littleleaf linden | 2.2 | 0.4 | 1.0 | 0.1 | 12 | 4.2 | 0.6 | 0.6 | 3.9 | 26 | -1.0 | -4 | 11.9 | 34 (N/A) | 0.4 11.21 |
| Black poplar | 4.0 | 0.6 | 1.7 | 0.2 | 21 | 6.4 | 0.9 | 0.9 | 6.1 | 40 | 0.0 | 0 | 20.9 | 61 (N/A) | 0.4 20.27 |
| Spruce | 0.4 | 0.1 | 0.4 | 0.1 | 3 | 1.3 | 0.2 | 0.2 | 1.2 | 8 | -1.7 | -6 | 2.1 | 4 (N/A) | 0.4 1.47 |
| Eastern redbud | 0.7 | 0.1 | 0.3 | 0.0 | 4 | 2.2 | 0.3 | 0.3 | 2.1 | 14 | 0.0 | 0 | 6.1 | 17 (N/A) | 0.4 5.82 |
| Cherry plum | 0.3 | 0.0 | 0.2 | 0.0 | 2 | 1.6 | 0.2 | 0.2 | 1.5 | 10 | 0.0 | 0 | 4.1 | 12 (N/A) | 0.4 3.88 |
| Hickory | 0.9 | 0.1 | 0.4 | 0.0 | 5 | 2.9 | 0.4 | 0.4 | 2.8 | 18 | 0.0 | 0 | 8.1 | 23 (N/A) | 0.3 11.57 |
| Scotch pine | 0.9 | 0.2 | 0.7 | 0.1 | 6 | 1.6 | 0.2 | 0.2 | 1.5 | 10 | -4.2 | -16 | 1.2 | 0 (N/A) | 0.3 -0.06 |
| Eastern cottonwood | 2.3 | 0.4 | 1.0 | 0.1 | 12 | 4.2 | 0.6 | 0.6 | 4.0 | 26 | 0.0 | 0 | 13.1 | 38 (N/A) | 0.3 19.04 |

1

Glenwood

Annual Air Quality Benefits of Public Trees

4/1/2022

| | | Deposition (lb) | | | | Total Avoided (lb) | | | | | BVOC | BVOC | Total | Total Standard % | % of Total | % of Total Avg. | | |
|--------------------------|-------|-----------------|------------|------|-------------|--------------------|------------------|-------|-----------------|--------------|----------------|----------------|---------|------------------|------------|-----------------|--|--|
| Species | O_3 | NO $_2$ | PM $_{10}$ | so 2 | Depos. (\$) | NO ₂ | PM ₁₀ | VOC | so ₂ | Avoided (\$) | Emissions (lb) | Emissions (\$) | (lb) | (\$) Error | | Trees \$/tree | | |
| Eastern red cedar | 0.4 | 0.1 | 0.3 | 0.0 | 3 | 0.8 | 0.1 | 0.1 | 0.7 | 5 | -1.3 | -5 | 1.3 | 3 (N/A) | 0.3 | 1.40 | | |
| Catalpa | 1.7 | 0.3 | 0.7 | 0.1 | 9 | 3.7 | 0.5 | 0.5 | 3.5 | 23 | 0.0 | 0 | 10.9 | 32 (N/A) | 0.3 | 15.76 | | |
| Conifer Evergreen Medium | 0.3 | 0.1 | 0.2 | 0.0 | 2 | 0.9 | 0.1 | 0.1 | 0.9 | 6 | -0.8 | -3 | 1.8 | 4 (N/A) | 0.3 | 2.21 | | |
| Kwanzan cherry | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.0 | 0 | 0.1 | 0 (N/A) | 0.3 | 0.11 | | |
| Northern pin oak | 1.7 | 0.3 | 0.8 | 0.1 | 9 | 3.1 | 0.5 | 0.4 | 2.9 | 19 | -0.4 | -1 | 9.5 | 27 (N/A) | 0.3 | 13.58 | | |
| Black cherry | 0.4 | 0.1 | 0.2 | 0.0 | 2 | 1.0 | 0.1 | 0.1 | 0.9 | 6 | 0.0 | 0 | 2.9 | 8 (N/A) | 0.1 | 8.35 | | |
| Birch | 0.5 | 0.1 | 0.2 | 0.0 | 3 | 1.3 | 0.2 | 0.2 | 1.2 | 8 | -0.1 | 0 | 3.6 | 10 (N/A) | 0.1 | 10.16 | | |
| Callery pear | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.2 | 0.0 | 0.0 | 0.2 | 1 | 0.0 | 0 | 0.4 | 1 (N/A) | 0.1 | 1.21 | | |
| Pin oak | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.5 | 0.1 | 0.1 | 0.5 | 3 | -0.1 | 0 | 1.1 | 3 (N/A) | 0.1 | 3.05 | | |
| Black locust | 0.9 | 0.1 | 0.4 | 0.0 | 5 | 1.6 | 0.2 | 0.2 | 1.5 | 10 | -0.2 | -1 | 4.7 | 14 (N/A) | 0.1 | 13.58 | | |
| Black maple | 0.7 | 0.1 | 0.3 | 0.0 | 4 | 1.4 | 0.2 | 0.2 | 1.3 | 8 | -0.2 | -1 | 4.0 | 12 (N/A) | 0.1 | 11.54 | | |
| American elm | 2.2 | 0.4 | 1.0 | 0.1 | 12 | 2.7 | 0.4 | 0.4 | 2.7 | 17 | 0.0 | 0 | 9.9 | 29 (N/A) | 0.1 | 28.89 | | |
| Tulip tree | 0.8 | 0.1 | 0.4 | 0.0 | 4 | 1.9 | 0.3 | 0.3 | 1.8 | 12 | 0.0 | 0 | 5.5 | 16 (N/A) | 0.1 | 15.71 | | |
| Japanese tree lilac | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.1 | 0.0 | 0.0 | 0.1 | 1 | 0.0 | 0 | 0.3 | 1 (N/A) | 0.1 | 0.71 | | |
| River birch | 0.9 | 0.1 | 0.4 | 0.0 | 5 | 1.6 | 0.2 | 0.2 | 1.5 | 10 | -0.2 | -1 | 4.7 | 14 (N/A) | 0.1 | 13.58 | | |
| Amur maple | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.4 | 0.1 | 0.1 | 0.3 | 2 | 0.0 | 0 | 0.9 | 3 (N/A) | 0.1 | 2.55 | | |
| Willow | 0.9 | 0.1 | 0.4 | 0.0 | 5 | 1.6 | 0.2 | 0.2 | 1.5 | 10 | -0.2 | -1 | 4.7 | 14 (N/A) | 0.1 | 13.58 | | |
| Buckthorn | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.4 | 0.1 | 0.1 | 0.3 | 2 | 0.0 | 0 | 0.9 | 3 (N/A) | 0.1 | 2.55 | | |
| Citywide total | 437.8 | 73.5 | 212.4 | 20.7 | 2,354 | 967.5 | 140.9 | 134.4 | 919.2 | 6,029 | -183.0 | -686 | 2,723.6 | 7,697 (N/A) | 100.0 | 10.72 | | |

Table 4: Annual Carbon Stored





Glenwood

Stored CO2 Benefits of Public Trees

4/1/2022

| Species CO2 (lbs) (\$) Error Trees Total \$ | Avg. |
|--|---------|
| Species CO2 (lbs) (\$) Error Trees Total \$ | |
| | \$/tree |
| 1 | 21.39 |
| Green ash 1,517,145 11,379 (N/A) 10.4 14.2 151 | 51.71 |
| | 25.86 |
| | 10.72 |
| | 55.52 |
| | 09.67 |
| | 25.53 |
| | 64.63 |
| | 37.27 |
| | 24.18 |
| | 53.31 |
| | 56.68 |
| | 98.88 |
| | 28.13 |
| | 14.00 |
| · · · · · · · · · · · · · · · · · · · | 78.22 |
| | 07.32 |
| | 35.88 |
| · · · · · · · · · · · · · · · · · · · | 72.93 |
| | 27.34 |
| | 31.40 |
| | 06.25 |
| | 49.96 |
| · · · · · · · · · · · · · · · · · · · | 33.07 |
| · | 3.64 |
| | 25.82 |
| · · · · · · · · · · · · · · · · · · · | 14.29 |
| | 44.77 |
| | 9.64 |
| | 26.72 |
| | 12.13 |
| | 11.06 |
| | 40.62 |
| | 94.44 |
| | 5.17 |
| | 06.37 |
| | 5.26 |
| | 0.10 |
| | 07.10 |
| | 50.57 |
| | 59.59 |
| | 1.64 |
| | 7.68 |
| Black locust 14,280 107 (N/A) 0.1 0.1 107 | 07.10 |
| Black maple 7,945 60 (N/A) 0.1 59 | 59.59 |
| American elm 41,265 309 (N/A) 0.1 0.4 309 | 09.48 |
| | 94.57 |
| * | 1.33 |
| | 07.10 |
| * | 6.81 |
| | 07.10 |
| Buckthorn 908 7 (N/A) 0.1 0.0 6 | 6.81 |
| Citywide total 10,709,136 80,319 (N/A) 100.0 100.0 111 | 11.86 |

The value of stored carbon dioxide is calculated as the total amount of carbon dioxide sequestered annually over the life of each tree, summed for the population. This value should not be added to the Replacement Value or double-counting of the carbon dioxide storage benefit will occur.

1

Table 5: Annual Carbon Sequestered





Glenwood

Annual CO Benefits of Public Trees

4/1/2022

| Species | Sequestered (lb) | Sequestered (\$) | Decomposition Release (lb) | Maintenance Release (lb) | Total Released (\$) | Avoided (lb) | Avoided (\$) | Net Total (lb) | Total Standard (\$) Error | % of Total Trees | % of Total \$ | Avg. \$/tree |
|-------------------------|------------------|------------------|-------------------------------|-----------------------------|------------------------|--------------|--------------|-------------------|---------------------------|---------------------|------------------|-----------------|
| Silver maple | 208,191 | 1,561 | -15,729 | -495 | -122 | 68,726 | 515 | 260,693 | 1,955 (N/A) | 15.5 | 32.6 | 17.61 |
| Green ash | 55,581 | 417 | -7,282 | -269 | -57 | 41,066 | 308 | 89,096 | 668 (N/A) | 10.4 | 11.1 | 8.91 |
| Red maple | 22,264 | 167 | -1,010 | -108 | -8 | 20,887 | 157 | 42,034 | 315 (N/A) | 8.5 | 5.3 | 5.17 |
| Black walnut | 45,307 | 340 | -4,323 | -197 | -34 | 31,508 | 236 | 72,296 | 542 (N/A) | 8.5 | 9.0 | 8.89 |
| Norway maple | 14,305 | 107 | -1,743 | -121 | -14 | 19,128 | 143 | 31,569 | 237 (N/A) | 6.8 | 3.9 | 4.83 |
| Northern hackberry | 24,956 | 187 | -3,088 | -184 | -25 | 30,642 | 230 | 52,326 | 392 (N/A) | 6.1 | 6.5 | 8.92 |
| Apple | 7,536 | 57 | -621 | -75 | -5 | 9,541 | 72 | 16,381 | 123 (N/A) | 5.3 | 2.0 | 3.23 |
| Honeylocust | 23,364 | 175 | -1,199 | -76 | -10 | 15,552 | 117 | 37,640 | 282 (N/A) | 4.0 | 4.7 | 9.73 |
| Bur oak | 15,702 | 118 | -2,372 | -85 | -18 | 12,870 | 97 | 26,115 | 196 (N/A) | 3.8 | 3.3 | 7.25 |
| Conifer Evergreen Large | 3,601 | 27 | -310 | -53 | -3 | 4,903 | 37 | 8,141 | 61 (N/A) | 2.8 | 1.0 | 3.05 |
| American basswood | 21,617 | 162 | -1,864 | -69 | -14 | 9,762 | 73 | 29,447 | 221 (N/A) | 2.6 | 3.7 | 11.62 |
| White ash | 14,496 | 109 | -689 | -48 | -6 | 9,170 | 69 | 22,929 | 172 (N/A) | 2.6 | 2.9 | 9.05 |
| Northern red oak | 1,550 | 12 | -1,013 | -51 | -8 | 6,466 | 48 | 6,952 | 52 (N/A) | 2.2 | 0.9 | 3.26 |
| Pear | 4,321 | 32 | -288 | -33 | -2 | 4,427 | 33 | 8,427 | 63 (N/A) | 2.2 | 1.1 | 3.95 |
| Blue spruce | 1,437 | 11 | -134 | -33 | -1 | 3,086 | 23 | 4,355 | 33 (N/A) | 2.1 | 0.5 | 2.18 |
| Sugar maple | 6,593 | 49 | -652 | -32 | -5 | 4,649 | 35 | 10,558 | 79 (N/A) | 1.8 | 1.3 | 6.09 |
| Cottonwood | 5,222 | 39 | -2,607 | -58 | -20 | 8,051 | 60 | 10,608 | 80 (N/A) | 1.4 | 1.3 | 7.96 |
| Swamp white oak | 3,563 | 27 | -207 | -19 | -2 | 3,471 | 26 | 6,809 | 51 (N/A) | 1.3 | 0.9 | 5.67 |
| Chinese elm | 5,944 | 45 | -1,223 | -34 | -9 | 4,953 | 37 | 9,640 | 72 (N/A) | 1.0 | 1.2 | 10.33 |
| American sycamore | 3,484 | 26 | -873 | -24 | -7 | 3,562 | 27 | 6,148 | 46 (N/A) | 0.8 | 0.8 | 7.69 |
| Siberian elm | 5,296 | 40 | -889 | -30 | -7 | 4,460 | 33 | 8,837 | 66 (N/A) | 0.8 | 1.1 | 11.05 |
| Kentucky coffeetree | 3,319 | 25 | -340 | -15 | -3 | 2,514 | 19 | 5,478 | 41 (N/A) | 0.7 | 0.7 | 8.22 |
| Eastern white pine | 956 | 7 | -160 | -18 | -1 | 1,490 | 11 | 2,268 | 17 (N/A) | 0.7 | 0.3 | 3.40 |
| Mulberry | 228 | 2 | -106 | -13 | -1 | 1,253 | 9 | 1,362 | 10 (N/A) | 0.7 | 0.2 | 2.04 |
| Red pine | 273 | 2 | -9 | -5 | 0 | 500 | 4 | 758 | 6 (N/A) | 0.6 | 0.1 | 1.42 |
| Ohio buckeye | 1,304 | 10 | -66 | -7 | -1 | 1,187 | 9 | 2,417 | 18 (N/A) | 0.6 | 0.3 | 4.53 |
| Littleleaf linden | 1,118 | 8 | -219 | -12 | -2 | 1,433 | 11 | 2,320 | 17 (N/A) | 0.4 | 0.3 | 5.80 |
| Black poplar | 1,917 | 14 | -662 | -16 | -5 | 2,276 | 17 | 3,515 | 26 (N/A) | 0.4 | 0.4 | 8.79 |
| Spruce | 293 | 2 | -19 | -5 | 0 | 435 | 3 | 704 | 5 (N/A) | 0.4 | 0.1 | 1.76 |
| Eastern redbud | 860 | 6 | -51 | -6 | 0 | 767 | 6 | 1,570 | 12 (N/A) | 0.4 | 0.2 | 3.93 |
| Cherry plum | 495 | 4 | -23 | -4 | 0 | 557 | 4 | 1,025 | 8 (N/A) | 0.4 | 0.1 | 2.56 |

1

Annual CO Benefits of Public Trees

4/1/2022

| Species | Sequestered (lb) | Sequestered (\$) | Decomposition Release (lb) | Maintenance Release (lb) | Total Released (\$) | Avoided (lb) | Avoided (\$) | Net Total (lb) | Total Standard (\$) Error | % of Total Trees | % of Total \$ | Avg. \$/tree |
|--------------------------|------------------|------------------|-------------------------------|-----------------------------|------------------------|--------------|--------------|-------------------|------------------------------|---------------------|------------------|-----------------|
| Hickory | 1,405 | 11 | -142 | -6 | -1 | 1,043 | 8 | 2,299 | 17 (N/A) | 0.3 | 0.3 | 8.62 |
| Scotch pine | 187 | 11 | -52 | -0 -7 | 0 | 557 | 4 | 686 | 5 (N/A) | 0.3 | 0.3 | 2.57 |
| Eastern cottonwood | 1,824 | 14 | -377 | -10 | -3 | 1,469 | 11 | 2,906 | 22 (N/A) | 0.3 | 0.1 | 10.90 |
| | 40 | 0 | -377 -7 | -10 | -3 | 269 | 2 | 2,900 | 22 (N/A) 2 (N/A) | 0.3 | 0.4 | 1.12 |
| Eastern red cedar | | _ | | _ | | | | | ` ′ | | | |
| Catalpa | 1,769 | 13 | -264 | -9 | -2 | 1,287 | 10 | 2,783 | 21 (N/A) | 0.3 | 0.3 | 10.44 |
| Conifer Evergreen Mediun | | 1 | -7 | -3 | 0 | 319 | 2 | 439 | 3 (N/A) | 0.3 | 0.1 | 1.64 |
| Kwanzan cherry | 17 | 0 | 0 | 0 | 0 | 11 | 0 | 28 | 0 (N/A) | 0.3 | 0.0 | 0.10 |
| Northern pin oak | 0 | 0 | -137 | -9 | -1 | 1,077 | 8 | 932 | 7 (N/A) | 0.3 | 0.1 | 3.49 |
| Black cherry | 0 | 0 | -32 | -4 | 0 | 335 | 3 | 299 | 2 (N/A) | 0.1 | 0.0 | 2.24 |
| Birch | 470 | 4 | -38 | -3 | 0 | 440 | 3 | 869 | 7 (N/A) | 0.1 | 0.1 | 6.52 |
| Callery pear | 96 | 1 | -2 | -1 | 0 | 65 | 0 | 158 | 1 (N/A) | 0.1 | 0.0 | 1.18 |
| Pin oak | 163 | 1 | -5 | -1 | 0 | 180 | 1 | 337 | 3 (N/A) | 0.1 | 0.0 | 2.53 |
| Black locust | 0 | 0 | -69 | -4 | -1 | 539 | 4 | 466 | 3 (N/A) | 0.1 | 0.1 | 3.49 |
| Black maple | 0 | 0 | -38 | -3 | 0 | 477 | 4 | 436 | 3 (N/A) | 0.1 | 0.1 | 3.27 |
| American elm | 724 | 5 | -198 | -6 | -2 | 987 | 7 | 1,507 | 11 (N/A) | 0.1 | 0.2 | 11.31 |
| Tulip tree | 960 | 7 | -125 | -4 | -1 | 650 | 5 | 1,481 | 11 (N/A) | 0.1 | 0.2 | 11.11 |
| Japanese tree lilac | 38 | 0 | -1 | -1 | 0 | 37 | 0 | 74 | 1 (N/A) | 0.1 | 0.0 | 0.55 |
| River birch | 0 | 0 | -69 | -4 | -1 | 539 | 4 | 466 | 3 (N/A) | 0.1 | 0.1 | 3.49 |
| Amur maple | 114 | 1 | -4 | -1 | 0 | 124 | 1 | 232 | 2 (N/A) | 0.1 | 0.0 | 1.74 |
| Willow | 370 | 3 | -69 | -4 | -1 | 539 | 4 | 837 | 6 (N/A) | 0.1 | 0.1 | 6.27 |
| Buckthorn | 114 | 1 | -4 | -1 | 0 | 124 | 1 | 232 | 2 (N/A) | 0.1 | 0.0 | 1.74 |
| Citywide total | 513,515 | 3,851 | -51,410 | -2,279 | -403 | 340,358 | 2,553 | 800,184 | 6,001 (N/A) | 100.0 | 100.0 | 8.36 |

Table 6: Annual Social and Aesthetic Benefits





Glenwood

Annual Aesthetic/Other Benefits of Public Trees

4/1/2022

| Species | Total (\$) | Standard | % of Total | % of Total | Avg. \$/tree |
|--------------------------|------------|------------------------|------------|------------|-----------------|
| Species | ` ' | | Trees | \$ | |
| Silver maple | 14,671 | | 15.5 | 32.1 | 132.17 |
| Green ash | | (N/A) | 10.4 | 9.2 | 56.40 |
| Red maple | | (N/A) | 8.5 | 6.7 | 50.11 |
| Black walnut | 3,606 | (N/A) | 8.5 | 7.9 | 59.12 |
| Norway maple | 1,386 | (N/A) | 6.8 | 3.0 | 28.28 |
| Northern hackberry | 2,992 | (N/A) | 6.1 | 6.5 | 68.01 |
| Apple | 439 | (N/A) | 5.3 | 1.0 | 11.54 |
| Honeylocust | 5,315 | (N/A) | 4.0 | 11.6 | 183.29 |
| Bur oak | 1,256 | (N/A) | 3.8 | 2.7 | 46.51 |
| Conifer Evergreen Large | 876 | (N/A) | 2.8 | 1.9 | 43.82 |
| American basswood | 1,453 | (N/A) | 2.6 | 3.2 | 76.47 |
| White ash | 1,740 | (N/A) | 2.6 | 3.8 | 91.56 |
| Northern red oak | 116 | (N/A) | 2.2 | 0.3 | 7.22 |
| Pear | | (N/A) | 2.2 | 0.6 | 15.87 |
| Blue spruce | | (N/A) | 2.1 | 0.7 | 20.49 |
| Sugar maple | | (N/A) | 1.8 | 1.5 | 52.49 |
| Cottonwood | | (N/A) | 1.4 | 0.7 | 31.55 |
| Swamp white oak | | (N/A) | 1.3 | 0.8 | 39.02 |
| Chinese elm | | (N/A) | 1.0 | 0.9 | 56.30 |
| American sycamore | | (N/A) | 0.8 | 0.6 | 42.75 |
| Siberian elm | | (N/A) | 0.8 | 0.7 | 52.04 |
| Kentucky coffeetree | | (N/A) | 0.7 | 0.6 | 54.67 |
| Eastern white pine | | (N/A) | 0.7 | 0.3 | 25.17 |
| Mulberry | | (N/A) | 0.7 | 0.0 | 2.56 |
| Red pine | | (N/A) | 0.6 | 0.2 | 19.65 |
| Ohio buckeye | | (N/A) | 0.6 | 0.2 | 33.66 |
| Littleleaf linden | | (N/A) | 0.4 | 0.3 | 35.34 |
| Black poplar | | (N/A) (N/A) | 0.4 | 0.2 | 41.25 |
| | | | | 0.3 | 25.97 |
| Spruce Eastern redbud | | (N/A) | 0.4 | | |
| | | (N/A) | 0.4 | 0.1 | 16.89 |
| Cherry plum | | (N/A) | 0.4 | 0.1 | 9.43 |
| Hickory | | (N/A) | 0.3 | 0.2 | 56.23 |
| Scotch pine | | (N/A) | 0.3 | 0.1 | 23.54 |
| Eastern cottonwood | | (N/A) | 0.3 | 0.3 | 58.34 |
| Eastern red cedar | | (N/A) | 0.3 | 0.0 | 10.67 |
| Catalpa | | (N/A) | 0.3 | 0.3 | 61.96 |
| Conifer Evergreen Medium | | (N/A) | 0.3 | 0.1 | 23.16 |
| Kwanzan cherry | | (N/A) | 0.3 | 0.0 | 0.03 |
| Northern pin oak | | (N/A) | 0.3 | 0.0 | 0.00 |
| Black cherry | 0 | (N/A) | 0.1 | 0.0 | 0.00 |
| Birch | 43 | (N/A) | 0.1 | 0.1 | 43.05 |
| Callery pear | 13 | (N/A) | 0.1 | 0.0 | 12.89 |
| Pin oak | 23 | (N/A) | 0.1 | 0.1 | 23.14 |
| Black locust | 0 | (N/A) | 0.1 | 0.0 | 0.00 |
| Black maple | | (N/A) | 0.1 | 0.0 | 0.00 |
| American elm | | (N/A) | 0.1 | 0.2 | 86.69 |
| Tulip tree | | (N/A) | 0.1 | 0.1 | 66.60 |
| r | 37 | (- ·· - -) | 0.1 | 0.1 | 00.00 |

Annual Aesthetic/Other Benefits of Public Trees

4/1/2022

| Species | Standard Total (\$) Error | % of Total Trees | % of Total \$ | Avg. \$/tree |
|---------------------|------------------------------|---------------------|------------------|-----------------|
| Japanese tree lilac | 2 (N/A) | 0.1 | 0.0 | 2.06 |
| River birch | 0 (N/A) | 0.1 | 0.0 | 0.00 |
| Amur maple | 6 (N/A) | 0.1 | 0.0 | 6.40 |
| Willow | 31 (N/A) | 0.1 | 0.1 | 31.46 |
| Buckthorn | 6 (N/A) | 0.1 | 0.0 | 6.40 |
| Citywide total | 45,768 (N/A) | 100.0 | 100.0 | 63.74 |

Table 7: Summary of Benefits in Dollars





Glenwood

Total Annual Benefits, Net Benefits, and Costs for Public Trees

4/1/2022

| Benefits | Total (\$) Standard Error | \$/tree Standard Error | \$/capita Standard Error | | |
|------------------------|---------------------------|------------------------|--------------------------|--|--|
| Energy | 42,530 (N/A) | 59.23 (N/A) | 0.00 (N/A) | | |
| CO2 | 6,001 (N/A) | 8.36 (N/A) | 0.00 (N/A) | | |
| Air Quality | 7,697 (N/A) | 10.72 (N/A) | 0.00 (N/A) | | |
| Stormwater | 67,099 (N/A) | 93.45 (N/A) | 0.00 (N/A) | | |
| Aesthetic/Other | 45,768 (N/A) | 63.74 (N/A) | 0.00 (N/A) | | |
| Total Benefits | 169,096 (N/A) | 235.51 (N/A) | 0.00 (N/A) | | |
| Costs | | | | | |
| Planting | 0 | 0.00 | 0.00 | | |
| Contract Pruning | 0 | 0.00 | 0.00 | | |
| Pest Management | 0 | 0.00 | 0.00 | | |
| Irrigation | 0 | 0.00 | 0.00 | | |
| Removal | 0 | 0.00 | 0.00 | | |
| Administration | 0 | 0.00 | 0.00 | | |
| Inspection/Service | 0 | 0.00 | 0.00 | | |
| Infrastructure Repairs | 0 | 0.00 | 0.00 | | |
| Litter Clean-up | 0 | 0.00 | 0.00 | | |
| Liability/Claims | 0 | 0.00 | 0.00 | | |
| Other Costs | 0 | 0.00 | 0.00 | | |
| Total Costs | 0 | 0.00 | 0.00 | | |
| Net Benefits | 169,096 (N/A) | 235.51 (N/A) | 0.00 (N/A) | | |
| Benefit-cost ratio | 0.00 (N/A) | | | | |


Figure 1: Species Distribution





Species Distribution of Public Trees

4/1/2022



| Species | Percent |
|-------------------------|---------|
| Silver maple | 15.5 |
| Green ash | 10.4 |
| Red maple | 8.5 |
| Black walnut | 8.5 |
| Norway maple | 6.8 |
| Northern hackberry | 6.1 |
| Apple | 5.3 |
| Honeylocust | 4.0 |
| Bur oak | 3.8 |
| Conifer Evergreen Large | 2.8 |
| Other Species | 28.3 |
| Total | 100.0 |


Figure 2: Relative Age Class





Relative Age Distribution of Top 10 Public Tree Species for All Zones (%)


4/1/2022



| DBH class (in) | | | | | | | | | |
|------------------------|------|------|-------|-------|-------|-------|-------|-------|-------|
| Species | 0-3 | 3-6 | 6-12 | 12-18 | 18-24 | 24-30 | 30-36 | 36-42 | > 42 |
| Silver maple | 0.00 | 1.80 | 3.60 | 8.11 | 10.81 | 6.31 | 13.51 | 14.41 | 41.44 |
| reen ash | 0.00 | 0.00 | 9.33 | 5.33 | 20.00 | 22.67 | 24.00 | 12.00 | 6.67 |
| led maple | 0.00 | 9.84 | 24.59 | 47.54 | 9.84 | 4.92 | 1.64 | 1.64 | 0.00 |
| lack walnut | 0.00 | 0.00 | 1.64 | 16.39 | 29.51 | 27.87 | 18.03 | 6.56 | 0.00 |
| orway maple | 4.08 | 6.12 | 12.24 | 28.57 | 12.24 | 24.49 | 4.08 | 6.12 | 2.04 |
| orthern hackberry | 0.00 | 0.00 | 2.27 | 6.82 | 13.64 | 15.91 | 18.18 | 27.27 | 15.91 |
| ple | 7.89 | 2.63 | 18.42 | 42.11 | 13.16 | 10.53 | 2.63 | 2.63 | 0.00 |
| neylocust | 0.00 | 0.00 | 6.90 | 0.00 | 51.72 | 20.69 | 3.45 | 13.79 | 3.45 |
| ır oak | 3.70 | 7.41 | 11.11 | 11.11 | 14.81 | 18.52 | 14.81 | 3.70 | 14.81 |
| onifer Evergreen Large | 0.00 | 0.00 | 0.00 | 15.00 | 80.00 | 5.00 | 0.00 | 0.00 | 0.00 |
| ywide Total | 1.11 | 2.65 | 10.86 | 17.41 | 19.92 | 13.93 | 11.42 | 10.45 | 12.26 |

Figure 3: Foliage Condition

Foliage Condition




■ Good ■ Fair ■ Poor ■ Dead or Dying





Figure 4: Wood Condition

Wood Condition



■ Good ■ Fair ■ Poor ■ Dead or Dying






Figure 5: Canopy Cover in Acres





Canopy Cover of Public Trees (Acres)

4/1/2022




| Zone | Acres | % of Total Canopy Cover |
|----------------|-------|-------------------------|
| 4 | 5 | 20.1 |
| 1 | 17 | 69.7 |
| 2 | 1 | 2.0 |
| 3 | 2 | 8.0 |
| 0 | 0 | 0.1 |
| Citywide total | 25 | 100.0 |

| | | Total Street | Total | Canopy Cover as | Canopy Cover as % of |
|----------------|------------|--------------|--------|-----------------|----------------------|
| | Total Land | and Sidewalk | Canopy | % of Total Land | Total Streets and |
| | Area | Area | Cover | Area | Sidewalks |
| Citywide Total | 0 | 0 | 25 | 0.00 | 0.00 |

Figure 6: Land Use of City/Park Trees

Land Use of Public Trees



■ Land Use of Public Trees





APPENDIX B: ArcGIS MAPPING

Figure 1: Location of Ash Trees

Figure 2: Location of EAB Symptoms


Figure 3: Location of Poor Condition Trees

Figure 4: Location of Trees with Recommended Maintenance

City ownership of the trees recommended for removal should be verified prior to any removal








Ash Tree Location







EAB Signs/Symptoms









Poor Condition Trees













APPENDIX C: GLENWOOD TREE ORDINANCES

151.01 DEFINITIONS.

For use in this chapter, "parking" means that part of the street, avenue, or highway in the City not covered by sidewalk and lying between the lot line and the curb line; or, on unpaved streets, that part of the street, avenue or highway lying between the lot line and that portion of the street usually traveled by vehicular traffic.

151.02 PLANTING RESTRICTIONS.

No tree shall be planted in any parking or street except in accordance with the following.

- 1. Alignment. All trees hereafter planted in any street shall be planted in the parking midway between the outer line of the sidewalk and the curb. In the event a curb line is not established, trees shall be planted on a line ten (10) feet from the property line.
- 2. Spacing. Trees shall not be planted on any parking which is less than nine (9) feet in width, or contains less than eighty-one (81) square feet of exposed soil surface per tree, Trees shall not be planted closer than twenty (20) feet from street intersections (property lines extended) and ten (10) feet from driveways. If it is at all possible trees should be planted inside the property lines and not between the sidewalk and the curb.
- Prohibited Trees. No person shall plant in any street any fruit-bearing tree or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, or evergreens.

151.03 DUTY TO TRIM TREES

The owner or agent of the abutting property shall keep the trees on, or overhanging the street, trimmed so that all branches will be at least fifteen (15) feet above the surface of the street and eight (8) feet above the sidewalks. If the abutting property owner fails to trim the trees, the City may serve notice on the abutting property owner requiring that such action be taken within five (5) days. If such action is not taken within that time, the City may perform the required action and assess the costs against the abutting property for collection in the same manner as a property tax. (Code of Iowa, Sec. 364.12[2c, d, & e])

Supp. Oct – 96

151.04 TRIMMING TREES TO BE SUPERVISED.

Except as allowed in Section 151.03, it is unlawful for any person to trim or cut any tree in a street or public place unless the work is done under the supervision of the City.

151.05 TREES SUBJECT TO REMOVAL.

The Council having determined that the health of any tree, shrub, or part thereof within the City is threatened by serious insects, or disease pests, or disease, or shows evidence of deterioration to the extent that is appears to be hazardous to the public or property of another is hereby declared a nuisance. The following shall be treated or removed:

1. Any dead or damaged tree, shrub, or part thereof.





- 2. Any tree, shrub, or part thereof infected with serious insects, or disease pests, or a disease.
- 3. Any tree, shrub, or part thereof showing evidence of deterioration to the extent that it appears to be hazardous to the public property of property of another. (Amended by ordinance No. 592)

151.06 INSPECTION AND REMOVAL.

The Council shall inspect or cause to be inspected, all premises and places within the City to determine whether any condition as defined in Section 151.05 of this chapter exists thereon. Such trees, shrubs, or parts thereof shall be subject to removal as follows:

1. Removal from City Property. If the Council upon inspection or examination, in person or by some qualified person, shall determine that any condition as defined in Section 151.05 exists in or upon any public property, other than the strip between the curb and the lot line of private property, within the City and that the danger to other trees, shrubs, or parts thereof within the City is imminent, the Council shall immediately cause such condition to be corrected by treatment or removal so as to destroy or prevent as fully as possible the spread of the insects, disease pests, disease, or evidence of deterioration. The Council may also order the removal of any trees, shrubs or parts thereof on the streets of the City which interfere with the making of improvement or with travel thereon.

Supp. Feb - 96

2. Removal from Private Property. If the Council upon inspection or examination in person or by some qualified person, shall determine with reasonable certainty that any condition as defined in Section 151.05 exists in or upon private property, including the strip between the curb and the lot line of private property, and he/she shall immediately notify by certified mail the owner, occupant or person in charge of such property, to correct such condition within fourteen (14) days of such notification. If such owner, occupant or person in charge of said property fails to comply within fourteen (14) days of receipt of notice, the Council may cause the nuisance to be removed and the costs shall be assessed against the property.

(Amended by Ordinance No. 592)

151.07 COMMUNITY TREE BOARD

- Purpose. It is the purpose of this section to promote and protect the public health, safety and general welfare of the City of Glenwood, lowa by establishing a legal community tree board to oversee tree planting and tree maintenance needs of City property, and to promote citizen involvement and education to enhance Glenwood 's community tree resources.
- 2. Establishment. There is hereby created and established a City Tree Board of the City of Glenwood, Iowa, which shall consist of five members, who shall be appointed by the Mayor with the approval of the City Council.

Members of the City Tree Board shall serve without compensation.





- 3. Term of Office. The term of the five persons to be appointed by the Mayor shall be three years, except that the term of two of the members appointed to the first board shall be only 2 years. In the event that a vacancy shall occur during the term of any member, his or her successor shall be appointed for the unexpired portion of the term.
- 4. Duties and Responsibilities. It shall be the responsibility of the board to study, investigate, counsel, and develop a written plan for the care, preservation, trimming, planting, replanting, removal or disposition of tress in public areas. Such a plan will be presented to the City Council and upon its acceptance and approval shall constitute the official comprehensive tree plan for the City of Glenwood, Iowa. The board shall review annually and update if needed the comprehensive tree plan. The board, when requested by the City Council, shall consider, investigate, make findings, report and recommend upon any special matter of question within the scope of its work.

Supp. Oct - 96

Operation. The board shall choose its own officers, make rules and regulations, and keep a journal of its proceedings. A majority of the members shall be a quorum for the transaction of business.

(Section 151.07 added by Ordinance No. 599)

The State of Iowa is an Equal Opportunity Employer and provider of ADA services.

Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the lowa Civil Rights Commission, 1-800-457-4416, or write to the lowa Department of Natural Resources, Wallace State Office Bldg., 502 E 9th St, Des Moines IA 50319.

If you need accommodations because of disability to access the services of this Agency, please contact the Director at 515-725-8200.



