2014 Urban Forest Management Plan

Ionia, Iowa




Table of Contents

Executive Summary	4
Overview	4
Inventory and Results	4
Recommendations	4
Inventory Results	5
Annual Benefits	5
Annual Energy Benefits	
Annual Stormwater Benefits	
Annual Air Quality Benefits	
Annual Carbon Benefits	
Annual Aesthetics Benefits	
Financial Summary of all Benefits	
Forest Structure	
Species Distribution	
Age ClassCondition: Wood and Foliage	
Management Needs	
Canopy Cover	
Land Use and Location	
Recommendations	8
Risk Management	
Pruning Cycle	
Planting	
Continual Monitoring	
Six Year Maintenance Plan with No Additional Funding	10
Emerald Ash Borer	11
Ash Tree Removal	11
EAB Quarantines	11
Wood Disposal	
Canopy Replacement	
Postponed Work	
MonitoringPrivate Ash Trees	
1 HVUIG ASII 11003	12
Budget	12
Works Cited	13
Appendix A: i-Tree Data	14
Appendix B: ArcGIS Mapping	20
Annendix (· Suitable Shade Tree Lists	26

Community Tree Inventory

Ionia, Iowa

Summary

This plan was developed to assist the City of Ionia with managing its urban forest, including budgeting and future planning. Trees can provide a multitude of benefits to the community, and sound management allows communities to best take advantage of these benefits. Management is especially important considering the serious threats posed by forest pests such as the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees (does not include mountain ash). There is a strong possibility that 17.3% of Ionia's city owned trees (ash) will die once EAB becomes established in the community. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

Inventory & Results

In 2014, a tree inventory was conducted using Global Positioning System (GPS) data collectors. --The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in Arc GIS as an active GIS data layer. The inventory was a complete inventory of street and park trees. Below are some key findings of the **202 trees inventoried**.

Inventory Overview

- Ionia's trees provide \$42,922.45 of benefits annually, an average of \$212 a tree
- There are over 29 species of trees
- The top three genus are: Maple 38%, Ash 17.3% Pine 15.3%
- 37% of trees are in need of some type of management
- 7 trees are recommended for removal.

General Recommendations

The following are key recommendations from the inventory:

- Of the 7 trees needing removal, 4 trees are over 24 inches in diameter at 4.5 ft and must be addressed immediately. Of the 7 removals, 1 is an ash tree.
 - *City ownership of the trees recommended for removal should be verified prior to any removal
- After the removal of the 7 critical concern trees, ash trees in poor health should be assessed for removal.
- 7 of the 35 ash trees should be re-evaluated at a later date, because they are displaying signs and symptoms associated with EAB.
- All trees should be pruned on a routine schedule one third of the city every other year.
- Plant a diverse mix of trees that does NOT include: ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.
- Check ash trees with a visual survey yearly

The programming used to collect tree information on the data collectors was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes: **location, land use, species, diameter at 4.5 ft, recommended maintenance, priority of that maintenance, leaf health, and wood condition.** Additionally, signs and symptoms of EAB were noted for all ash trees. The signs and symptoms noted were canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and woodpecker damage.

Detailed Inventory Results

The data collected for the 202 city trees was entered into the USDA Forest service program Street Tree Resource Analysis Tool for Urban forestry Management (STRATUM), part of the i-Tree suite. The following are results from the i-Tree STRATUM analysis.

Annual Benefits

- 1. Annual Energy Benefits: Trees conserve energy by shading buildings and blocking winds. Ionia's trees reduce energy related costs by approximately \$10,226.15 annually. These savings are both in Electricity (49.0 MWh) and in Natural Gas (6639.85 Therms).
- **2. Annual Stormwater Benefits:** Ionia's trees intercept about <u>659,153.75</u> gallons of rainfall or snowmelt a year. This interception provides <u>\$17,863.07</u> of benefits to the city.
- 3. Annual Air Quality Benefits: Air quality is a persistent public health issue in lowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and emitting volatile organic matter (ozone). In Ionia, it is estimated that trees remove $\underline{617.77 \text{ lbs}}$ of air pollution (ozone (O_3), particulate matter less than 10 microns (PM10), carbon monoxide (O_3), nitrogen dioxide (O_2), and sulfur dioxide (O_2)) per year with a <u>net value of \$1703.70</u>.
- **4. Annual Carbon Benefits:** Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Ionia trees sequester about 200,171.43 lbs of carbon dioxide (CO2) a year with an associated value of \$1501.29. In addition, the trees store 2,435,664.44 lbs of carbon, with a yearly benefit of \$18,267.48.

5. Annual Aesthetics Benefits: Social benefits of trees are hard to capture. The analysis does have a calculation for this area that includes: aesthetic

value, property values, lowered rates of mental illness and crime, city livability and much more. Ionia receives \$\frac{\sqrt{11,628.25}}{\sqrt{in annual social benefits}}\$ from trees.

Financial Summary of all Benefits: According to the USDA Forest Service i-Tree STRATUM analysis, Ionia's trees provide \$42,922.45 of benefits annually. Benefits of individual trees vary based on size, species, health and location, but on average each of the 202 trees in Ionia provide approximately \$212 annually.

Benefits	Per Tree	Cumulative
Energy	\$50.62	\$10,226.15
CO ₂	\$7.43	\$1,501.29
Air Quality	\$8.43	\$1,703.70
Stormwater	\$88.43	\$17,863.07
Aesthetic/Other	\$57.57	\$11,628.25
Total (\$)	\$212.49	\$42,922.45

Forest Structure

1. Species & Genus Distribution: Ionia has over 29 different tree species along city streets and parks. The following figures and tables show the distribution of the 13 most common trees by genus and the ten most common species. It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with Maple, and it is recommended that they should not be planted until this percentage can be lowered.

Figure 1: Common Tree Genus by Percentage




Figure 2: Common Tree Species by Percentage




Table 2: Tree Genus

Genus	No. of Trees
Maple	77
Ash	35
Pine	31
Spruce	15
Black Walnut	11
Apple (Crab)	10
Honeylocust	6
Elm	4
Linden/Basswood	3
Hackberry	2
Catalpa	2
Cedar	2
Oak	1

2. Age Class: Ionia has a good balance of age classes. For age, it is preferred that the highest amounts of trees are in the smallest size category (a downward slope) to prepare for natural mortality and to maintain canopy cover. Ionia's size curve is on the smaller side, indicating a younger than average stand. However, the most abundant genus, maple, is older than average.

Figure 3: Age Distribution of Top 10 Public Tree Species (by Percentage)




Table 3: Relative Age Distribution

Species	0 - 3	3 - 6	6 - 12	12 - 18	18 - 24	24 - 30	30 - 36	36 - 42	>42
Silver maple	5.71	2.86	0.00	5.71	0.00	5.71	31.43	25.71	22.86
Green ash	0.00	0.00	2.94	14.71	35.29	20.59	20.59	2.94	2.94
Scotch pine	0.00	0.00	0.00	5.88	58.82	29.41	5.88	0.00	0.00
Norway maple	0.00	12.50	6.25	43.75	18.75	6.25	6.25	6.25	0.00
Black walnut	0.00	0.00	0.00	0.00	9.09	36.36	45.45	9.09	0.00
Apple	0.00	70.00	30.00	0.00	0.00	0.00	0.00	0.00	0.00
Red maple	20.00	0.00	40.00	20.00	20.00	0.00	0.00	0.00	0.00
Sugar maple	12.50	12.50	25.00	12.50	0.00	0.00	37.50	0.00	0.00
Blue spruce	28.57	0.00	28.57	14.29	28.57	0.00	0.00	0.00	0.00
Black maple	14.29	14.29	0.00	14.29	0.00	28.57	14.29	14.29	0.00
Citywide Total	4.95	7.43	7.92	13.37	20.30	13.86	19.31	6.44	6.44

3. Condition:- Wood and Foliage: Both wood condition and leaf condition are good indicators of the overall health of the urban forest. The foliage condition results for Ionia indicate that 97.5% of the trees are in fair-good health, with only 2.5% of the foliage in poor health, dead or dying. Similarly, 92.6% of Ionia's trees are in fair-good health for wood condition. Wood condition that is in poor health, dead or dying is about 7.4% of the population. This 7.4% is an estimate of trees that need management follow up soon.

Community Tree Inventory

Ionia, Iowa

- **4. Management Needs:** The following management needs for Ionia's urban trees are outlined in Table 4. The table outlines the specific management needs of the street and park trees by number of trees and percent of the canopy.
- Crown cleaning removes dead, diseased, and damaged limbs.
- Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles.
- Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years.
- Tree staking includes staking, training, mulching, etc.

Table 4: Management Needs

Technique	No of Trees	Percentage
Crown Cleaning	58	28.7%
Crown Raising	1	0.5%
Tree Staking	0	0%
Tree Removal	7	3.5%
Crown Reduction	8	4.0%

Table 5: Land Use

Single Family Residential	50.5%
Park/Vacant/Other	46.5%
Industrial/Large Commercial	0%
Small Commercial	3.0%
Multifamily Residential	0%

Table 6: Location Type

Table C. Eccalion	.16.
Planting Strip	20.3%
Other Maintained Location (Park)	46%
Front Yard	0%
Cutout	33.7%
(Surrounded by Pavement)	

- **5. Canopy Cover:** Jonia occupies 351 acres. The tree canopy cover of Ionia is approximately 5.9 acres, about 1.7%.
- **6. Land Use and Location:** The majority of Ionia's city and park trees are in planting strips in single family residential neighborhoods. Table 5 & Table 6 describe the land use and locations for the street and park trees.

Recommendations

- 1. Risk Management: Hazardous trees can be a significant threat to both people and property. Trees that are dead or dying, or that have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorist's vision of pedestrians, vehicles, traffic signs and signals, etc. should be removed.
- 2. Hazardous Trees: Ionia has 7 critical concern trees that need immediate removal. These trees can be seen on the Location of Trees with Recommended Maintenance map (Appendix B, Image 4 & Image 5). It is recommended to start with the large diameter critical concern trees first. There are 4 trees over 24 inches in diameter at 4.5 ft that should be addressed immediately. Please refer to the *Six Year Maintenance Plan* at the end of this section. After all of the critical concern trees are addressed, there should be follow up on the trees marked as needing maintenance that do not include trimming. There are a total of 3 trees with these needs.
- 3. Poor Tree Species: After the removal of the critical concern trees, ash trees in poor health should be assessed for removal (Appendix B, Image 3 & Appendix B, Image 4). Of the 7 removals, 1 is an ash tree over 24 inches. There are a total of 35 ash trees, and 7 of those have signs and symp-

toms that have been associated with EAB. In addition, there are 4 trees that are in poor health. *City ownership of the trees recommended for removal should be verified prior to any removal.

- **4. Pruning Cycle:** Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles. Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years. Please refer to the *Six-Year Maintenance Plan* for further information.
- **5. Planting:** Most of the planting over the next 5 years will replace the trees that are removed. It is recommended to plant 1.2 trees for every tree removed, since survival rates will not be 100%. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Ionia.

It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with Maple (38%). Maples should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid because they are public nuisances include: cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut. All trees planted must meet the restrictions in the city tree ordinance.

The importance of species diversity was brought to the forefront with the loss of the American elm from Dutch elm disease. When one genus (Maple) makes up a majority of the species (Norway Maple, Silver Maple, Sugar Maple) in a planting it is an unbalanced population. These unbalanced populations leave the population open to destruction from diseases and pests. Unfortunately, the lessons of the American elm are only recently being heeded. Communities typically replaced lost elms with a small but reliable selection of ash and Norway and silver maple. This left cities in the predicament they are finding themselves in now as they stand to lose a large percentage of their ash trees to the emerald ash borer.

6. Continual Monitoring: It is important to continuously check the health of all trees. Due to the imminent threat of Emerald Ash Borer to ash trees, it is recommended that trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage. For a list of forest health threats, please visit the lowa DNR's website at http://www.iowadnr.gov/Environment/Forestry/ForestHealth

Six Year Maintenance Plan with No Additional Funding

Year 1: Removal: 4 largest critical concern trees (includes 1 ash) or saving for ash tree treatment Planting and Replacement: 5 trees to be planted in open locations

Visual Survey for signs and symptoms of EAB

Year 2: Removal: 3 critical concern trees of all species and 1 ash in poor health or saving for ash tree treatment

Planting and Replacement: 5 trees in open locations from year one removals

Routine pruning: Delayed

Visual Survey for signs and symptoms of EAB

Year 3: Removal: 4 ash in poor health or saving for ash tree treatment

Planting and Replacement: 5 trees to be planted in open locations and locations from previous removals

Visual Survey for signs and symptoms of EAB

Year 4: Removal: any new critical concern trees and/or 4 ash or saving for ash tree treatment

Planting and Replacement: 5 trees in open locations from previous removals

Routine pruning: Delayed

Visual Survey for signs and symptoms of EAB

Year 5: Removal: any new critical concern trees and/or 4 ash or saving for ash tree treatment

Planting and Replacement: 5 trees to be planted in open locations and locations from previous removals

Visual Survey for signs and symptoms of EAB

Year 6: Removal: any new critical concern trees and/or 4 ash or saving for ash tree treatment

Planting and Replacement: 5 trees in open locations from previous removals

Routine pruning: Delayed

Visual Survey for signs and symptoms of EAB

Reduction of ash over 6 years: 18 ash trees removed (approximately 50% of ash). It will take approximately 11 years to remove all ash with the proposed budget. EAB could potentially kill all ash within 4 years of its arrival.

** To remove all ash trees within 6 years, and do nothing else, the budget would need to be increased to \$4,100 a year.

Emerald Ash Borer Plan

1. Ash Tree Removal

Tree removal will be prioritized with dead, dying, hazardous trees to be removed first. Next will be all ash in poor condition and displaying signs and symptoms of EAB. *City owner-ship of the tree recommended for removal should be verified prior to any removal.

2. Treatment of Ash Trees

Chemical treatment can be effective, spreading removal costs out over several years while allowing trees to continue to provide benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit http://extension.entm.purdue.edu/treecomputer/



Emerald Ash Borer Beetle next to D-shaped exit holes.

3. EAB Quarantines

EAB is an extremely destructive plant pest and it is responsible for the death and decline of over 25 million ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's guarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- nursery stock and green lumber of ash
- any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

4. Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees. Is there an accessible, secured site big enough to store and sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website http://www.aphis.usda.gov/plant health/plant pest info/emerald ash b/regulatory.shtml.

5. Canopy Replacement

As budget permits, all removed ash trees will be replaced. All trees will meet the restrictions in the city ordinance. The new plantings will be a diverse mix and will not include ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.

6. Postponed Work

While finances, staffing and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genus other than ash will be prioritized by hazardous or emergency situations only.

7. Monitoring (repeated)

It is recommended that ash trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

8. Private Ash Trees

It is strongly recommended that private property owners start removing ash trees or treating healthy trees they desire to preserve on their property upon arrival of EAB or confirmed within 15 miles. Refer to City Ordinance.

Proposed Budget

Total \$21,600 over 6 years (\$3,600/year)

FY 2015 Budget

Removal @ \$700/tree: \$2,800 *Or saving for ash tree treatment

Planting @ \$100/tree: \$500 Watering & Maintenance: \$250

FY 2016 Budget

Removal: \$2,800 *Or saving for ash tree treatment

Planting: \$500

Watering & Maintenance: \$250 Routine Pruning @ \$9/tree: \$0

FY 2017 Budget

Removal: \$2,800 *Or saving for ash tree treatment

Planting: \$500

Watering & Maintenance: \$250

FY 2018 Budget

Removal: \$2,800 *Or saving for ash tree treatment

Planting: \$500

Watering & Maintenance: \$250

Routine Pruning: \$0

FY 2019 Budget

Removal: \$2,800 *Or saving for ash tree treatment

Planting: \$500

Watering & Maintenance: \$250

FY 2020 Budget

Removal: \$2,800 *Or saving for ash tree treatment

Planting: \$500

Watering & Maintenance: \$250

Routine Pruning: \$0

Proposed Budget Increase

EAB could potentially kill all ash trees in Ionia within 4 years of its arrival. To remove all ash trees within 6 years the budget would need to be increased to \$4,100 a year. Additionally, it is recommended that Ionia apply for grants to fund replacement trees. Utility Company grants are usually between \$500 and \$10,000 for community-based, tree-planting projects that include parks, gateways, cemeteries, nature trails, libraries, nursing homes, and schools.

^{*}Reduction of ash over 6 years: 18 ash trees removed (50% of ash). It will take approximately 11 years to remove all ash with the current budget.

Works Cited

Census Bureau. 2010. http://censtats.census.gov/data/IA/1601964290.pdf (April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57

Nowak, D.J. and J.F. Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.

Peper, Paula J.; McPherson, E. Gregory; Simpson, James R.; Vargas, Kelaine E.; Xiao,
Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting.
Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115

Appendix A: i-Tree Data

Table 1: Annual Energy Benefits

Annual Energy Benefits	of Public Trees by	Species						
	Total Electricity	Electricity	Total Natural	Natural			% of	Avg.
Species	(MWh)	(\$)	Gas (Therms)	Gas (\$)	Total (\$)	% of Total Trees	Total \$	\$/tree
Silver maple	12.70	963.55	1,659.09	1,625.90	2,589.46	17.33	25.32	73.98
Green ash	10.36	786.57	1,431.86	1,403.22	2,189.79	16.83	21.41	64.41
Scotch pine	2.71	205.71	359.37	352.18	557.89	8.42	5.46	32.82
Norway maple	3.58	271.76	496.63	486.70	758.45	7.92	7.42	47.40
Black walnut	3.96	300.22	552.92	541.86	842.08	5.45	8.23	76.55
Apple	0.38	28.63	65.07	63.77	92.40	4.95	0.90	9.24
Red maple	1.53	116.36	207.42	203.27	319.63	4.95	3.13	31.96
Sugar maple	1.59	120.67	211.87	207.63	328.30	3.96	3.21	41.04
Blue spruce	0.54	41.23	77.01	75.47	116.70	3.47	1.14	16.67
Black maple	1.43	108.86	195.61	191.70	300.57	3.47	2.94	42.94
Red pine	1.01	76.69	132.93	130.27	206.96	3.47	2.02	29.57
Honeylocust	2.20	166.90	284.45	278.76	445.66	2.97	4.36	74.28
Eastern white pine	0.34	26.03	51.07	50.05	76.08	2.97	0.74	12.68
Norway spruce	0.90	68.68	112.80	110.55	179.23	2.97	1.75	29.87
Siberian elm	0.77	58.47	102.70	100.65	159.11	1.49	1.56	53.04
Spruce	0.01	0.55	1.33	1.30	1.85	0.99	0.02	0.93
Catalpa	0.87	66.20	116.79	114.45	180.65	0.99	1.77	90.32
Northern hackberry	0.80	60.88	114.77	112.47	173.35	0.99	1.70	86.67
American basswood	0.66	49.76	96.15	94.23	143.99	0.99	1.41	71.99
Northern white cedar	0.19	14.07	24.60	24.10	38.17	0.50	0.37	38.17
Other City Trees	2.47	187.30	345.44	338.53	525.83	4.95	5.14	52.58
Total	49.00	3,719.10	6,639.85	6,507.05	10,226.15	100.00	100.00	50.62

Table 2: Annual Stormwater Benefits

Annual Stormwater Ber	efits of Public Trees	by Species			
Species	Total Rainfall Interception (Gal)	Total (\$)	% of Total Trees	% of Total \$	Avg. \$/tree
Silver maple	209,677.00	5,682.25	17.33	31.81	162.35
Green ash	119,535.99	3,239.43	16.83	18.13	95.28
Scotch pine	58,858.40	1,595.06	8.42	8.93	93.83
Norway maple	29,505.91	799.61	7.92	4.48	49.98
Black walnut	53,054.05	1,437.76	5.45	8.05	130.71
Apple	1,274.08	34.53	4.95	0.19	3.45
Red maple	11,466.23	310.73	4.95	1.74	31.07
Sugar maple	18,601.10	504.09	3.96	2.82	63.01
Blue spruce	7,756.12	210.19	3.47	1.18	30.03
Black maple	13,220.73	358.28	3.47	2.01	51.18
Red pine	19,353.74	524.49	3.47	2.94	74.93
Honeylocust	28,108.64	761.74	2.97	4.26	126.96
Eastern white pine	3,750.71	101.64	2.97	0.57	16.94
Norway spruce	16,794.34	455.13	2.97	2.55	75.85
Siberian elm	5,951.03	161.27	1.49	0.90	53.76
Spruce	97.48	2.64	0.99	0.01	1.32
Catalpa	12,729.45	344.97	0.99	1.93	172.48
Northern hackberry	8,604.03	233.17	0.99	1.31	116.58
American basswood	7,893.59	213.92	0.99	1.20	106.96
Northern white cedar	4,604.65	124.79	0.50	0.70	124.79
Other City Trees	28,316.50	767.38	4.95	4.30	76.74
Citywide total	659,153.75	17,863.07	100.00	100.00	88.43

Table 3: Annual Air Quality Benefits & Table 4: Annual Carbon Sequestered

	Deposition	Deposition	Deposition	Deposition	Total	Avoided	Avoided	Avoided	Avoided	Total Avoided	BVOC	BVOC				Avg.
Species	O3 (lb)	NO2 (lb)	PM10 (lb)	SO2 (lb)	Deposition (\$)	NO2 (lb)	PM10 (lb)	VOC (lb)	SO2 (lb)	(\$)	Emissions (lb)	Emissions (\$)	Total (lb)	Total (\$)	% of Total Trees	
Silver maple	40.14	6.80	19.27	1.78	215.17	59.73	8.75	8.36	57.41	373.95	- 20.61	- 77.30	181.62	511.81	17.33	14.62
Green ash	15.52	2.48	7.34	0.70	82.40	49.60	7.21	6.87	46.97	308.69	0.00	0.00	136.69	391.09	16.83	11.50
Scotch pine	7.03	1.39	5.63	0.86	45.90	12.80	1.87	1.79	12.28	80.07	- 31.50	- 118.14	12.15	7.83	8.42	0.46
Norway maple	5.67	0.98	2.83	0.25	30.75	17.19	2.50	2.38	16.25	106.89	- 1.36	- 5.10	46.68	132.53	7.92	8.28
Black walnut	7.37	1.18	3.37	0.33	38.81	18.99	2.76	2.63	17.93	118.03	0.00	0.00	54.55	156.84	5.45	14.26
Apple	0.16	0.03	0.11	0.01	0.97	1.92	0.27	0.26	1.71	11.65	0.00	0.00	4.46	12.61	4.95	1.26
Red maple	2.45	0.42	1.18	0.11	13.17	7.29	1.06	1.01	6.94	45.47	- 0.86	- 3.24	19.61	55.41	4.95	5.54
Sugar maple	2.55	0.43	1.26	0.11	13.76	7.53	1.10	1.05	7.20	47.04	- 1.99	- 7.46	19.24	53.34	3.96	6.67
Blue spruce	1.03	0.20	0.87	0.13	6.86	2.61	0.38	0.36	2.46	16.21	- 2.82	- 10.56	5.22	12.51	3.47	1.79
Black maple	3.33	0.57	1.54	0.15	17.67	6.83	1.00	0.95	6.50	42.59	- 1.09	- 4.10	19.76	56.16	3.47	8.02
Red pine	2.24	0.44	1.83	0.28	14.72	4.76	0.70	0.67	4.58	29.81	- 8.81	- 33.03	6.68	11.50	3.47	1.64
Honeylocust	5.64	0.93	2.53	0.26	29.65	10.32	1.51	1.45	9.95	64.70	- 4.56	- 17.11	28.03	77.24	2.97	12.87
Eastern white pine	0.34	0.07	0.33	0.04	2.38	1.67	0.24	0.23	1.55	10.32	- 1.16	- 4.34	3.32	8.37	2.97	1.39
Norway spruce	1.99	0.39	1.61	0.24	13.04	4.21	0.62	0.59	4.10	26.50	- 8.74	- 32.79	5.02	6.75	2.97	1.13
Siberian elm	0.65	0.11	0.37	0.03	3.63	3.65	0.53	0.51	3.49	22.81	0.00	0.00	9.34	26.44	1.49	8.81
Spruce	0.00	0.00	0.00	0.00	0.01	0.04	0.01	0.00	0.03	0.23	- 0.04	- 0.14	0.05	0.10	0.99	0.05
Catalpa	2.38	0.38	1.05	0.11	12.41	4.14	0.60	0.58	3.95	25.86	0.00	0.00	13.19	38.26	0.99	19.13
Northern hackberry	1.42	0.25	0.71	0.06	7.70	3.88	0.56	0.53	3.64	24.05	0.00	0.00	11.05	31.75	0.99	15.88
American basswood	1.10	0.19	0.53	0.05	5.93	3.19	0.46	0.44	2.97	19.74	- 0.93	- 3.48	8.01	22.19	0.99	11.10
Northern white cedar	0.57	0.11	0.45	0.07	3.69	0.88	0.13	0.12	0.84	5.48	- 2.86	- 10.74	0.30	- 1.58	0.50	- 1.58
Other City Trees	4.98	0.85	2.57	0.28	27.34	11.85	1.72	1.64	11.18	73.64	- 2.25	- 8.44	32.81	92.53	4.95	9.25
Citywide Total	106.55	18.20	55.37	5.84	585.94	233.08	33.99	32.42	221.92	1,453.72	- 89.59	- 335.97	617.77	1,703.70	100.00	8.43

Sequestered Sequestered		Decomposition		Total Release	Avoided	Avoided	Net Total			% of	Avg.	
Species	(lb)	(\$)	Release(lb)	Maint. Release (lb)	(\$)	(lb)	(\$)	(lb)	Total (\$)	% of Total Trees	Total \$	\$/tree
Silver maple	62,705.08	470.29	- 4,638.35	- 151.52	- 1.14	21,294.29	159.71	79,209.50	594.07	17.33	39.57	16.97
Green ash	24,458.00	183.44	- 2,439.06	- 109.20	- 0.82	17,382.97	130.37	39,292.71	294.70	16.83	19.63	8.67
Scotch pine	3,269.57	24.52	- 381.79	- 51.09	- 0.38	4,546.07	34.10	7,382.75	55.37	8.42	3.69	3.26
Norway maple	4,896.61	36.72	- 450.60	- 36.27	- 0.27	6,005.78	45.04	10,415.52	78.12	7.92	5.20	4.88
Black walnut	9,797.25	73.48	- 1,154.51	- 43.29	- 0.32	6,634.89	49.76	15,234.34	114.26	5.45	7.61	10.39
Apple	607.20	4.55	- 19.05	- 7.61	- 0.06	632.79	4.75	1,213.34	9.10	4.95	0.61	0.91
Red maple	3,479.78	26.10	- 132.47	- 14.43	- 0.11	2,571.47	19.29	5,904.35	44.28	4.95	2.95	4.43
Sugar maple	3,675.20	27.56	- 358.25	- 17.94	- 0.13	2,666.85	20.00	5,965.86	44.74	3.96	2.98	5.59
Blue spruce	465.45	3.49	- 33.68	- 10.14	- 0.08	911.20	6.83	1,332.84	10.00	3.47	0.67	1.43
Black maple	524.75	3.94	- 171.13	- 13.65	- 0.10	2,405.88	18.04	2,745.85	20.59	3.47	1.37	2.94
Red pine	1,239.81	9.30	- 101.89	- 18.33	- 0.14	1,694.80	12.71	2,814.39	21.11	3.47	1.41	3.02
Honeylocust	2,971.58	22.29	- 352.65	- 16.38	- 0.12	3,688.53	27.66	6,291.07	47.18	2.97	3.14	7.86
Eastern white pine	309.42	2.32	- 9.68	- 6.63	- 0.05	575.33	4.32	868.44	6.51	2.97	0.43	1.09
Norway spruce	790.07	5.93	- 104.80	- 16.38	- 0.12	1,517.77	11.38	2,186.65	16.40	2.97	1.09	2.73
Siberian elm	1,283.77	9.63	- 79.31	- 7.41	- 0.06	1,292.09	9.69	2,489.15	18.67	1.49	1.24	6.22
Spruce	7.07	0.05	- 0.04	- 0.39	0.00	12.15	0.09	18.79	0.14	0.99	0.01	0.07
Catalpa	1,438.45	10.79	- 393.24	- 10.14	- 0.08	1,462.97	10.97	2,498.04	18.74	0.99	1.25	9.37
Northern hackberry	1,115.59	8.37	- 103.46	- 7.80	- 0.06	1,345.35	10.09	2,349.67	17.62	0.99	1.17	8.81
American basswood	2,289.31	17.17	- 192.92	- 7.80	- 0.06	1,099.61	8.25	3,188.21	23.91	0.99	1.59	11.96
Northern white cedar	0.00	0.00	- 35.95	- 5.07	- 0.04	310.96	2.33	269.93	2.02	0.50	0.13	2.02
Other City Trees	4,933.42	37.00	- 542.11	- 30.62	- 0.23	4,139.33	31.04	8,500.02	63.75	4.95	4.25	6.38
Citywide Total	130,257.38	976.93	- 11,694.93	- 582.08	- 4.37	82,191.07	616.43	200,171.43	1,501.29	100.00	100.00	7.43

1

Table 5: Annual Carbon Stored

Stored CO2 Benefits o	f Public Trees by Specie	es			
Species	Total stored CO2 (lbs)	Total (\$)	% of Total Trees	% of Total \$	Avg. \$/tree
Silver maple	966,154.26	7,246.16	17.33	39.67	207.03
Green ash	508,137.79	3,811.03	16.83	20.86	112.09
Scotch pine	79,539.47	596.55	8.42	3.27	35.09
Norway maple	93,583.02	701.87	7.92	3.84	43.87
Black walnut	240,523.02	1,803.92	5.45	9.88	163.99
Apple	3,968.26	29.76	4.95	0.16	2.98
Red maple	27,575.24	206.81	4.95	1.13	20.68
Sugar maple	74,478.20	558.59	3.96	3.06	69.82
Blue spruce	7,013.56	52.60	3.47	0.29	7.51
Black maple	35,640.61	267.30	3.47	1.46	38.19
Red pine	21,226.71	159.20	3.47	0.87	22.74
Honeylocust	73,469.05	551.02	2.97	3.02	91.84
Eastern white pine	2,016.66	15.12	2.97	0.08	2.52
Norway spruce	21,834.04	163.76	2.97	0.90	27.29
Siberian elm	16,522.58	123.92	1.49	0.68	41.31
Spruce	4.94	0.04	0.99	0.00	0.02
Catalpa	81,925.14	614.44	0.99	3.36	307.22
Northern hackberry	21,554.61	161.66	0.99	0.88	80.83
American basswood	40,190.65	301.43	0.99	1.65	150.71
Northern white cedar	7,490.30	56.18	0.50	0.31	56.18
Other City Trees	112,816.32	846.12	4.95	4.63	84.61
Citywide total	2,435,664.44	18,267.48	100.00	100.00	90.43

Table 6: Annual Social and Aesthetic Benefits

Annual Aesthetic/Other Benefit of Public Trees by Species							
Species	Total (\$)	% of Total Trees	% of Total \$	Avg. \$/tree			
Silver maple	4,480.48	17.33	38.53	128.01			
Green ash	1,962.33	16.83	16.88	57.72			
Scotch pine	634.40	8.42	5.46	37.32			
Norway maple	486.73	7.92	4.19	30.42			
Black walnut	711.39	5.45	6.12	64.67			
Apple	33.61	4.95	0.29	3.36			
Red maple	469.35	4.95	4.04	46.93			
Sugar maple	381.07	3.96	3.28	47.63			
Blue spruce	117.40	3.47	1.01	16.77			
Black maple	73.22	3.47	0.63	10.46			
Red pine	314.80	3.47	2.71	44.97			
Honeylocust	777.81	2.97	6.69	129.63			
Eastern white pine	92.25	2.97	0.79	15.37			
Norway spruce	170.29	2.97	1.46	28.38			
Siberian elm	111.89	1.49	0.96	37.30			
Spruce	11.52	0.99	0.10	5.76			
Catalpa	95.17	0.99	0.82	47.59			
Northern hackberry	136.22	0.99	1.17	68.11			
American basswood	163.85	0.99	1.41	81.93			
Northern white cedar	0.00	0.50	0.00	0.00			
Other City Trees	404.47	4.95	3.48	40.45			
Citywide Total	11,628.25	100.00	100.00	57.57			

Table 7: Summary of Benefits in Dollars

Average Annual Benefit Species	Energy	CO2		Stormwater	Aesthetic/Other	Total
Silver maple	73.98	16.97	14.62	162.35	128.01	395.94
Green ash	64.41	8.67	11.50	95.28	57.72	237.57
Scotch pine	32.82	3.26	0.46	93.83	37.32	167.68
Norway maple	47.40	4.88	8.28	49.98	30.42	140.97
Black walnut	76.55	10.39	14.26	130.71	64.67	296.58
Apple	9.24	0.91	1.26	3.45	3.36	18.23
Red maple	31.96	4.43	5.54	31.07	46.93	119.94
Sugar maple	41.04	5.59	6.67	63.01	47.63	163.94
Blue spruce	16.67	1.43	1.79	30.03	16.77	66.68
Black maple	42.94	2.94	8.02	51.18	10.46	115.55
Red pine	29.57	3.02	1.64	74.93	44.97	154.12
Honeylocust	74.28	7.86	12.87	126.96	129.63	351.61
Eastern white pine	12.68	1.09	1.39	16.94	15.37	47.48
Norway spruce	29.87	2.73	1.13	75.85	28.38	137.97
Siberian elm	53.04	6.22	8.81	53.76	37.30	159.13
Spruce	0.93	0.07	0.05	1.32	5.76	8.13
Catalpa	90.32	9.37	19.13	172.48	47.59	338.89
Northern hackberry	86.67	8.81	15.88	116.58	68.11	296.06
American basswood	71.99	11.96	11.10	106.96	81.93	283.93
Northern white cedar	38.17	2.02	- 1.58	124.79	0.00	163.41
Other City Trees	525.83	63.75	92.53	767.38	404.47	1,853.96
Citywide Total	50.62	7.43	8.43	88.43	57.57	212.49

Figure 1: Species Distribution




Figure 2: Relative Age Class

Relative Age Distribution of Top 10 Public Tree Species (%)




Table 8: Relative Age Class

	DBH class	(in)							
Species	0 - 3	3 - 6	6 - 12	12 - 18	18 - 24	24 - 30	30 - 36	36 - 42	>42
Silver maple	5.71	2.86	0.00	5.71	0.00	5.71	31.43	25.71	22.86
Green ash	0.00	0.00	2.94	14.71	35.29	20.59	20.59	2.94	2.94
Scotch pine	0.00	0.00	0.00	5.88	58.82	29.41	5.88	0.00	0.00
Norway maple	0.00	12.50	6.25	43.75	18.75	6.25	6.25	6.25	0.00
Black walnut	0.00	0.00	0.00	0.00	9.09	36.36	45.45	9.09	0.00
Apple	0.00	70.00	30.00	0.00	0.00	0.00	0.00	0.00	0.00
Red maple	20.00	0.00	40.00	20.00	20.00	0.00	0.00	0.00	0.00
Sugar maple	12.50	12.50	25.00	12.50	0.00	0.00	37.50	0.00	0.00
Blue spruce	28.57	0.00	28.57	14.29	28.57	0.00	0.00	0.00	0.00
Black maple	14.29	14.29	0.00	14.29	0.00	28.57	14.29	14.29	0.00
Citywide Total	4.95	7.43	7.92	13.37	20.30	13.86	19.31	6.44	6.44

Figure 3: Foliage Condition

Functional (Foliage) Condition of Public Trees




Figure 4: Wood Condition

Structural (Woody) Condition of Trees





Figure 5: Land Use of City/Park Trees







Figure 6: Location of City/Park Trees

Site Type of Public Trees



Appendix B: ArcGIS Mapping

Image 1: Location of Ash Trees

Image 2: Location of EAB Symptoms

Image 3: Location of Poor Condition Ash Trees

Image 4: Location of Trees with Recommended Maintenance

Image 5: Maintenance Tasks



Image 1. Location of Ash Trees

Legend

Green ash

White ash



Ash

Black ash

Ionia, Iowa




Map created by Northeast Iowa RC&D 11/13/2014



Image 2. Location of Trees with One or More Symptoms of EAB (Canopy Dieback, Epicormic Shoots, Woodpecker Damage, Bark Splitting, or D-Shaped Exit Holes)

Legend





Ionia, Iowa

0 0.03 0.06 0.12 Miles



Map created by Northeast Iowa RC&D 11/13/2014



Image 3. Location of Poor Condition Ash Trees (Wood and/or Leaves are Dead/Dying or in Poor Condition)

Legend

Dead or Dying

Poor

Ionia, Iowa

0 0.03 0.06 0.12 Miles



Map created by Northeast Iowa RC&D 11/13/2014



Legend


Critical Concern Mature Tree Immediate



Mature Tree

Young Tree Immediate

Young Tree Routine






Legend

Clean



Treat pest/disease



*City owned trees recommended for removal should be verified prior to any removal

Appendix C: Suitable Shade Tree Lists

Shade Trees for Iowa

This document lists several shade tree selections suitable for the Iowa landscape. Nursery and landscape professionals have eliminated green, white, black, pumpkin, and blue ash from their inventories and designs since they are susceptible to the emerald ash borer, which kills ash trees. This destructive pest has been found in several states in the upper Midwest.

While not all-inclusive, this list does describe many useful species, many which are also pest-resistant. Not all trees appearing on this list will "work" in every landscape situation. Great care must be taken to carefully match trees to sites (including above- and below-ground spatial and environmental constraints) and to complement species existing nearby so that a diverse tree canopy will be maintained. A healthy and diverse tree population is the best defense against current and future tree pests.

<u>Deciduous Shade Trees</u>	Height/Width	Growth Habit
Alder <u>Manchurian alder</u> – <i>Alnus hirsuta</i>		
'Harbin' (Prairie Horizon ®)	40'/30'	Upright
Amur maackia – Maackia amurensis	25'/25'	Upright-spreading
Baldcypresses		
Baldcypress – Taxodium distichum 'Mickelson' (Shawnee Brave®) 'JFS-SGPN' (Green Whisper™)	55'/20'	Narrow-pyramid
'JFS-SGPN' (Green Whisper [™])	55'/30'	Pyramidal
Birches		
Asian white birch – Betula platyphylla 'VerDale' (Prairie Vision®)	35'/30'	Upright-oval
<u>Gray birch</u> – <i>Betula populifolia</i> 'Whitespire Sr.'	40'/25'	Pyramidal-oval
<u>Hybrid birch</u> – Betula × 'Penci-2' (Royal Frost ®)	40'/25'	Pyramidal
River birch – Betula nigra 'Cully' (Heritage ®)	45'/30'	Oval
Whitebarked Himalayan birch – Betula a 'Madison' (White Satin ™)	utilis 35'/20'	Broadly-pyramidal

	nt/Width	Growth Habit
Coffeetree		
Kentucky coffeetree – Gymnocladus dioicus	501/251	0 1
'Espresso'	50'/35'	Oval
Cork trees		
Cork tree – Phellodendron species		
'Longenecker' (Eye Stopper")	40'/35'	Rounded
'His Majesty'	40'/35'	Vase-shaped
		r
Elms		
American elm – Ulmus americana		
'Jefferson'	70'/50'	Vase-shaped
'Princeton'	60'/40'	Vase-shaped
'Lewis & Clark' (Prairie Expedition TM)	60'/50'	Umbrella-shaped
'New Harmony'	70'/70'	Vase-shaped
'Valley Forge'	70'/70'	Vase-shaped
Asian Elm Cultivars and Hybrids		
'Morton' (Accolade TM)	70'/60'	Vase-shaped
'Morton Glossy' (Triumph[™])	55'/45'	Vase-shaped
'New Horizon'	55'/40'	Upright-oval
'Prospector'	40'/30'	Vase-shaped
'Discovery'	50'/40'	Vase-shaped
European and Eurasian Hybrid Elm Cultivars	501/401	0.100 1 1
'Patriot'	50'/40'	Stiff vase-shaped
Filbert		
Turkish filbert – <i>Corylus colurna</i>	40'/30'	Pyramidal
Turkish intert – Corytus columa	40/30	1 yrainidai
Gingkoes		
<u>Ginkgo</u> – Ginkgo biloba		
'Autumn Gold'	45'/35'	Broadly-pyramidal
'Halka'	45'/40'	Oval
'Magyar'	60'/40'	Upright-oval
'PNI 2720' (Princeton Sentry®)	40'/15'	Narrow-pyramidal
'JFS-UGA2' (Golden Colonnade®)	45'/25'	Narrow-oval
'The President' (Presidential Gold®)	50'/40'	Broadly-pyramidal
, , , , , , , , , , , , , , , , , , ,	170 m & 1979	F.J.

Hackberries	Height/Width	Growth Habit
Hackberry – Celtis occidentalis		
'JFS-KSU1' (Prairie Sentinel TM)	45'/12'	Columnar
'Chicagoland'	50'/40'	Broadly-pyramidal
'Prairie Pride'	50'/40'	Oval
Honeylocusts		
<u> Honeylocust – Gleditsia triacanthos var</u>	. inermis	
'Draves' (Street Keeper TM)	45'/20'	Narrow-upright
'Harve' (Northern Acclaim ™)	45'/35'	Upright-spreading
'Skycole' (Skyline ®)	50'/35'	Pyramidal
Hornbeams		
European hornbeam – Carpinus betulus		
'JFS-KW1CB' (Emerald Avenue	360	Broadly-pyramidal
'Windy City'	45'/40'	Upright-spreading
TT 1 1		
Hophornbeam	101/051	TT
American hophornbeam – Ostrya virgin	iana 40'/25'	Upright-oval
Horsechestnuts		
Common horsechestnut – Aesculus hipp	ocastanum	
'Baumannii'	50'/40'	Broadly-oval
Dadinamin	30740	Dioddiy ovar
Red horsechestnut – Aesculus × carnea		
'Briotii'	30'/35'	Round
'Fort McNair'	30'/30'	Round
Lindens		
American linden – Tilia americana		
'Boulevard'	60'/30'	Pyramidal
'Continental Appeal'	50'/30'	Narrow-oval
'Wandell' (Legend ®)	40'/30'	Broad-pyramidal
'McKSentry' (American Sentry®	9) 45'/30'	Pyramidal
'Lincoln'	35'/25'	Pyramidal
'Redmond'	50'/35'	Pyramidal
	147 (S)	
<u>Hybrid Linden</u> – Tilia × flavescens (ame		_ 123
'Glenleven'	50'/30'	Pyramidal

	Height/Width	Growth Habit
<u>Littleleaf linden</u> – <i>Tilia cordata</i>	401/201	Drugue i dal
'Baileyi' (Shamrock ®) 'Corzam' (Corinthian ®)	40'/30' 45'/15'	Pyramidal Narrow-pyramid
'Ronald' (Norlin ™)	40'/30'	Pyramidal
Rollaid (Norim)	40/30	1 yrainidai
Mongolian linden – Tilia mongolica		
'Harvest Gold'	30-40'/25-30'	Upright-oval
<u>Silver linden</u> – Tilia tomentosa		
'PNI 6051' (Green Mountain ®)	45'/35'	Broad-pyramidal
'Sterling'	45'/35'	Broad-pyramidal
X 6 17		
Magnolias	50 901/40 601	T.L let
Cucumbertree – $Magnolia$ acuminata	50-80'/40-60'	Upright-oval
Maples		
Black maple – Acer nigrum	60'/60'	Round-spreading
<u>Brain mapre</u> Treet ing. uni	00,00	reams spreasing
<u>Freeman maple</u> – Acer × freemanii		
'Jeffersred' (Autumn Blaze®)	50'/45'	Broadly-oval
'DTR 102' (Autumn Fantasy®)	40'/30'	Broadly-oval
'Marmo'	50'/30'	Upright-oval
'Bailston' (Matador ™)	40'/30'	Upright-oval
'Morgan' ('Indian Summer')	45'/40'	Rounded
'Sienna' (Sienna Glen ®)	45'/35'	Pyramidal
'UMNAF#1' (Firefall ™)	50'/30'	Upright-oval
II 1 '1 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	. 1	
Hybrid maple – Acer truncatum × platano		I Innight annoading
'Warrenred' (Pacific Sunset [®]) 'JFS-KW202' (Crimson Sunset [™])	30'/25' 35'/25'	Upright-spreading Upright-oval
Jr3-Rw202 (Crimson Sunset)	33/23	Oprigiti-ovai
Miyabe maple – Acer miyabei		
'Morton' (State Street [™])	45'/30'	Upright-oval
'JFS-KW3AMI' (Rugged Ridge TM)	55'/40'	Upright-oval
(88 7		1 6
Norway maple – Acer platanoides		
'Columnarbroad' (Parkway®)	40'/25'	Oval
'Deborah'	45'/40'	Rounded
'Emerald Queen'	50'/40'	Oval-upright
'Ezestre' (Easy Street TM)	40'/20'	Narrow-pyramidal
'Fairview'	45'/35'	Upright-oval

		Height/Width	Growth Habit
	'Pond' (Emerald Lustre TM)	45'/40'	Rounded
	'Princeton Gold'	35'/30'	Oval
<u>R</u>	ed maple – Acer rubrum		
	'Bailcraig' (Scarlet Jewell ™)	50'/30'	Upright
	'Franksred' (Red Sunset®)	45'/35'	Upright-oval
	'Magnificent Magenta' (Burgundy Belle		Oval
	'Frank Jr.' (Redpointe [™])	45'/30'	Pyramidal
	'New World'	40'/20'	Narrow-oval
	'Polara' (Rubyfrost ™)	45'/40'	Broadly-oval
	'Somerset'	45'/35'	Broadly-oval
Sı	<u> 1gar maple – Acer saccharum</u>		
	'Autumn Splendor'	45'/40'	Broadly-oval
	'JFS-KW8' (Autumn Fest [™])	50'/35'	Upright-oval
	'JFS-Caddo2' (Flashfire TM)	45'/40'	Broadly-oval
	'Bailsta' (Fall Fiesta ™)	50'/50'	Upright-rounded
	'Commemoration'	50'/35'	Oval-rounded
	'Endowment'	50'/20'	Columnar
	'Legacy'	50'/35'	Oval
	'Morton' (Crescendo)	40'/30'	Broadly-oval
	'Green Mountain'	45'/35'	Broadly-oval
D1			
Planetree			
<u>1.0</u>	ondon planetree – <i>Platanus</i> × <i>acerifolia</i>	50'/40'	Dago dler memori dol
	'Bloodgood'		Broadly-pyramidal
	'Morton Circle' (Exclamation)	55'/35'	Upright-pyramidal
Oaks			
<u>B</u>	ur oak – Quercus macrocarpa	50-80'/40-80'	Spreading
	'JFS-KW3' (Urban Pinnacle [™])	55'/25'	Narrow-pyramidal
C	hinkapin oak – <i>Quercus muehlenbergii</i>	45'/45'	Round
<u>E</u> 1	nglish/white oak – Quercus bimundorum 'Crimschmidt' (Crimson Spire TM)	45'/15'	Columnar
	'Midwest' (Prairie Stature TM)	50'/40'	Broadly-pyramidal
<u>H</u>	<u>ybrid oak</u> – <i>Quercus</i> × 'Clemons' (Heritage[®]) 'Long' (Regal Prince [®])	40-50'/40-50' 45'/18'	Broadly-pyramidal Narrow-oval
	Dong (Tregul Fillier)	12/10	Timilott Othi

		Height/Width	Growth Habit
	Red oak – Quercus rubra	60-75'/60'	Spreading
	Shingle oak – Quercus imbricaria	50'/40'	Broadly-oval
	Swamp white oak – Quercus bicolor	60'/60'	Round
	White oak – Quercus alba	50-70'/40-80'	Spreading
S	weetgums <u>Sweetgum – Liquidambar styraciflua</u> 'Clydesform' (Emerald Sentinel [®]) 'Moraine'	30'/12' 40'/25'	Narrow-pyramid Pyramidal

Compiled by Jeff Iles, Department of Horticulture, Iowa State University 10-January-2013

Small-stature Trees for Iowa

This document lists several small-stature tree selections suitable for the Iowa landscape. Nursery and landscape professionals have eliminated green, white, black, pumpkin, and blue ash from their inventories and designs since they are susceptible to the emerald ash borer, which kills ash trees. This destructive pest has been found in several states in the upper Midwest.

While not all-inclusive, this list does describe many useful species, many which are also pest-resistant. Not all trees appearing on this list will "work" in every landscape situation. Great care must be taken to carefully match trees to sites (including above- and below-ground spatial and environmental constraints) and to complement species existing nearby so that a diverse tree canopy will be maintained. A healthy and diverse tree population is the best defense against current and future tree pests.

<u>Deciduous Small-stature Trees</u>	Height/Width	Growth Habit
Amur maackia – Maackia amurensis	20'/20'	Upright-spreading
Cherries		
Sargent cherry – Prunus sargentii		
'JFS-KW58' (Pink Flair®)	25'/15'	Upright
'Hokkaido Normandale' (Spring Wonde	(25'/20')	Upright-spreading
Crabapples – Malus species		
'Adirondack'	18'/12'	Vase-shaped
'Beeson' (May's Delight®)	8'/8'	Upright-spreading
'Hub Tures' (Spring Sensation TM)	10'/12'	Wide-spreading
'JFS-KW5' (Royal Raindrops®)	20'/15'	Upright-spreading
'Malusquest' (Pink Sparkles®)	15'/12'	Upright
'Orange Crush'	15'/15'	Round-spreading
Dogwoods		
Corneliancherry dogwood – Cornus mas	20'/20'	Round-spreading
<u>Gray dogwood</u> – Cornus racemosa		
'Jade' (Snow Mantle TM)	15'/8'	Upright-spreading
Pagoda dogwood – Cornus alternifolia	20'/20'	Spreading

Hophornbeams	Height/Width	Growth Habit
American hophornbeam – Ostrya virginiana	25'/20'	Upright-spreading
Hornbeams		
<u>American hornbeam</u> – <i>Carpinus caroliniana</i> 'J.N. Strain'	25'/25'	Spreading
'J.N. Upright' (Firespire [™])	20'/10'	Upright
Lilacs		
<u>Japanese tree lilac</u> – <i>Syringa reticulata</i> 'Bailnce' (Snowdance [™])	18'/20'	Round-spreading
'Ivory Silk'	25'/15'	Upright
Pekin lilac – Syringa reticulata subsp. pekinensi		TT-1-1-
'Morton' (China Snow ®) 'SunDak' (Copper Curls ®)	20'/20' 20'/15'	Upright-spreading Upright-spreading
Magnolias		
<u>Loebner magnolia</u> – <i>Magnolia × loebneri</i> 'Merrill'	25'/25'	Upright-spreading
'Ruth' (Spring Welcome®)	20'/20'	Round-spreading
Maples		
<u>Tatarian maple</u> – <i>Acer tataricum</i> 'GarAnn' (Hot Wings[®])	20'/25'	Round-spreading
Three-flower maple – Acer triflorum	25'/25'	Upright-spreading
Pears <u>Callery pear</u> – Pyrus calleryana		
'Glen's Form' (Chanticleer®)	40'/15'	Narrow-pyramid
<u>Ussurian pear</u> – Pyrus ussuriensis		
'MorDak' (Prairie Gem®)	25'/20'	Oval
'Bailfrost' (Mountain Frost ®)	20'/15'	Upright-oval
Redbud American redbud – Cercis canadensis		
'Pink Trim' (Northern Herald [™])	25'/25'	Spreading

Serviceberries

Allegheny serviceberry – Amelanchier laevis 'Cumulus' 'JFS-Arb' (Spring Flurry®)	20'/15' 28'/20'	Upright-spreading Upright-oval
Apple serviceberry – Amelanchier × grandiflora	201/151	II
'Autumn Brilliance'	20'/15'	Upright-spreading
'Strata'	20'/20'	Horizontal

Compiled by Jeff Iles, Department of Horticulture, Iowa State University 10-January-2013

The inventory was funded in part through a grant from the lowa Department of Natural Resources to assist communities in Eastern Iowa with planning and managing their urban tree resources and development of response to the presence of EAB and other tree pests and problems. Northeast Iowa RC&D and The State of Iowa are Equal Opportunity Employers. Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the Iowa Civil Rights Commission, 1-800-457-4416, or write to the Iowa Department of Natural Resources,

Wallace State Office Bldg., 502 E. 9th St., Des Moines, IA 50319.