

Iowa Respiratory Virus Surveillance Report

MMWR Week 20 May 11, 2025 - May 17, 2025

Date and time of issue: 5/23/2025 11:08:30 AM




This week will be the last weekly respiratory virus surveillance report for the 2024-25 respiratory season. During the summer months, the report cadence will be approximately once a month, depending on the timing of the MMWR weeks in that month.

lowa HHS will start publishing weekly respiratory reports after the start of the 2025-26 respiratory season, with the first report due to be released on Friday, October 10, 2025.




Quick Stats for Week 20 (5/11/25 - 5/17/25)


Influenza



COVID-19



Other Respiratory Viruses



All data presented in this report are provisional and may change as additional reports are received .

See the **Survillance Methods** page for a detailed description of each component of the lowa respiratory virus surveillance system including methodology and definitions.

Visit https://hhs.iowa.gov/center-acute-disease-epidemiology/iowa-influenza-surveillance to subscribe to weekly email reports

International Influenza Activity Summary

World Health Organization Influenza Update

Published 21 May 2025 | For reporting Week 19, ending 11 May 2025

Influenza

In the Northern hemisphere, influenza positivity continued to decline or remained stable with minor increases reported in a few countries in Central America and the Caribbean, Eastern Africa, Eastern Europe, and Southern, South-East and Eastern Asia. Influenza positivity remained elevated in Central America and the Caribbean (predominantly A(H1N1)pdm09), Eastern Africa (predominantly A viruses), Eastern Europe (predominantly B viruses), Western Asia (predominantly A(H3N2) and B viruses), Southern Asia (predominantly A(H3N2)) and Eastern and South-East Asia (predominantly A viruses).

In the Southern hemisphere, positivity remained stable or increased overall. Influenza positivity was elevated in Tropical and Temperate South America (predominantly A(H1N1)pdm09), Southern Africa (predominantly A(H3N2)), Eastern Africa and South-East Asia (predominantly A viruses) and Oceania (predominantly A(H1N1)pdm09).

SARS-CoV-2

Globally, SARS-CoV-2 positivity continued to remain low across reporting countries except for a few countries in Central America and the Caribbean and Western and South-East Asia where positivity was elevated.

https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-updates/current-influenza-update


National Outpatient Respiratory Illness Activity - CDC



Weekly U.S. influenza surveillance report. Centers for Disease Control and Prevention. https://www.cdc.gov/fluview/index.html

Iowa Respiratory Survey - Influenza


Number of Influenza Molecular Tests and Positive Percentage - Current and Previous 52 Weeks



Flu Tests and Positivity by Method - Current Week

Test Method	Number Positives	Number Tests	Percent Positive
Molecular	11	1,479	0.7%
Antigen	4	141	2.8%
Total	15	1,620	0.9%


Number of Influenza Antigen Tests and Positive Percentage - Current and Previous 52 Weeks





Iowa Respiratory Survey - COVID-19


Number of COVID-19 Molecular Tests and Positive Percentage - Current and Previous 52 Weeks



COVID-19 Tests and Positivity by Method - Current Week

Test Method	Number Positives	Number Tests	Percent Positive
Molecular	41	1,430	2.9%
Antigen	7	167	4.2%
Total	48	1,597	3.0%

Number of COVID-19 Antigen Tests and Positive Percentage - Current and Previous 52 Weeks



Influenza Testing at the State Hygienic Laboratory (SHL)

Cumulative Influenza Viruses Detected by SHL (9/29/2024 - Current Week)


	Flu A	\	Flu B	Grand Total	
	AH1N1pdm09	A H3	В		
Current Positives	1	1	1	3	
Cumulative Positives	1052	506	115	1673	

Table Note: Only lowa residents are included.

Novel Influenza A Note: SHL detected one human case of avaian influenza A(H5) which is not included in the table above or the graph below.

Influenza B Note: CDC no longer supplies the public health laboratories with the testing kits to genotype influenza B after not detecting any influenza B Yamagata for over 3 years. SHL will still send a subsample of influenza B positive specimens to CDC for further characterization.

Influenza Viruses Detected by SHL by Week (Current Week and Previous 52 Weeks)




Outpatient Health Care Provider Surveillance Program (ILINET)

Percent Of Outpatient Visits with Influenza-like Illness (ILI) as Reported by ILINet Sites

2022-23 2023-24 2024-25

ILI Percent by Season and Week




ILI by Age Group Past 4 Weeks

MMWR Week	End Date	Age 0-4	Age 5-24	Age 25-49	Age 50-64	Age 65 and older	Total ILI	ILI Pct
17	4/26/2025	2	13	2	4	3	24	0.53%
18	5/3/2025	3	18	8	1	3	33	0.78%
19	5/10/2025	4	15	1	2	7	29	0.72%
20	5/17/2025	2	7	4	1	2	16	0.42%

Outpatient ILI Note: Outpatient health care providers who participate in the ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week. The ILI Definition changed in 2021-22 so that persons with ILI symptoms (cough, sore throat, fever) will be counted even if positive for other respiratory illness (e.g., COVID-19).


Iowa Syndromic Surveillance Program

Proportion of Iowa Emergency Room Visits for Respiratory Syndromes - Current and Previous 52 Weeks



Week Ending

Proportion of Iowa Inpatient Visits for Respiratory Syndromes - Current and Previous 52 Weeks






School Illness


Preparedness Service Area

Percent of Enrolled Students Absent Due to Illness Reported by Sentinel Schools




Some weeks are not shown due to large numbers of missing data (e.g., winter and spring breaks)

Number of Schools Reporting 10% Illness by County - Current Week



Iowa Respiratory Virus Survey

Percent of Positive Respiratory Viruses by Pathogen Group and Week - Molecular Only (Current and Previous 52 Weeks)



Top 5 Pathogen Groups by Positive Percent on Respiratory Virus Survey - Molecular Only (Current and Previous 52 Weeks)

Percent Positive for Current	Percent Positive by Week		
Week	Average		
24.2% Rhinovirus/Enterovirus			
10.5% Parainfluenza virus	Average		
3.0% Adenovirus	Average		
2.9% COVID-19	Average		
2.0% HMPV	Average		



Report Methods, Definitions and Data Sources

NATIONAL INFLUENZA LIKE ILLNESS (ILI) - CDC

The CDC national ILI map shows influenza-like illness, which is determined by symptoms such as fever, cough, and sore throat that can be caused by a number of pathogens in addition to influenza (e.g., COVID-19). Detailed information can be found online at www.cdc.gov/flu/weekly/.

IOWA RESPIRATORY SURVEY

lowa HHS and SHL run a weekly web-based survey program where laboratorians report the number of influenza, COVID-19 and other respiratory virus tests performed, the testing method (molecular, antigen, or virus isolation) and the number of positive tests.

INFLUENZA TESTING AT THE STATE HYGIENIC LAB

The State Hygienic Laboratory (SHL) is the primary laboratory in Iowa characterizing specimens for influenza surveillance. SHL reports the number of tests performed and the type and subtype/lineage of positive tests to the influenza surveillance network daily. SHL also sends a portion of specimens to CDC for further characterization.

OUTPATIENT HEALTH CARE PROVIDER SURVEILLANCE PROGRAM (ILINET)

Outpatient health care providers who participate in ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week.

INFLUENZA AND COVID-19 DEATHS

The Iowa HHS Center for Acute Disease Epidemiology works with the Bureau of Health Statistics to monitor mortality among Iowa residents related to Influenza and COVID-19. Deaths are considered to be influenza-associated when influenza is listed on the death certificate. COVID-associated deaths are determined by diagnosis codes listed on the death certificate.

Both Influenza and COVID-19 death totals are cumulative from the start of the fllu season (approximately October 1 each year through the end or the current reporting week).

LONG TERM CARE FACILITY INFLUENZA OUTBREAKS

A confirmed influenza outbreak in a care facility is defined as at least two residents with lab-confirmed influenza in the same area of a facility having an illness onset within 72 hours of each other.

IOWA SYNDROMIC SURVEILLANCE

lowa HHS, CyncHealth lowa and CDC started implementing syndromic surveillance for the state of lowa in May 2021. Iowa continues to enroll hospitals to participate and currently has over 90 hospitals participating. Syndromic surveillance provides public health with a near real time system for detecting, understanding, and monitoring health events based on symptoms and diagnoses of patients visiting participating hospitals.

SCHOOL ILLNESS REPORTING

lowa HHS works with lowa schools, local public health and the lowa Department of Education to track and respond to reports of illness in school in two main groups: 10% daily student absences and sentinel school weekly illness totals. All K-12 schools are asked to report all days where student absences due to illness are at least 10% of expected enrollment. Weekly illness data is from a subset of schools that voluntarily report weekly totals of students ill throughout the school year regardless of the level of illness.