2014 Urban Forest Management Plan

Marble Rock, Iowa

Prepared by: Richard Kittelson Bureau of Forestry, Iowa DNR & Northeast Iowa RC&D Regional Forestry Outreach Coordinator, Certified Arborist PO Box 916, Postville, Iowa 52162 563-864-7112 www.northeastiowarcd.org







Table of Contents

Executive Summary	4
Overview	
Inventory and Results	4
Recommendations	4
Inventory Results	5
	-
Annual Benefits	5
Annual Energy Benefits	
Annual Stormwater Benefits	
Annual Air Quality Benefits	
Annual Acethotics Deposite	כ ב
AIIIIUUI Adstitutions Deficitions	 ۲
	J
Forest Structure	
Species Distribution	
Age Class	/
Condition: Wood and Foliage	
Management Needs	ð
Land Lice and Location	0 Q
	0
Recommendations	8
Risk Management	8
Pruning Cycle	9
Planting	9
Continual Monitoring	9
Six Year Maintenance Plan with No Additional Funding	10
Emerald Ash Borer	11
Ash Tree Removal	11
EAB Quarantines	
Wood Disposal	
Canopy Replacement	11
Postponed Work	11
Monitoring	12
Private Ash Trees	12
Budget	
Works Cited	13
Appendix A: i-Tree Data	14
Annendix B. ArcGIS Manning	ን በ
Appendix D. Alcois mapping	20
Appendix C: Suitable Shade Tree Lists	

Community Tree Inventory

Marble Rock, Iowa

Summary

This plan was developed to assist the City of Marble Rock with managing its urban forest, including budgeting and future planning. Trees can provide a multitude of benefits to the community, and sound management allows communities to best take advantage of these benefits. Management is especially important considering the serious threats posed by forest pests such as the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees (does not include mountain ash). There is a strong possibility that 5.5% of Marble Rock's city owned trees (ash) will die once EAB becomes established in the community. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

Inventory & Results

In 2014, a tree inventory was conducted using Global Positioning System (GPS) data collectors. --The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in Arc GIS as an active GIS data layer. The inventory was a complete inventory of street and park trees. Below are some key findings of the **128 trees inventoried**.

Inventory Overview

- Marble Rock's trees provide \$30,330 of benefits annually, an average of \$237 a tree
- There are over 20 species of trees
- The top three genus are: Oak 32%, Maple 28.1%, Walnut 12%
- 59.37% of trees are in need of some type of management
- 9 trees are recommended for removal.

General Recommendations

The following are key recommendations from the inventory:

- Of the 9 trees needing removal, 7 trees are over 24 inches in diameter at 4.5 ft and must be addressed immediately. Of the 9 removals, 1 is ash.
 *City ownership of the trees recommended for removal should be verified prior to any removal
- After the removal of the 9 critical concern trees, ash trees in poor health should be assessed for removal.
- None of the 7 ash trees are displaying signs and symptoms associated with EAB.
- All trees should be pruned on a routine schedule one third of the city every other year.
- Plant a diverse mix of trees that does NOT include: ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.
- Check ash trees with a visual survey yearly

The programming used to collect tree information on the data collectors was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes: **location**, **land use**, **species**, **diameter at 4.5 ft**, **recommended maintenance**, **priority of that maintenance**, **leaf health**, **and wood condition**. Additionally, signs and symptoms of EAB were noted for all ash trees. The signs and symptoms noted were canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and woodpecker damage.

Detailed Inventory Results

The data collected for the 128 city trees was entered into the USDA Forest service program Street Tree Resource Analysis Tool for Urban forestry Management (STRATUM), part of the i-Tree suite. The following are results from the i-Tree STRATUM analysis.

<u>Annual Benefits</u>

1. Annual Energy Benefits: Trees conserve energy by shading buildings and blocking winds. Marble Rock's trees reduce energy related costs by approximately <u>\$7,897.58 annually</u>. These savings are both in Electricity (<u>37.60 MWh</u>) and in Natural Gas (<u>5,043.47 Therms</u>).

2. Annual Stormwater Benefits: Marble Rock's trees intercept about <u>491,302.65</u> gallons of rainfall or snowmelt a year. This interception provides <u>\$13,314.30</u> of benefits to the city.

3. Annual Air Quality Benefits: Air quality is a persistent public health issue in Iowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and emitting volatile organic matter (ozone). In Marble Rock, it is estimated that trees remove 506.38 lbs of air pollution (ozone (O_3), particulate matter less than 10 microns (PM10), carbon monoxide (CO), nitrogen dioxide (NO₂), and sulfur dioxide (SO₂)) per year with a <u>net value of \$1,435.62</u>.

4. Annual Carbon Benefits: Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Marble Rock trees sequester about <u>131,248.41</u>lbs of carbon dioxide (CO2) a year with an associated <u>value of \$984.36</u>. In addition, the trees store <u>2,242,228.92</u> lbs of carbon, with a <u>yearly benefit of \$16,816.72</u>.

5. Annual Aesthetics Benefits: Social benefits of trees are hard to capture. The analysis does have a calculation for this area that includes: aesthetic

value, property values, lowered rates of mental illness and crime, city livability and much more. Marble Rock receives <u>\$6,698.79 in annual social benefits</u> from trees.

<u>Financial Summary of all Benefits:</u> According to the USDA Forest Service i-Tree STRATUM analysis, Marble Rock's trees provide \$30,330.65 of benefits annually. Benefits of individual trees vary based on size, species, health and location, but on average each of the 128 trees in Marble Rock provide approximately \$237 annually.

Tabla	1.	أمسط	Ronofite	۰f	Public	Troop
lable		AIIIIUUI	Dellelliz	01	FUDIIC	Trees

Benefits	Per Tree	Cumulative
Energy	\$61.70	\$7 <i>,</i> 897.58
CO ₂	\$7.69	\$984.36
Air Quality	\$11.22	\$1,435.62
Stormwater	\$104.02	\$13,314.30
Aesthetic/Other	\$52.33	\$6 <i>,</i> 698.79
Total (\$)	\$236.96	\$30,330.65

Community Tree Inventory

Marble Rock, Iowa

Forest Structure

1. Species & Genus Distribution: Marble Rock has over 20 different tree species along city streets and parks. The following figures and tables show the distribution of the 13 most common trees by genus and the ten most common species. It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with Oak and Maple, and it is recommended that they should not be planted until this percentage can be lowered.

Figure 1: Common Tree Genus by Percentage



Figure 2: Common Tree Species by Percentage



Table 2: Tree Genus

Genus	No. of Trees
Oak	41
Maple	36
Black Walnut	12
Ash	7
Northern Hackberry	7
Linden/Basswood	6
Apple (Crab)	4
Spruce	3
Pine	3
Elm	1
Sycamore	1
Hickory	1
Mulberry	1

2. Age Class: Marble Rock has a fairly good balance of age classes. For age, it is preferred that the highest amounts of trees are in the smallest size category (a downward slope) to prepare for natural mortality and to maintain canopy cover. Marble Rock's size curve is on the smaller size, indicating a younger than average stand. However, the most abundant genuses, oak and maple, are older than average.

Figure 3: Age Distribution of Top 10 Public Tree Species (by Percentage)



Species	0 - 3	3 - 6	6 - 12	12 - 18	18 - 24	24 - 30	30 - 36	36 - 42	>42
White oak	18.18	0.00	0.00	0.00	6.06	12.12	12.12	39.39	12.12
Sugar maple	0.00	0.00	0.00	5.26	10.53	15.79	31.58	36.84	0.00
Black walnut	0.00	8.33	8.33	25.00	8.33	33.33	16.67	0.00	0.00
Black maple	0.00	0.00	8.33	0.00	16.67	0.00	33.33	33.33	8.33
Green ash	0.00	14.29	0.00	14.29	28.57	14.29	0.00	28.57	0.00
Bur oak	0.00	0.00	0.00	14.29	0.00	14.29	28.57	14.29	28.57
Northern hackberry	0.00	0.00	0.00	42.86	42.86	14.29	0.00	0.00	0.00
American basswood	0.00	0.00	0.00	0.00	0.00	33.33	33.33	33.33	0.00
Apple	0.00	25.00	50.00	25.00	0.00	0.00	0.00	0.00	0.00
Conifer Evergreen Mediu	0.00	0.00	33.33	33.33	33.33	0.00	0.00	0.00	0.00
Citywide Total	4.69	3.13	6.25	10.94	13.28	17.19	15.63	23.44	5.47

Table 3: Relative Age Distribution

3. Condition:- Wood and Foliage: Both wood condition and leaf condition are good indicators of the overall health of the urban forest. The foliage condition results for Marble Rock indicate that 96.1% of the trees are in fair-good health, with only 3.9% of the foliage in poor health, dead or dying. Similarly, 89.1% of Marble Rock's trees are in fair-good health for wood condition. Wood condition that is in poor health, dead or dying is about 10.9% of the population. This 10.9% is an estimate of trees that need management follow up soon.

Community Tree Inventory

Marble Rock, Iowa

4. Management Needs: The following management needs for Marble Rock's urban trees are outlined in Table 4. The table outlines the specific management needs of the street and park trees by number of trees and percent of the canopy.

- Crown cleaning removes dead, diseased, and damaged limbs.
- Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles.
- Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years.
- Tree staking includes staking, training, mulching, etc.

Table 4: Management Needs			Table 5: Land Us	se	Table 6: Location Type		
Technique	No of Trees	Percentage	Single Family Residential	20.31%	Planting Strip	21.88%	
Crown Cleaning	57	44.53%	Park/Vacant/Other	78.91%	Other Maintained	69.53%	
Crown Raising	0	0%	Industrial/Large Commercial	0%	Location (Park)		
Tree Staking	2	1.56%		070	Front Yard	8.59%	
Tree Removal	9	7.03%	Small Commercial	0.78%	Cutout	0%	
Crown Reduction	8	6.25%	Multifamily Residential	0%	(Surrounded by Pavement)		

5. Canopy Cover:_Marble Rock occupies 556 acres. The total tree canopy with both private and public trees is 116 acres, about 21%. The tree canopy used for the Marble Rock inventory is approximately 4.63 acres, or .83%.

6. Land Use and Location: The majority of Marble Rock's city and park trees are in the city park. Table 5 & Table 6 describe the land use and locations for the street and park trees.

Recommendations

1. Risk Management: Hazardous trees can be a significant threat to both people and property. Trees that are dead or dying, or that have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorist's vision of pedestrians, vehicles, traffic signs and signals, etc. should be removed.

2. Hazardous Trees: Marble Rock has <u>9 critical concern trees that need immediate removal</u>. These trees can be seen on the Location of Trees with Recommended Maintenance map (Appendix B, Image 4 & Image 5). It is recommended to start with the large diameter critical concern trees first. There are 7 trees over 24 inches in diameter at 4.5 ft that should be addressed immediately. Please refer to the *Six Year Maintenance Plan* at the end of this section. After all of the critical concern trees are addressed, there should be follow up on the trees marked as needing maintenance that do not include trimming. There are a total of 2 tree with these needs.

3. Poor Tree Species: After the removal of the critical concern trees, ash trees in poor health should be assessed for removal (Appendix B, Image 3 &

8

Appendix B, Image 4). Of the 9 removals, 1 is an ash trees. There are a total of 7 ash trees, and none of those have signs and symptoms that have been associated with EAB. In addition, there are 14 trees that are in poor health. *City ownership of the trees recommended for removal should be verified prior to any removal.

4. Pruning Cycle: Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles. Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years. Please refer to the *Six-Year Maintenance Plan* for further information.

5. Planting: Most of the planting over the next 5 years will replace the trees that are removed. It is recommended to plant 1.2 trees for every tree removed, since survival rates will not be 100%. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Marble Rock.

It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with Oak (32%) and Maple (28.1%). These should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid because they are public nuisances include: cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut. All trees planted must meet the restrictions in the city tree ordinance.

The importance of species diversity was brought to the forefront with the loss of the American elm from Dutch elm disease. When one genus (Maple) makes up a majority of the species (Norway Maple, Silver Maple, Sugar Maple) in a planting it is an unbalanced population. These unbalanced populations leave the population open to destruction from diseases and pests. Unfortunately, the lessons of the American elm are only recently being heeded. Communities typically replaced lost elms with a small but reliable selection of ash and Norway and silver maple. This left cities in the predicament they are finding themselves in now as they stand to lose a large percentage of their ash trees to the emerald ash borer.

6. Continual Monitoring: It is important to continuously check the health of all trees. Due to the imminent threat of Emerald Ash Borer to ash trees, it is recommended that trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage. For a list of forest health threats, please visit the Iowa DNR's website at http://www.iowadnr.gov/Environment/Forestry/ForestHealth

Proposed Six Year Maintenance Plan

Year 1: Removal: 1 largest critical concern trees and 1 small dead ash or saving for ash tree treatment Planting and Replacement: 8 trees to be planted in open locations Visual Survey for signs and symptoms of EAB

Year 2: Removal: 2 critical concern trees and 1 largest ash Planting and Replacement: 4 trees in open locations from year one removals Routine pruning: 1/3 of the city trees (40) Visual Survey for signs and symptoms of EAB

- Year 3: Removal: 3 ash or saving for ash tree treatment Planting and Replacement: 4 trees to be planted in open locations and locations from previous removals Visual Survey for signs and symptoms of EAB
- Year 4: Removal: 2 ash and/or any new critical concern trees or saving for ash tree treatment Planting and Replacement: 3 trees in open locations from previous removals Routine pruning: 1/3 of the city trees (40) Visual Survey for signs and symptoms of EAB
- Year 5: Removal: New critical concern trees or saving for ash tree treatment Planting and Replacement: 4 trees to be planted in open locations and locations from previous removals Visual Survey for signs and symptoms of EAB

Year 6: Removal: New critical concern trees or saving for ash tree treatment Planting and Replacement: 4 trees in open locations from previous removals Routine pruning: 1/3 of the city trees (40) Visual Survey for signs and symptoms of EAB

Reduction of ash over 6 years: 7 ash trees removed (100% of ash). EAB could potentially kill all ash within 4 years of its arrival. ** To remove all ash trees within 6 years, and do nothing else, the budget would need to be \$820 a year.

Emerald Ash Borer Plan

1. Ash Tree Removal

Tree removal will be prioritized with dead, dying, hazardous trees to be removed first. Next will be all ash in poor condition and displaying signs and symptoms of EAB. ***City owner-ship of the tree recommended for removal should be verified prior to any removal**.

2. Treatment of Ash Trees



Emerald Ash Borer Beetle next to D-shaped exit holes.

Chemical treatment can be effective, spreading removal costs out over several years while allowing trees to continue to provide benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit <u>http://extension.entm.purdue.edu/treecomputer/</u>

3. EAB Quarantines

EAB is an extremely destructive plant pest and it is responsible for the death and decline of over 25 million ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's quarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- nursery stock and green lumber of ash

• any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

4. Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees. Is there an accessible, secured site big enough to store and sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website http://www.aphis.usda.gov/plant health/plant pest info/emerald ash b/regulatory.shtml.

5. Canopy Replacement

As budget permits, all removed ash trees will be replaced. All trees will meet the restrictions in the city ordinance. The new plantings will be a diverse mix and will not include ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.

6. Postponed Work

While finances, staffing and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genus other than ash will be prioritized by hazardous or emergency situations only.

Community Tree Inventory

Marble Rock, Iowa

7. Monitoring (repeated)

It is recommended that ash trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

8. Private Ash Trees

It is strongly recommended that private property owners start removing ash trees or treating healthy trees they desire to preserve on their property upon arrival of EAB or confirmed within 15 miles. Refer to the City Tree Ordinance for more information.

Proposed Budget

Total \$15,500 over 6 years (\$2,590/year)

FY 2015 Budget

Removal @ \$700/tree: \$4,900 *Or saving for ash tree treatment Planting @ \$100/tree: \$800 Watering & Maintenance @ \$50/tree: \$400

FY 2016 Budget

Removal: \$2,100 *Or saving for ash tree treatment Planting: \$400 Watering & Maintenance: \$200 Routine Pruning @ \$9/tree: \$360

FY 2017 Budget

Removal: \$2,100 *Or saving for ash tree treatment Planting: \$400 Watering & Maintenance: \$200

FY 2018 Budget

Removal: \$1,400 *Or saving for ash tree treatment Planting: \$300 Watering & Maintenance: \$150 Routine : \$360

FY 2019 Budget

Removal: \$0 Planting: \$400 Watering & Maintenance: \$200

FY 2020 Budget

Removal: \$0 Planting: \$300 Watering & Maintenance: \$150 Watering & Maintenance: \$360

*Reduction of ash over 6 years: 7 ash trees removed (100% of ash).

Proposed Budget Increase

EAB could potentially kill all ash trees in Marble Rock within 4 years of its arrival. To remove all ash trees within 6 years the budget would need to be \$820 a year. Additionally, it is recommended that Marble Rock apply for grants to fund replacement trees. Utility Company grants are usually between \$500 and \$10,000 for community-based, tree-planting projects that include parks, gateways, cemeteries, nature trails, libraries, nursing homes, and schools.

Works Cited

Census Bureau. 2010. http://censtats.census.gov/data/IA/1601964290.pdf (April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57

Nowak, D.J. and J.F. Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.

Peper, Paula J.; McPherson, E. Gregory; Simpson, James R.; Vargas, Kelaine E.; Xiao,Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting.Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115

Appendix A: i-Tree Data

Table 1: Annual Energy Benefits

Annual Energy Benefi	ts of Public Tree	s by Specie	S					
	Total Electricity	Electricity	Total Natural Gas	Natural				
Species	(MWh)	(\$)	(Therms)	Gas (\$)	Total (\$)	% of Total Trees	% of Total \$	Avg. \$/tree
White oak	11.04	837.85	1,500.28	1,470.28	2,308.13	25.78	29.23	69.94
Sugar maple	6.85	519.96	914.44	896.15	1,416.11	14.84	17.93	74.53
Black walnut	3.18	241.47	431.30	422.67	664.14	9.38	8.41	55.35
Black maple	3.24	245.80	455.40	446.30	692.10	9.38	8.76	57.67
Green ash	1.99	151.37	271.71	266.28	417.65	5.47	5.29	59.66
Bur oak	2.75	208.39	366.40	359.07	567.46	5.47	7.19	81.07
Northern hackberry	2.08	158.10	289.18	283.39	441.49	5.47	5.59	63.07
American basswood	2.11	160.46	305.88	299.76	460.22	4.69	5.83	76.70
Apple	0.35	26.88	54.13	53.04	79.92	3.13	1.01	19.98
Blue spruce	0.39	29.79	49.89	48.89	78.67	2.34	1.00	26.22
Silver maple	0.72	54.92	97.08	95.14	150.06	2.34	1.90	50.02
Austrian pine	0.23	17.47	33.46	32.79	50.26	1.56	0.64	25.13
Red pine	0.19	14.07	24.60	24.10	38.17	0.78	0.48	38.17
Mulberry	0.20	15.15	31.62	30.99	46.14	0.78	0.58	46.14
American sycamore	0.33	24.99	46.86	45.92	70.91	0.78	0.90	70.91
Norway maple	0.32	24.37	47.42	46.47	70.84	0.78	0.90	70.84
Hickory	0.33	24.99	46.86	45.92	70.91	0.78	0.90	70.91
Northern pin oak	0.32	24.37	47.42	46.47	70.84	0.78	0.90	70.84
Red maple	0.26	19.50	30.05	29.45	48.95	0.78	0.62	48.95
American elm	0.29	21.77	41.76	40.92	62.70	0.78	0.79	62.70
Other City Trees	0.43	32.38	60.75	59.53	91.91	3.91	1.16	17.23
Total	37.60	2,854.04	5,146.47	5,043.54	7,897.58	100.00	100.00	61.70

Table 2: Annual Stormwater Benefits

Annual Stormwater Ben	efits of Public Trees	by Species			
	Total Rainfall				
Species	Interception (Gal)	Total (\$)	% of Total Trees	% of Total \$	Avg. \$/tree
White oak	166,084.24	4,500.88	25.78	33.80	136.39
Sugar maple	99,246.54	2,689.58	14.84	20.20	141.56
Black walnut	34,519.68	935.48	9.38	7.03	77.96
Black maple	32,162.07	871.59	9.38	6.55	72.63
Green ash	25,239.34	683.99	5.47	5.14	97.71
Bur oak	38,106.31	1,032.68	5.47	7.76	147.53
Northern hackberry	15,193.70	411.75	5.47	3.09	58.82
American basswood	27,979.99	758.26	4.69	5.70	126.38
Apple	1,264.17	34.26	3.13	0.26	8.56
Blue spruce	5,401.00	146.37	2.34	1.10	48.79
Silver maple	10,918.71	295.90	2.34	2.22	98.63
Austrian pine	3,680.00	99.73	1.56	0.75	49.86
Red pine	4,604.65	124.79	0.78	0.94	124.79
Mulberry	1,174.03	31.82	0.78	0.24	31.82
American sycamore	3,942.95	106.85	0.78	0.80	106.85
Norway maple	3,764.35	102.01	0.78	0.77	102.01
Hickory	3,942.95	106.85	0.78	0.80	106.85
Northern pin oak	3,764.35	102.01	0.78	0.77	102.01
Red maple	1,603.87	43.46	0.78	0.33	43.46
American elm	2,779.22	75.32	0.78	0.57	75.32
Other City Trees	5,930.53	160.72	3.91	1.21	29.76
Citywide total	491,302.65	13,314.30	100.00	100.00	104.02

Table 3: Annual Air Quality & Table 4: Annual Carbon Sequestered

Annual Air Quality Bene	fits of Public	Trees by Spe	cies													
	Deposition	Deposition	Deposition	Deposition	Total	Avoided	Avoided	Avoided	Avoided	Total Avoided	BVOC Emissions	BVOC				Avg.
Species	O3 (lb)	NO2 (lb)	PM10 (lb)	SO2 (lb)	Deposition (\$)	NO2 (lb)	PM10 (lb)	VOC (Ib)	SO2 (Ib)	(\$)	(lb)	Emissions (\$)	Total (lb)	Total (\$)	% of Total Trees	\$/tree
White oak	27.09	4.33	12.03	1.21	141.61	52.62	7.67	7.31	50.02	327.98	0.00	0.00	162.28	469.59	25.78	14.23
Sugar maple	14.73	2.51	6.99	0.65	78.79	32.46	4.74	4.53	31.02	202.77	- 11.33	- 42.47	86.31	239.09	14.84	12.58
Black walnut	4.19	0.67	2.01	0.19	22.31	15.15	2.21	2.11	14.42	94.49	0.00	0.00	40.94	116.79	9.38	9.73
Black maple	8.32	1.42	3.82	0.37	44.12	15.55	2.26	2.15	14.67	96.61	- 2.70	- 10.14	45.84	130.58	9.38	10.88
Green ash	3.45	0.55	1.60	0.15	18.25	9.51	1.39	1.32	9.04	59.27	0.00	0.00	27.02	77.52	5.47	11.07
Bur oak	6.52	1.04	2.90	0.29	34.10	13.03	1.90	1.82	12.44	81.35	0.00	0.00	39.94	115.46	5.47	16.49
Northern hackberry	1.89	0.33	1.05	0.08	10.55	10.00	1.45	1.38	9.45	62.17	0.00	0.00	25.63	72.73	5.47	10.39
American basswood	4.17	0.71	1.98	0.18	22.30	10.26	1.48	1.41	9.59	63.51	- 3.43	- 12.88	26.35	72.94	4.69	12.16
Apple	0.30	0.05	0.15	0.01	1.64	1.74	0.25	0.24	1.61	10.72	0.00	- 0.01	4.35	12.36	3.13	3.09
Blue spruce	0.73	0.15	0.61	0.09	4.84	1.83	0.27	0.26	1.78	11.52	- 2.00	- 7.49	3.72	8.88	2.34	2.96
Silver maple	1.82	0.31	0.90	0.08	9.81	3.43	0.50	0.48	3.27	21.40	- 0.96	- 3.59	9.82	27.61	2.34	9.20
Austrian pine	0.60	0.12	0.49	0.07	3.96	1.11	0.16	0.15	1.04	6.89	- 1.38	- 5.16	2.38	5.70	1.56	2.85
Red pine	0.57	0.11	0.45	0.07	3.69	0.88	0.13	0.12	0.84	5.48	- 2.86	- 10.74	0.30	- 1.58	0.78	- 1.58
Mulberry	0.43	0.07	0.20	0.02	2.28	0.99	0.14	0.13	0.90	6.07	0.00	- 0.01	2.89	8.35	0.78	8.35
American sycamore	0.49	0.08	0.23	0.02	2.62	1.59	0.23	0.22	1.49	9.85	0.00	0.00	4.36	12.48	0.78	12.48
Norway maple	0.86	0.15	0.41	0.04	4.63	1.57	0.23	0.21	1.46	9.68	- 0.19	- 0.73	4.73	13.58	0.78	13.58
Hickory	0.49	0.08	0.23	0.02	2.62	1.59	0.23	0.22	1.49	9.85	0.00	0.00	4.36	12.48	0.78	12.48
Northern pin oak	0.86	0.15	0.41	0.04	4.63	1.57	0.23	0.21	1.46	9.68	- 0.19	- 0.73	4.73	13.58	0.78	13.58
Red maple	0.32	0.05	0.16	0.01	1.73	1.18	0.18	0.17	1.16	7.47	- 0.12	- 0.45	3.12	8.75	0.78	8.75
American elm	0.24	0.04	0.14	0.01	1.37	1.39	0.20	0.19	1.30	8.62	0.00	0.00	3.52	9.99	0.78	9.99
Other City Trees	0.74	0.15	0.63	0.09	4.93	2.05	0.30	0.28	1.93	12.73	- 2.38	- 8.91	3.79	8.75	3.91	1.56
Citywide Total	78.83	13.07	37.40	3.72	420.81	179.49	26.13	24.92	170.38	1,118.11	- 27.55	- 103.30	506.38	1,435.62	100.00	11.22

Annual CO2 Benefits of P	ublic Trees by	Species										
	Sequestere	Sequestered	Decomposition	Maint.	Total Release	Avoided	Avoided	Net Total		% of Total	% of	Avg.
Species	d (lb)	(\$)	Release(lb)	Release (lb)	(\$)	(lb)	(\$)	(lb)	Total (\$)	Trees	Total \$	\$/tree
White oak	22,373.80	167.80	- 4,407.31	- 127.14	- 0.95	18,516.34	138.87	36,355.69	272.67	25.78	27.70	8.26
Sugar maple	18,587.16	139.40	- 2,087.57	- 79.17	- 0.59	11,490.98	86.18	27,911.40	209.34	14.84	21.27	11.02
Black walnut	7,625.35	57.19	- 651.22	- 32.96	- 0.25	5,336.48	40.02	12,277.65	92.08	9.38	9.35	7.67
Black maple	2,011.96	15.09	- 424.79	- 31.20	- 0.23	5,432.16	40.74	6,988.12	52.41	9.38	5.32	4.37
Green ash	4,520.01	33.90	- 552.30	- 21.65	- 0.16	3,345.20	25.09	7,291.26	54.68	5.47	5.56	7.81
Bur oak	5,091.24	38.18	- 1,068.26	- 30.81	- 0.23	4,605.39	34.54	8,597.56	64.48	5.47	6.55	9.21
Northern hackberry	2,160.70	16.21	- 122.46	- 17.55	- 0.13	3,493.91	26.20	5,514.60	41.36	5.47	4.20	5.91
American basswood	8,459.18	63.44	- 746.94	- 25.74	- 0.19	3,546.06	26.60	11,232.55	84.24	4.69	8.56	14.04
Apple	533.33	4.00	- 24.15	- 4.88	- 0.04	593.99	4.45	1,098.29	8.24	3.13	0.84	2.06
Blue spruce	328.46	2.46	- 23.51	- 6.63	- 0.05	658.25	4.94	956.57	7.17	2.34	0.73	2.39
Silver maple	3,074.48	23.06	- 201.52	- 8.39	- 0.06	1,213.63	9.10	4,078.20	30.59	2.34	3.11	10.20
Austrian pine	227.14	1.70	- 24.85	- 4.68	- 0.04	386.11	2.90	583.72	4.38	1.56	0.44	2.19
Red pine	256.05	1.92	- 35.95	- 3.51	- 0.03	310.96	2.33	527.54	3.96	0.78	0.40	3.96
Mulberry	478.45	3.59	- 32.37	- 2.73	- 0.02	334.78	2.51	778.13	5.84	0.78	0.59	5.84
American sycamore	856.87	6.43	- 75.71	- 3.51	- 0.03	552.26	4.14	1,329.91	9.97	0.78	1.01	9.97
Norway maple	370.05	2.78	- 68.54	- 3.51	- 0.03	538.59	4.04	836.58	6.27	0.78	0.64	6.27
Hickory	856.87	6.43	- 75.71	- 3.51	- 0.03	552.26	4.14	1,329.91	9.97	0.78	1.01	9.97
Northern pin oak	370.05	2.78	- 68.54	- 3.51	- 0.03	538.59	4.04	836.58	6.27	0.78	0.64	6.27
Red maple	483.20	3.62	- 17.40	- 1.95	- 0.01	430.85	3.23	894.70	6.71	0.78	0.68	6.71
American elm	342.10	2.57	- 32.37	- 2.73	- 0.02	481.18	3.61	788.18	5.91	0.78	0.60	5.91
Other City Trees	356.09	2.67	- 22.17	- 8.19	- 0.06	715.49	5.37	1,041.23	7.81	3.91	0.79	1.45
Citywide Total	79,362.54	595.22	- 10,763.63	- 423.93	- 3.18	63,073.43	473.05	131,248.41	984.36	100.00	100.00	7.69

Stored CO2 Benefits of Public Trees by Species										
Species	Total stored CO2 (lbs)	Total (\$)	% of Total Trees	% of Total \$	Avg. \$/tree					
White oak	918,140.70	6,886.06	25.78	40.95	208.67					
Sugar maple	434,910.18	3,261.83	14.84	19.40	171.68					
Black walnut	135,670.53	1,017.53	9.38	6.05	84.79					
Black maple	88,498.82	663.74	9.38	3.95	55.31					
Green ash	115,062.46	862.97	5.47	5.13	123.28					
Bur oak	222,553.39	1,669.15	5.47	9.93	238.45					
Northern hackberry	25,511.92	191.34	5.47	1.14	27.33					
American basswood	155,613.16	1,167.10	4.69	6.94	194.52					
Apple	5,030.76	37.73	3.13	0.22	9.43					
Blue spruce	4,897.71	36.73	2.34	0.22	12.24					
Silver maple	41,838.07	313.79	2.34	1.87	104.60					
Austrian pine	5,177.65	38.83	1.56	0.23	19.42					
Red pine	7,490.30	56.18	0.78	0.33	56.18					
Mulberry	6,742.71	50.57	0.78	0.30	50.57					
American sycamore	15,772.76	118.30	0.78	0.70	118.30					
Norway maple	14,280.15	107.10	0.78	0.64	107.10					
Hickory	15,772.76	118.30	0.78	0.70	118.30					
Northern pin oak	14,280.15	107.10	0.78	0.64	107.10					
Red maple	3,624.16	27.18	0.78	0.16	27.18					
American elm	6,742.71	50.57	0.78	0.30	50.57					
Other City Trees	4,617.88	34.63	3.91	0.21	6.12					
Citywide total	2,242,228.92	16,816.72	100.00	100.00	131.38					

Table 5: Annual Carbon Stored

Table 6: Annual Social and Aesthetic Benefits

Annual Aesthetic/Other E	Benefit of P	ublic Trees by Sp	ecies	
Species	Total (\$)	% of Total Trees	% of Total \$	Avg. \$/tree
White oak	1,548.39	25.78	23.11	46.92
Sugar maple	1,782.40	14.84	26.61	93.81
Black walnut	634.11	9.38	9.47	52.84
Black maple	248.01	9.38	3.70	20.67
Green ash	358.23	5.47	5.35	51.18
Bur oak	360.13	5.47	5.38	51.45
Northern hackberry	339.06	5.47	5.06	48.44
American basswood	566.56	4.69	8.46	94.43
Apple	30.34	3.13	0.45	7.59
Blue spruce	70.43	2.34	1.05	23.48
Silver maple	252.22	2.34	3.77	84.07
Austrian pine	33.89	1.56	0.51	16.95
Red pine	26.25	0.78	0.39	26.25
Mulberry	28.80	0.78	0.43	28.80
American sycamore	65.59	0.78	0.98	65.59
Norway maple	31.46	0.78	0.47	31.46
Hickory	65.59	0.78	0.98	65.59
Northern pin oak	31.46	0.78	0.47	31.46
Red maple	65.89	0.78	0.98	65.89
American elm	51.00	0.78	0.76	51.00
Other City Trees	108.96	3.91	1.63	21.72
Citywide Total	6,698.79	100.00	100.00	52.33

Average Annual Benefit	s of Public T	rees by Spo	ecies				
Species	Energy	CO2	Air Quality	Stormwater	Aesthetic/Other	Total (\$)	% of Total \$
White oak	2,308.13	272.67	469.59	4,500.88	1,548.39	9,099.66	30.00
Sugar maple	1,416.11	209.34	239.09	2,689.58	1,782.40	6,336.51	20.89
Black walnut	664.14	92.08	116.79	935.48	634.11	2,442.61	8.05
Black maple	692.10	52.41	130.58	871.59	248.01	1,994.69	6.58
Green ash	417.65	54.68	77.52	683.99	358.23	1,592.07	5.25
Bur oak	567.46	64.48	115.46	1,032.68	360.13	2,140.21	7.06
Northern hackberry	441.49	41.36	72.73	411.75	339.06	1,306.39	4.31
American basswood	460.22	84.24	72.94	758.26	566.56	1,942.22	6.40
Apple	79.92	8.24	12.36	34.26	30.34	165.12	0.54
Blue spruce	78.67	7.17	8.88	146.37	70.43	311.52	1.03
Silver maple	150.06	30.59	27.61	295.90	252.22	756.37	2.49
Austrian pine	50.26	4.38	5.70	99.73	33.89	193.96	0.64
Red pine	38.17	3.96	- 1.58	124.79	26.25	191.60	0.63
Mulberry	46.14	5.84	8.35	31.82	28.80	120.94	0.40
American sycamore	70.91	9.97	12.48	106.85	65.59	265.81	0.88
Norway maple	70.84	6.27	13.58	102.01	31.46	224.17	0.74
Hickory	70.91	9.97	12.48	106.85	65.59	265.81	0.88
Northern pin oak	70.84	6.27	13.58	102.01	31.46	224.17	0.74
Red maple	48.95	6.71	8.75	43.46	65.89	173.77	0.57
American elm	62.70	5.91	9.99	75.32	51.00	204.92	0.68
Other City Trees	91.91	7.81	8.75	160.72	108.96	378.15	0.62
Citywide Total	7,897.58	984.36	1,435.62	13,314.30	6,698.79	30,330.65	100.00

Table 7: Summary of Benefits in Dollars

Figure 1: Species Distribution





Relative Age Distribution of Top 10 Public Tree Species (%)

Table 8: Relative Age Class

Species	0 - 3	3 - 6	6 - 12	12 - 18	18 - 24	24 - 30	30 - 36	36 - 42	>42
White oak	18.18	0.00	0.00	0.00	6.06	12.12	12.12	39.39	12.12
Sugar maple	0.00	0.00	0.00	5.26	10.53	15.79	31.58	36.84	0.00
Black walnut	0.00	8.33	8.33	25.00	8.33	33.33	16.67	0.00	0.00
Black maple	0.00	0.00	8.33	0.00	16.67	0.00	33.33	33.33	8.33
Green ash	0.00	14.29	0.00	14.29	28.57	14.29	0.00	28.57	0.00
Bur oak	0.00	0.00	0.00	14.29	0.00	14.29	28.57	14.29	28.57
Northern hackberry	0.00	0.00	0.00	42.86	42.86	14.29	0.00	0.00	0.00
American basswood	0.00	0.00	0.00	0.00	0.00	33.33	33.33	33.33	0.00
Apple	0.00	25.00	50.00	25.00	0.00	0.00	0.00	0.00	0.00
Conifer Evergreen Mediu	0.00	0.00	33.33	33.33	33.33	0.00	0.00	0.00	0.00
Citywide Total	4.69	3.13	6.25	10.94	13.28	17.19	15.63	23.44	5.47

Figure 3: Foliage Condition Functional (Foliage) Condition of Public Trees



Figure 4: Wood Condition Structual (Woody) Condition of Public Trees



Figure 5: Land Use of City/Park Trees



Land Use of Public Trees

Figure 6: Location of City/Park Trees



Site Type of Public Trees

Appendix B: ArcGIS Mapping

Image 1: Location of Ash Trees

Image 2: Location of Poor Condition Ash Trees

Image 3: Location of Trees with Recommended Maintenance

Image 4: Maintenance Tasks





7	Dead or Dying	Poor

0.0375 0.075 0.15 Miles







Appendix C: Suitable Shade Tree Lists

Shade Trees for Iowa

This document lists several shade tree selections suitable for the Iowa landscape. Nursery and landscape professionals have eliminated green, white, black, pumpkin, and blue ash from their inventories and designs since they are susceptible to the emerald ash borer, which kills ash trees. This destructive pest has been found in several states in the upper Midwest.

While not all-inclusive, this list does describe many useful species, many which are also pestresistant. Not all trees appearing on this list will "work" in every landscape situation. Great care must be taken to carefully match trees to sites (including above- and below-ground spatial and environmental constraints) and to complement species existing nearby so that a diverse tree canopy will be maintained. A healthy and diverse tree population is the best defense against current and future tree pests.

<u>Deciduous Shade Trees</u>	<u>Height/Width</u>	<u>Growth Habit</u>
Alder		
Manchurian alder – Alnus hirsuta		
'Harbin' (Prairie Horizon ®)	40'/30'	Upright
Amur maackia – <i>Maackia amurensis</i>	25'/25'	Upright-spreading
Baldcypresses		
Baldcypress – Taxodium distichum		
'Mickelson' (Shawnee Brave [®])	55'/20'	Narrow-pyramid
'JFS-SGPN' (Green Whisper [™])	55'/30'	Pyramidal
Birches		
<u>Asian white birch – Betula platyphylla</u>		
'VerDale' (Prairie Vision ®)	35'/30'	Upright-oval
Gray birch – Betula populifolia		
'Whitespire Sr.'	40'/25'	Pyramidal-oval
The bail biash Details V		
<u>Hydrid birch</u> – Berula \times 'Penci-2' (Royal Frost [®])	40'/25'	Pyramidal
	10725	i yiumidui
<u>River birch</u> – Betula nigra		
'Cully' (Heritage [®])	45'/30'	Oval
<u>Whitebarked Himalayan birch – Betula u</u>	ıtilis	
'Madison' (White Satin TM)	35'/20'	Broadly-pyramidal

1	<u>leight/Width</u>	Growth Habit
Coffeetree		
<u>Kentucky coffeetree</u> – <i>Gymnocladus dioict</i> 'Espresso'	us 50'/35'	Oval
Cork trees		
Cork tree – Phellodendron species		
'Longenecker' (Eve Stopper TM)	40'/35'	Rounded
'His Majesty'	40'/35'	Vase-shaped
Elms		
<u>American elm</u> – Ulmus americana		··· · · · · · ·
'Jetterson'	70'/50'	Vase-shaped
'Princeton'	60'/40' ™	Vase-shaped
'Lewis & Clark' (Prairie Expeditio	n) 60'/50'	Umbrella-shaped
'New Harmony'	70'/70'	Vase-shaped
'Valley Forge'	70'/70'	Vase-shaped
Asian Elm Cultivars and Hybrids		
$\frac{1}{Morton'} (Accolade^{TM})$	70'/60'	Vase-shaped
'Morton Glossy' (Triumph [™])	55'/45'	Vase-shaped
'New Horizon'	55'/40'	Upright-oval
'Prospector'	40'/30'	Vase-shaped
'Discovery'	50'/40'	Vase-shaped
European and Eurasian Hybrid Elm Cultiv	ars	
'Patriot'	50'/40'	Stiff vase-shaped
Filbert		
Turkish filbert – Corylus colurna	40'/30'	Pyramidal
Gingkoes		
<u>Ginkgo</u> – Ginkgo biloba		
'Autumn Gold'	45'/35'	Broadly-pyramidal
'Halka'	45'/40'	Oval
'Magyar'	60'/40'	Upright-oval
'PNI 2720' (Princeton Sentry [®])	40'/15'	Narrow-pyramidal
'JFS-UGA2' (Golden Colonnade [®])	45'/25'	Narrow-oval
'The President' (Presidential Gold ®	^o) 50'/40'	Broadly-pyramidal

H	<u>leight/Width</u>	<u>Growth Habit</u>
Hackberries		
Hackberry – Celtis occidentalis		
'JFS-KSU1' (Prairie Sentinel[™])	45'/12'	Columnar
'Chicagoland'	50'/40'	Broadly-pyramidal
'Prairie Pride'	50'/40'	Oval
Honeylocusts		
<u>Honeylocust – Gleditsia triacanthos var. in</u>	<u>nermis</u>	
'Draves' (Street Keeper)	45'/20'	Narrow-upright
'Harve' (Northern Acclaim'")	45'/35'	Upright-spreading
'Skycole' (Skyline ®)	50'/35'	Pyramidal
Hornheams		
Furoneen hornheem Campinus hatulus		
<u>European nonitoean</u> – Curpinus bennus 'IES VW1CD' (Emanded Avanua [®])	40!/20!	Proodly pyramidal
JF 5-KWICD (Emeraid Avenue)	40730	Upright approaching
windy City	43740	Opright-spreading
Hophornbeam		
American hophornbeam – Ostrya virginian	a 40'/25'	Upright-oval
·· · · · ·		
Horsechestnuts	8	
<u>Common horsechestnut</u> – Aesculus hippoco	astanum	D 11 1
'Baumannii'	50'/40'	Broadly-oval
Red horsechestnut – <i>Aesculus</i> × <i>carnea</i>		
'Briotii'	30'/35'	Round
'Fort McNair'	30'/30'	Round
Lindens		
<u>American linden – Tilia americana</u>		
'Boulevard'	60'/30'	Pyramidal
'Continental Appeal'	50'/30'	Narrow-oval
'Wandell' (Legend [®])	40'/30'	Broad-pyramidal
'McKSentry' (American Sentry [®])	45'/30'	Pyramidal
'Lincoln'	35'/25'	Pyramidal
'Redmond'	50'/35'	Pyramidal
Hybrid Linden – Tilia × flavescens (americ	$cana \times cordata$	
'Glenleven'	50'/30'	Pyramidal
		2

Heis	<u>ght/Width</u>	Growth Habit
Littleleaf linden – Tilia cordata		
'Baileyi' (Shamrock [®])	40'/30'	Pyramidal
'Corzam' (Corinthian [®])	45'/15'	Narrow-pyramid
'Ronald' (Norlin [™])	40'/30'	Pyramidal
<u>Mongolian linden – Tilia mongolica</u>		
'Harvest Gold'	30-40'/25-30'	Upright-oval
<u>Silver linden – Tilia tomentosa</u>		
'PNI 6051' (Green Mountain[®])	45'/35'	Broad-pyramidal
'Sterling'	45'/35'	Broad-pyramidal
Magnolias		
Cucumbertree – Magnolia acuminata	50-80'/40-60'	Upright-oval
Maples		
Black maple – Acer nigrum	60'/60'	Round-spreading
<u>Freeman maple – Acer × freemanii</u>		
'Jeffersred' (Autumn Blaze®)	50'/45'	Broadly-oval
'DTR 102' (Autumn Fantasy®)	40'/30'	Broadly-oval
'Marmo'	50'/30'	Upright-oval
'Bailston' (Matador [®])	40'/30'	Upright-oval
'Morgan' ('Indian Summer')	45'/40'	Rounded
'Sienna' (Sienna Glen [®])	45'/35'	Pyramidal
'UMNAF#1' (Firefall ™)	50'/30'	Upright-oval
<u>Hybrid maple</u> – Acer truncatum × platanoides	1	
'Warrenred' (Pacific Sunset [®])	30'/25'	Upright-spreading
'JFS-KW202' (Crimson Sunset [™])	35'/25'	Upright-oval
<u>Miyabe maple – Acer miyabei</u>		
'Morton' (State Street ^{TM})	45'/30'	Upright-oval
'JFS-KW3AMI' (Rugged Ridge™)	55'/40'	Upright-oval
Norway maple – Acer platanoides		
'Columnarbroad' (Parkway®)	40'/25'	Oval
'Deborah'	45'/40'	Rounded
'Emerald Queen'	50'/40'	Oval-upright
'Ezestre' (Easy Street [™])	40'/20'	Narrow-pyramidal
'Fairview'	45'/35'	Upright-oval

		Height/Width	<u>Growth Habit</u>
	'Pond' (Emerald Lustre™)	45'/40'	Rounded
	'Princeton Gold'	35'/30'	Oval
	Red maple – Acer rubrum		
	'Bailcraig' (Scarlet Jewell™)	50'/30'	Upright
	'Franksred' (Red Sunset[®])	45'/35'	Upright-oval
	'Magnificent Magenta' (Burgundy Belle	®) 50'/40'	Oval
	'Frank Jr.' (Redpointe ™)	45'/30'	Pyramidal
	'New World'	40'/20'	Narrow-oval
	'Polara' (Rubyfrost ™)	45'/40'	Broadly-oval
	'Somerset'	45'/35'	Broadly-oval
	<u>Sugar maple</u> – Acer saccharum	451/401	
	'Autumn Splendor'	45'/40'	Broadly-oval
	'JFS-KW8' (Autumn Fest)	50'/35'	Upright-oval
	'JFS-Caddo2' (Flashfire)	45'/40'	Broadly-oval
	'Bailsta' (Fall Fiesta [®])	50'/50'	Upright-rounded
	'Commemoration'	50'/35'	Oval-rounded
	'Endowment'	50'/20'	Columnar
	'Legacy'	50'/35'	Oval
	'Morton' (Crescendo")	40'/30'	Broadly-oval
	'Green Mountain'	45'/35'	Broadly-oval
Dlanat			
Flane	London planatroa – <i>Diatanua V acarifolia</i>		
	<u> Dlaadaaad </u>	501/401	Droadly pyramidal
	Marten Circle' (Evolution TM)	551/251	Upright pyramidal
	Morion Circle (Exclamation)	55755	Oprigni-pyramidai
Oaks			
	Bur oak – <i>Quercus macrocarpa</i>	50-80'/40-80'	Spreading
	'JFS-KW3' (Urban Pinnacle [™])	55'/25'	Narrow-pyramidal
	S		
	Chinkapin oak – Quercus muehlenbergii	45'/45'	Round
	<u>English/white oak</u> – $Quercus bimundorum$		
	'Crimschmidt' (Crimson Spire)	45'/15'	Columnar
	'Midwest' (Prairie Stature)	50'/40'	Broadly-pyramidal
	Urbrid calz Oueneugy		
	$\frac{11y01100ak}{Clemend} = Quercus \times$	40 501/40 501	Broadly nymenidal
	Utemons (Heritage)	40-30/40-30	Dioauty-pyramidal
	Long (Regal Prince)	45718	Inarrow-oval

	<u>Height/Width</u>	<u>Growth Habit</u>
Red oak – Quercus rubra	60-75'/60'	Spreading
Shingle oak – Quercus imbricaria	50'/40'	Broadly-oval
Swamp white oak – Quercus bicolor	60'/60'	Round
White oak – Quercus alba	50-70'/40-80'	Spreading
S weetgums <u>Sweetgum – Liquidambar styraciflua</u> 'Clydesform' (Emerald Sentinel [®]) 'Moraine'	30'/12' 40'/25'	Narrow-pyramid Pyramidal

Compiled by Jeff Iles, Department of Horticulture, Iowa State University 10-January-2013

Small-stature Trees for Iowa

This document lists several small-stature tree selections suitable for the Iowa landscape. Nursery and landscape professionals have eliminated green, white, black, pumpkin, and blue ash from their inventories and designs since they are susceptible to the emerald ash borer, which kills ash trees. This destructive pest has been found in several states in the upper Midwest.

While not all-inclusive, this list does describe many useful species, many which are also pestresistant. Not all trees appearing on this list will "work" in every landscape situation. Great care must be taken to carefully match trees to sites (including above- and below-ground spatial and environmental constraints) and to complement species existing nearby so that a diverse tree canopy will be maintained. A healthy and diverse tree population is the best defense against current and future tree pests.

Deciduous Small-stature Trees	Height/Width	Growth Habit
Amur maackia – Maackia amurensis	20'/20'	Upright-spreading
Cherries		
Sargent cherry – Prunus sargentii		
'JFS-KW58' (Pink Flair [®])	25'/15'	Upright
'Hokkaido Normandale' (Spring Wonder	± [™]) 25'/20'	Upright-spreading
Crabapples – Malus species		
'Adirondack'	18'/12'	Vase-shaped
'Beeson' (May's Delight [®])	8'/8'	Upright-spreading
'Hub Tures' (Spring Sensation [™])	10'/12'	Wide-spreading
'JFS-KW5' (Royal Raindrops [®])	20'/15'	Upright-spreading
'Malusquest' (Pink Sparkles [®])	15'/12'	Upright
'Orange Crush'	15'/15'	Round-spreading
Dogwoods		
Corneliancherry dogwood - Cornus mas	20'/20'	Round-spreading
<u>Gray dogwood</u> – Cornus racemosa		
'Jade' (Snow Mantle TM)	15'/8'	Upright-spreading
Pagoda dogwood – Cornus alternifolia	20'/20'	Spreading

TT 1 1	<u>Height/Width</u>	<u>Growth Habit</u>
Hophornbeams American hophornbeam – Ostrya virginiana	25'/20'	Upright-spreading
Hornbeams		
<u>American hornbeam</u> – Carpinus caroliniana		
'J.N. Strain'	25'/25'	Spreading
J.N. Opright (Firespire)	20710	Oprignt
Lilacs		
Japanese tree lilac – Syringa reticulata		
'Bailnce' (Snowdance)	18'/20'	Round-spreading
Ivory Silk	25/15	Opright
Pekin lilac – Syringa reticulata subsp. pekinensi.	S	
'Morton' (China Snow [®])	20'/20'	Upright-spreading
'SunDak' (Copper Curls [®])	20'/15'	Upright-spreading
Magnolias		
<u>Loebner magnolia</u> – Magnolia × loebneri		
'Merrill'	25'/25'	Upright-spreading
'Ruth' (Spring Welcome [®])	20'/20'	Round-spreading
Manles		
Tatarian maple – Acer tataricum		
'GarAnn' (Hot Wings [®])	20'/25'	Round-spreading
Three-flower maple – <i>Acer triflorum</i>	25'/25'	Upright-spreading
Pears		
<u>Callery pear</u> – Pyrus calleryana		
'Glen's Form' (Chanticleer ®)	40'/15'	Narrow-pyramid
Line and Devery and in the		
<u>Ossunan pear</u> – <i>Fyrus ussuriensis</i> 'MorDak' (Prairie Gem[®])	25'/20'	Oval
'Bailfrost' (Mountain Frost [®])	20'/15'	Upright-oval
,	10.000mm 10 91-0238	
Redbud		
<u>American redbud</u> – Cercis canadensis	251/251	Canadias
Pink 1 fim (Northern Herald)	23/23	spreading

Serviceberries		
<u>Allegheny serviceberry</u> – Amelanchier laevis 'Cumulus' 'JFS-Arb' (Spring Flurry ®)	20'/15' 28'/20'	Upright-spreading Upright-oval
<u>Apple serviceberry</u> – Amelanchier × grandiflora 'Autumn Brilliance' 'Strata'	20'/15' 20'/20'	Upright-spreading Horizontal

Compiled by Jeff Iles, Department of Horticulture, Iowa State University 10-January-2013

The inventory was funded in part through a grant from the Iowa Department of Natural Resources to assist communities in Eastern Iowa with planning and managing their urban tree resources and development of response to the presence of EAB and other tree pests and problems.

Northeast Iowa RC&D and The State of Iowa are Equal Opportunity Employers.

Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the Iowa Civil Rights Commission, 1-800-457-4416, or write to the Iowa Department of Natural Resources, Wallace State Office Bldg., 502 E. 9th St., Des Moines, IA 50319.