

Legend

- Trees
- Roads
- City Boundary

0 0.075 0.15 0.3 Miles

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNR Aero, IGN, USDA, AeroGRID, IGN, and the GIS User Community



Table of Contents

Executive Summary	4
Overview	4
Inventory and Results.....	4
Recommendations	4
Introduction	5
Inventory	5
Inventory Results.....	6
<i>Annual Benefits</i>	6
Annual Energy Benefits	6
Annual Stormwater Benefits	6
Annual Air Quality Benefits	6
Annual Carbon Benefits	6
Annual Aesthetics Benefits	6
Financial Summary of all Benefits.....	6
<i>Forest Structure</i>	7
Species Distribution	7
Age Class	7
Condition: Wood and Foliage	7
Management Needs	7
Canopy Cover	8
Land Use and Location	8
Recommendations.....	8
Risk Management	8
Pruning Cycle.....	9
Planting	9
Continual Monitoring.....	9
Six Year Maintenance Plan with No Additional Funding	10
Emerald Ash Borer.....	11
Ash Tree Removal	11
EAB Quarantines	11
Wood Disposal.....	11
Canopy Replacement	12
Postponed Work.....	12
Monitoring	12
Private Ash Trees	12
Budget.....	13
Works Cited	14
Appendix A: i-Tree Data.....	15
Appendix B: ArcGIS Mapping.....	24
Appendix C: Otho Tree Ordinances	30

Executive Summary

Overview

This plan was developed to assist the City of Otho with managing its urban forest, including budgeting and future planning. Trees can provide a multitude of benefits to the community, and sound management allows a community to best take advantage of these benefits. Management is especially important considering the serious threats posed by forest pests such as the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees (this does not include mountain ash). There is a strong possibility that 29% of Otho's city owned trees (ash) will die once EAB becomes established in the community, unless preventative treatment is used. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

Inventory and Results

In 2016, a tree inventory was conducted using Global Positioning System (GPS) data collectors. The inventory was a complete inventory of street and park trees. Below are some key findings of the 52 trees inventoried.

- Otho's trees provide \$11,487 of benefits annually, an average of \$221 a tree
- There are 11 species of trees
- The top three genera are: Ash 29%, Maple 25%, and Elms 11.5%
- 54% of trees are in need of some type of management
- 13 (9 ash) trees are recommended for removal

Recommendations

The core recommendations are detailed in the Recommendations Section. The Emerald Ash Borer Plan includes management recommendations as well. Below are some key recommendations.

- Of the 13 trees needing removal, 10 trees (7 ash) are over 24 inches in diameter at 4.5 ft. and must be addressed immediately [*City ownership of the trees recommended for removal should be verified prior to any removal*](#)
- 13 of the 15 ash trees should be carefully examined, as they have one or more symptoms that could be related to an EAB infestation (epicormic shoots)
- All trees should be pruned on a routine schedule- one third of the city every other year
- Plant a diverse mix of trees that do not include: fruit bearing trees, ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut
- Check ash trees with a visual survey yearly
- With the proposed budget it would take 6 years to remove ash – Suggestion: request a budget increase to \$4,200 annually and apply for grants to plant replacement trees

Introduction

This plan was developed to assist Otho with the management, budgeting and future planning of their urban forest. Across the state, forestry budgets continue to decrease with more and more of that money spent on tree removal. With the anticipated arrival of Emerald Ash Borer (EAB), an invasive pest that kills native ash trees, it is time to prepare for the increased costs of tree removal and replacement planting. With proper planning and management of the current canopy in Otho these costs can be extended over years and public safety issues from dead and dying ash trees mitigated.

Trees are an important component of Otho's infrastructure and one of the greatest assets to the community. The benefits of trees are immense. Trees provide the community with improved air quality, stormwater runoff interception, energy conservation, lower traffic speeds, increased property values, reduced crime, improved mental health and create a desirable place to live, to name just a few benefits. It is essential that these benefits be maintained for the people of Otho and future generations through good urban forestry management.

Good urban forestry management involves setting goals and developing management strategies to achieve these goals. An essential part of developing management strategies is a comprehensive public tree inventory. The inventory supplies information that will be used for maintenance, removal schedules, tree planting and budgeting. Basing actions on this information will help meet Otho's urban forestry goals.

Inventory

In 2016, a tree inventory was conducted that included 100% of the city owned trees on both streets and parks. The tree data was collected using a handheld Global Positioning System (GPS) receiver. The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in Arc GIS as an active GIS data layer. Because the inventory is a digital document the data can be updated with new information and become a working document.

The programming used to collect tree information on the data collectors was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide. The i-Tree suite is a public domain which can be accessed for free.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes: location, land use, species, diameter at 4.5 ft., recommended maintenance, priority of that maintenance, leaf health, and wood condition. Additionally, signs and symptoms associated with EAB were noted for all ash trees. The signs and symptoms noted were canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

Inventory Results

The data collected for the 52 city trees was entered into the USDA Forest service program SREETS, part of the i-Tree suite. The following are results from the i-Tree STREETS analysis.

Annual Benefits

Annual Energy Benefits

Trees conserve energy by shading buildings and blocking winds. Otho's trees reduce energy related costs by approximately \$3,008 annually (Appendix A, Table 1). These savings are both in Electricity (14.5 MWh) and in Natural Gas (1,949.5 Therms).

Annual Stormwater Benefits

Otho's trees intercept about 167,410 gallons of rainfall or snow melt a year (Appendix A, Table 2). This interception provides \$4,537 of benefits to the city.

Annual Air Quality Benefits

Air quality is a persistent public health issue in Iowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and emitting volatile organic matter (ozone). In Otho it is estimated that trees remove 192.4 lbs. of air pollution (ozone (O₃), particulate matter less than 10 microns (PM₁₀), carbon monoxide (CO), nitrogen dioxide (NO₂), and sulfur dioxide (SO₂)) per year with a net value of \$547 (Appendix A, Table 3).

Annual Carbon Benefits

Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Otho trees sequester about 56,936 lbs. of carbon a year with an associated value of \$427 (Appendix A, Table 4). In addition, the trees store 710,933 lbs. of carbon, with a yearly benefit of \$5,332 (Appendix A, Table 5).

Annual Aesthetics Benefits

Social benefits of trees are hard to capture. The analysis does have a calculation for this area that includes: aesthetic value, property values, lowered rates of mental illness and crime, city livability and much more. Otho receives \$2,969 in annual social benefits from trees (Appendix A, Table 6).

Financial Summary of all Benefits

According to the USDA Forest Service i-Tree analysis, Otho's trees provide \$11,487 of benefits annually. Benefits of individual trees vary based on size, species, health and location, but on

average each of the 52 trees in Otho provide approximately \$221 annually (Appendix A, Table 7).

Forest Structure

Species Distribution

Otho has 11 different tree species along city streets and parks (Appendix A, Figure 1). The distribution of trees by genera is as follows:

Ash	15	29%
Maple	13	25%
Elm	6	11.5%
Hackberry	3	5.8%
Linden/Basswood	3	5.8%
Cottonwood	3	5.8%
Cherry	3	5.8%
Magnolia	2	3.8%
Oak	2	3.8%
Cedar	1	1.9%
Apple (Crab)	1	1.9%

Age Class

Most of Otho's trees (50%) are >24 inches in diameter at 4.5 ft. (Appendix A, Figure 2). For age, it is preferred that the highest amounts of trees are in the smallest size category (a downward slope) to prepare for natural mortality and to maintain canopy cover. Otho's size curve is on the larger side, indicating an older than average stand.

Condition: Wood and Foliage

Both wood condition and leaf condition are good indicators of the overall health of the urban forest. The foliage condition results for Otho indicate that 96% of the trees are in good health, with only 4% of the foliage in poor health, dead or dying (Appendix A, Figure 3 & Appendix B, Figure 3). Similarly, 75% of Otho's trees are in good health for wood condition (appendix A, Figure 4 & Appendix B, Figure 3). Wood condition that is in poor health, dead or dying is about 25% of the population. This 25% is an estimate of trees that need management follow up.

Management Needs

The following outlines the specific management needs of the street and park trees by number of trees and percent of canopy (Appendix B, Figure 3).

Crown Cleaning	7	13.46%
Crown Raising	2	3.85%
Tree Staking	0	0.0%
Tree Removal	13	25.00%

Treat	6	11.54%
Crown Reduction	0	0.0%

Canopy Cover

The total canopy with both private and public trees is 18%, 54 acres. The canopy cover included in the Otho inventory includes approximately 2 acres (Appendix A, Figure 5).

Land Use and Location

The majority of Otho's city and park trees are in planting strips in single family residential neighborhoods (Appendix A, Figure 6 & Appendix A, Figure 7). The following describes the land use and locations for the street and park trees.

Land Use

Single family residential	44.23%
Park/vacant/other	42.31%
Industrial/Large commercial	0.0%
Small commercial	1.92%
Multifamily residential	11.54%

Location

Planting strip	57.7%
Other maintained locations	42.3%
Cutout (surrounded by pavement)	0%
Front yard	0%

Recommendations

Risk Management

Hazardous trees can be a significant threat to both people and property. Trees that are dead or dying, or that have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorist's vision of pedestrians, vehicles, traffic signs and signals, etc. should be removed.

Hazardous trees

Otho has 13 trees that need immediate removal. These trees can be seen on the Location of Trees with Recommended Maintenance map (Appendix B, Figure 4). It is recommended to start with the large diameter critical concern trees first. There are 10 trees (7 ash) over 24 inches in diameter at 4.5 ft. that should be addressed immediately. Please refer to the six year maintenance plan at the end of this section. After all of the removal trees are addressed, there should be follow up on the trees marked as needing maintenance. There are a total of 13 trees with these needs.

Poor tree species

After the removal of the critical concern trees, ash trees in poor health should be assessed for removal (Appendix B, Figure 3 & Appendix B, Figure 4). Of the 13 removals, 9 are ash trees. There are a total of 15 ash trees, and 13 of those have signs and symptoms that have been associated with EAB. In addition, there are 13 trees that are in poor health. [*City ownership of the trees recommended for removal should be verified prior to any removal*](#)

Pruning Cycle

Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles. Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years. Please refer to the six year maintenance plan for further information.

Planting

Most of the planting over the next 5 years will replace the trees that are removed. It is recommended to plant 1.2 trees for every tree removed, since survival rates will not be 100%. Please refer to the six year maintenance plan at the end of this section. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Otho

It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with ash (29%) and maples (25%) (Appendix A, Figure 1). Maples should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid because they are public nuisances include: fruit bearing trees, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut, as outlined in section 150.02 of the city ordinance (Appendix C). All trees planted must meet the restrictions in city ordinance 150.02 (Appendix C).

Continual Monitoring

Due to the threat of EAB, it is important to continuously check the health of ash trees. It is recommended that ash trees be checked with a visual survey every year for tree decline and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

Six Year Maintenance Plan with No Additional Funding

Year 1

Removal: 3 largest immediate concern trees
Planting and Replacement: 4 trees to be planted in open locations
Young Tree Pruning & Maintenance:
Visual Survey for signs and symptoms of EAB

Year 2

Removal: Removal: 1 immediate concern tree & 2 large ash
*Or saving for ash tree treatment and/or future ash removal
Planting and Replacement: 5 trees in open locations from year one removals
Young Tree Pruning & Maintenance:
Routine trimming: Contract to trim 1/3 of the city trees
Visual Survey for signs and symptoms of EAB

Year 3

Removal: Removal: 3 large ash
*Or saving for ash tree treatment and/or future ash removal
Planting and Replacement: 4 trees to be planted in open locations and locations from previous removals
Young Tree Pruning & Maintenance:
Visual Survey for signs and symptoms of EAB

Year 4

Removal: Removal: 3 large ash
*Or saving for ash tree treatment and/or future ash removal
Planting and Replacement: 4 trees in open locations from previous removals
Routine trimming: Contract to trim 1/3 of the city trees
Young Tree Pruning & Maintenance:
Visual Survey for signs and symptoms of EAB

Year 5

Removal: Removal: 3 largest ash
*Or saving for ash tree treatment and/or future ash removal
Planting and Replacement: 4 trees to be planted in open locations and locations from previous removals
Young Tree Pruning & Maintenance:
Visual Survey for signs and symptoms of EAB

Year 6

Removal: 4 remaining ash
*Or saving for ash tree treatment and/or future ash removal
Planting and Replacement: 4 trees in open locations from previous removals
Routine trimming: Contract to trim 1/3 of the city trees
Young Tree Pruning & Maintenance:
Visual Survey for signs and symptoms of EAB

*Reduction of ash over 6 years: All 15 ash trees removed. EAB could potentially kill all ash within 4 to 15 years of its arrival.

** To remove all ash trees within 4 years, the budget would need to be increased to \$4,200 a year.

Emerald Ash Borer Plan

Ash Tree Removal

Tree removal will be prioritized with dead, dying, hazardous trees to be removed first (Appendix B, Figure 4). Next will be all ash in poor condition and displaying signs and symptoms of EAB (Appendix B, Figure 2 & Appendix B, Figure 3). **City ownership of the tree recommended for removal should be verified prior to any removal**

Treatment of Ash Trees

Chemical treatment can be effective tool for communities to spread removal costs out over several years while allowing trees to continue to provide benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit <http://extension.entm.purdue.edu/treecomputer/>

EAB Quarantines

EAB is an extremely destructive plant pest and it is responsible for the death and decline of millions of ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's quarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- nursery stock and green lumber of ash
- any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees? Is there an accessible, secured site big enough to store and

sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website http://www.aphis.usda.gov/plant_health/plant_pest_info/emerald_ash_b/regulatory.shtml. Wood waste can be disposed of as you normally would if your county is not part of a quarantine.

Canopy Replacement

As budget permits, all removed trees will be replaced. All trees will meet the restrictions in city ordinance 150.02 (Appendix C). “No person shall plant in any street any fruit-bearing tree or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.” Also ash and maple should not be planted.

Postponed Work

While finances, staffing and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genera other than ash will be prioritized by hazardous or emergency situations only.

Monitoring

It is recommended that ash trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

Private Ash Trees

It is strongly recommended that private property owners start removing ash trees on their property upon arrival of EAB. City Code 150.06 states “If it is determined with reasonable certainty that any such condition exists (trees or shrubs in the City reported or suspected to be infected with or damaged by any disease or insect or disease pests) on private property and that the danger to other trees or to adjoining property or passing motorists or pedestrians is imminent, the Council shall notify by certified mail the owner, occupant or person in charge of such property to correct such condition by treatment or removal within fourteen (14) days of said notification. If such owner, occupant or person in charge of said property fails to comply within 14 days of receipt of notice, the Council may cause the condition to be corrected and the cost assessed against the property.”

Budget

Proposed Budget

Total \$16,800 over 6 years (avg. \$2,800/year)

FY 2017 Budget

Removal: \$2,100

*Or saving for ash tree treatment and/or future ash removal

Planting: \$400

Watering & Maintenance: \$100

FY 2018 Budget

Removal: \$2,100

*Or saving for ash tree treatment and/or future ash removal

Planting: \$400

Routine trimming: \$400

Watering & Maintenance: \$100

FY 2019 Budget

Removal: \$2,100

*Or saving for ash tree treatment and/or future ash removal

Planting: \$400

Watering & Maintenance: \$100

FY 2020 Budget

Removal: \$2,100

*Or saving for ash tree treatment and/or future ash removal

Planting: \$400

Routine trimming: \$400

Watering & Maintenance: \$100

FY 2021 Budget

Removal: \$2,100

*Or saving for ash tree treatment and/or future ash removal

Planting: \$400

Watering & Maintenance: \$100

FY 2022 Budget

Removal: \$2,100

*Or saving for ash tree treatment and/or future ash removal

Planting: \$400

Routine trimming: \$400

Watering & Maintenance: \$100

*Reduction of ash over 6 years: all 15 ash trees removed.

Purposed Budget Increase

EAB could potentially kill all ash trees in Otho within 4 years of its arrival. To remove all ash trees within 4 years the budget would need to be increased to \$4,200 a year. Additionally, it is recommended that Otho apply for grants to fund replacement trees. Utility Company grants

are usually between \$500 and \$10,000 for community-based, tree-planting projects that include parks, gateways, cemeteries, nature trails, libraries, nursing homes, and schools.

Another option being considered by many communities is treating a number of selected trees, either to maintain those trees in the landscape or to delay their removal – to spread out the costs and number of trees needing removed all at once. Trunk injection is administered every two years for the life of the tree. If treatment is discontinued, the tree dies. For instance, in this treatment scenario, the average ash diameter is 20 inches and at \$15 per inch, about 3 of 6 trees could be treated per year (every other year treatment @ \$900/yr.)). This would be 3 trees selected for treatment for \$900, and Otho would still need to find \$2,100 for removal. Alternatively, if all 6 treatable trees are treated the same year (and then every other year), it would cost approximately \$1,800 those years for treatment and leave \$300 for removal. These are alternatives to straight removal of ash trees. However, whether or not the treatment option is selected, there will be an increased cost of dealing with ash trees if EAB is found in Otho. It is suggested to consider increasing the budget to plan for this.

Works Cited

Census Bureau. 2010. <http://censtats.census.gov/data/IA/1601964290.pdf> (April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57

Nowak, D.J. and J.F. Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.

Peper, Paula J.; McPherson, E. Gregory; Simpson, James R.; Vargas, Kelaine E.; Xiao, Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting. Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115

Appendix A: i-Tree Data

Table 1: Annual Energy Benefits

Annual Energy Benefits of Public Trees by Species									
Species	Total Electricity (MWh)	Electricity (\$)	Total Natural Gas (Therms)	Natural Gas (\$)	Total (\$)	Stand. Error	% of Total Trees	% of Total \$	Avg. \$/tree
Green ash	3.98	302.18	555.45	544.34	846.52	(N/A)	28.85	28.14	56.43
Silver maple	3.39	257.22	441.62	432.79	690.02	(N/A)	17.31	22.94	76.67
Chinese elm	1.12	85.37	157.67	154.52	239.89	(N/A)	7.69	7.98	59.97
Black cherry	0.57	43.07	80.96	79.34	122.40	(N/A)	5.77	4.07	40.80
Northern hackberry	0.91	68.95	120.76	118.34	187.30	(N/A)	5.77	6.23	62.43
Norway maple	0.47	35.75	58.99	57.81	93.55	(N/A)	3.85	3.11	46.78
Eastern cottonwood	0.97	73.57	126.21	123.69	197.26	(N/A)	3.85	6.56	98.63
American basswood	0.46	34.64	62.44	61.19	95.83	(N/A)	3.85	3.19	47.91
Southern magnolia	0.17	12.74	25.40	24.89	37.63	(N/A)	3.85	1.25	18.82
Elm	0.39	29.41	53.68	52.60	82.02	(N/A)	1.92	2.73	82.02
White oak	0.23	17.78	26.99	26.45	44.23	(N/A)	1.92	1.47	44.23
Littleleaf linden	0.20	15.24	23.94	23.46	38.70	(N/A)	1.92	1.29	38.70
Eastern red cedar	0.11	8.45	16.44	16.11	24.57	(N/A)	1.92	0.82	24.57
Boxelder	0.26	19.59	36.27	35.54	55.14	(N/A)	1.92	1.83	55.14
Black maple	0.04	2.73	5.22	5.12	7.85	(N/A)	1.92	0.26	7.85
Northern pin oak	0.24	17.87	29.49	28.90	46.78	(N/A)	1.92	1.56	46.78
Apple	0.02	1.68	3.80	3.72	5.40	(N/A)	1.92	0.18	5.40
Cottonwood	0.48	36.79	63.11	61.85	98.63	(N/A)	1.92	3.28	98.63
American elm	0.45	34.50	61.07	59.84	94.34	(N/A)	1.92	3.14	94.34
Total	14.46	1,097.54	1,949.51	1,910.52	3,008.06	(N/A)	100.00	100.00	57.85

Table 2: Annual Stormwater Benefits

Annual Stormwater Benefits of Public Trees by Species							
Species	Total Rainfall Interception (Gal)	Total (\$)	Stand. Error	% of Total Trees	% of Total \$	Avg. \$/tree	
Green ash	43,067.82	1,167.14	(N/A)	28.85	25.73	77.81	
Silver maple	52,665.81	1,427.24	(N/A)	17.31	31.46	158.58	
Chinese elm	14,380.42	389.71	(N/A)	7.69	8.59	97.43	
Black cherry	2,507.10	67.94	(N/A)	5.77	1.50	22.65	
Northern hackberry	6,472.61	175.41	(N/A)	5.77	3.87	58.47	
Norway maple	2,818.19	76.37	(N/A)	3.85	1.68	38.19	
Eastern cottonwood	14,477.84	392.35	(N/A)	3.85	8.65	196.17	
American basswood	3,321.46	90.01	(N/A)	3.85	1.98	45.01	
Southern magnolia	1,353.62	36.68	(N/A)	3.85	0.81	18.34	
Elm	5,490.53	148.79	(N/A)	1.92	3.28	148.79	
White oak	1,465.55	39.72	(N/A)	1.92	0.88	39.72	
Littleleaf linden	1,259.60	34.14	(N/A)	1.92	0.75	34.14	
Eastern red cedar	1,634.54	44.30	(N/A)	1.92	0.98	44.30	
Boxelder	3,089.62	83.73	(N/A)	1.92	1.85	83.73	
Black maple	137.26	3.72	(N/A)	1.92	0.08	3.72	
Northern pin oak	1,409.09	38.19	(N/A)	1.92	0.84	38.19	
Apple	68.66	1.86	(N/A)	1.92	0.04	1.86	
Cottonwood	7,238.92	196.17	(N/A)	1.92	4.32	196.17	
American elm	4,551.10	123.33	(N/A)	1.92	2.72	123.33	
Citywide total	167,409.74	4,536.80	(N/A)	100.00	100.00	87.25	

Table 3: Annual Air Quality Benefits

Annual Air Quality Benefits of Public Trees by Species															
Species	Deposition O3 (lb)	Deposition NO2 (lb)	Deposition PM10 (lb)	Deposition SO2 (lb)	Total Deposition (\$)	Avoided NO2 (lb)	Avoided PM10 (lb)	Avoided VOC (lb)	Avoided SO2 (lb)	Total Avoided (\$)	BVOC Emissions (lb)	BVOC Emissions (\$)	Total (lb)	Total (\$)	Stand. Error
															% of Total Trees
															Avg. \$/tree
Green ash	5.07	0.81	2.46	0.23	27.08	19.10	2.77	2.64	18.04	118.76	0.00	0.00	51.13	145.85	(N/A)
Silver maple	9.38	1.59	4.55	0.42	50.42	15.93	2.33	2.23	15.32	99.75	- 4.56	- 17.10	47.19	133.07	(N/A)
Chinese elm	1.94	0.31	0.90	0.09	10.27	5.40	0.78	0.75	5.10	33.57	0.00	0.00	15.27	43.85	(N/A)
Black cherry	0.85	0.14	0.39	0.04	4.49	2.74	0.40	0.38	2.57	16.99	0.00	- 0.02	7.50	21.46	(N/A)
Northern hackberry	0.82	0.14	0.45	0.04	4.59	4.31	0.63	0.60	4.12	26.94	0.00	0.00	11.12	31.53	(N/A)
Norway maple	0.44	0.08	0.23	0.02	2.41	2.21	0.32	0.31	2.14	13.85	- 0.11	- 0.43	5.63	15.84	(N/A)
Eastern cottonwood	3.17	0.51	1.38	0.14	16.48	4.57	0.67	0.64	4.39	28.62	0.00	0.00	15.47	45.10	(N/A)
American basswood	0.33	0.06	0.19	0.01	1.85	2.18	0.32	0.30	2.07	13.60	- 0.32	- 1.21	5.14	14.24	(N/A)
Southern magnolia	0.04	0.01	0.09	0.01	0.42	0.82	0.12	0.11	0.75	5.03	- 0.34	- 1.26	1.61	4.20	(N/A)
Elm	0.79	0.13	0.36	0.04	4.16	1.86	0.27	0.26	1.76	11.55	0.00	0.00	5.45	15.71	(N/A)
White oak	0.11	0.02	0.07	0.00	0.62	1.07	0.16	0.15	1.06	6.80	0.00	0.00	2.65	7.42	(N/A)
Littleleaf linden	0.16	0.03	0.09	0.01	0.89	0.93	0.14	0.13	0.91	5.87	- 0.09	- 0.33	2.30	6.42	(N/A)
Eastern red cedar	0.34	0.07	0.27	0.04	2.23	0.54	0.08	0.07	0.50	3.34	- 0.90	- 3.39	1.02	2.19	(N/A)
Boxelder	0.43	0.07	0.20	0.02	2.27	1.24	0.18	0.17	1.17	7.70	- 0.18	- 0.66	3.30	9.31	(N/A)
Black maple	0.01	0.00	0.01	0.00	0.06	0.17	0.03	0.02	0.16	1.08	0.00	- 0.01	0.40	1.12	(N/A)
Northern pin oak	0.22	0.04	0.12	0.01	1.21	1.10	0.16	0.16	1.07	6.93	- 0.06	- 0.22	2.81	7.92	(N/A)
Apple	0.00	0.00	0.00	0.00	0.03	0.11	0.02	0.02	0.10	0.68	0.00	0.00	0.25	0.71	(N/A)
Cottonwood	1.59	0.25	0.69	0.07	8.24	2.29	0.33	0.32	2.20	14.31	0.00	0.00	7.73	22.55	(N/A)
American elm	0.94	0.16	0.45	0.04	5.03	2.16	0.32	0.30	2.06	13.48	0.00	0.00	6.43	18.52	(N/A)
Citywide Total	26.63	4.40	12.89	1.22	142.76	68.73	10.03	9.56	65.50	428.84	- 6.56	- 24.62	192.40	546.99	(N/A)

Table 4: Annual Carbon Stored

Stored CO2 Benefits of Public Trees by Species						
Species	Total stored CO2 (lbs)	Total (\$)	Stand. Error	% of Total Trees	% of Total \$	Avg. \$/tree
Green ash	162,800.81	1,221.01	(N/A)	28.85	22.90	81.40
Silver maple	199,069.41	1,493.02	(N/A)	17.31	28.00	165.89
Chinese elm	64,523.49	483.93	(N/A)	7.69	9.08	120.98
Black cherry	12,817.03	96.13	(N/A)	5.77	1.80	32.04
Northern hackberry	11,406.24	85.55	(N/A)	5.77	1.60	28.52
Norway maple	7,248.32	54.36	(N/A)	3.85	1.02	27.18
Eastern cottonwood	111,963.97	839.73	(N/A)	3.85	15.75	419.86
American basswood	11,812.98	88.60	(N/A)	3.85	1.66	44.30
Southern magnolia	967.72	7.26	(N/A)	3.85	0.14	3.63
Elm	25,943.15	194.57	(N/A)	1.92	3.65	194.57
White oak	3,671.83	27.54	(N/A)	1.92	0.52	27.54
Littleleaf linden	3,595.00	26.96	(N/A)	1.92	0.51	26.96
Eastern red cedar	1,102.07	8.27	(N/A)	1.92	0.16	8.27
Boxelder	14,280.15	107.10	(N/A)	1.92	2.01	107.10
Black maple	218.47	1.64	(N/A)	1.92	0.03	1.64
Northern pin oak	3,624.16	27.18	(N/A)	1.92	0.51	27.18
Apple	177.79	1.33	(N/A)	1.92	0.03	1.33
Cottonwood	55,981.98	419.86	(N/A)	1.92	7.87	419.86
American elm	19,727.97	147.96	(N/A)	1.92	2.77	147.96
Citywide total	710,932.56	5,331.99	(N/A)	100.00	100.00	102.54

Table 5: Annual Carbon Sequestered


Annual CO2 Benefits of Public Trees by Species													
Species	Sequestered (lb)	Sequestered (\$)	Decomposition Release (lb)	Maintenance Release (lb)	Total Release (\$)	Avoided (lb)	Avoided (\$)	Net Total (lb)	Total (\$)	Stand. Error	% of Total Trees	% of Total \$	Avg. \$/tree
Green ash	9,841.66	73.81	- 781.48	- 41.54	- 6.17	6,678.00	50.09	15,696.65	117.72	(N/A)	28.85	27.57	7.85
Silver maple	14,637.02	109.78	- 955.53	- 37.83	- 7.45	5,684.60	42.63	19,328.26	144.96	(N/A)	17.31	33.95	16.11
Chinese elm	2,637.48	19.78	- 309.71	- 12.48	- 2.42	1,886.72	14.15	4,202.01	31.52	(N/A)	7.69	7.38	7.88
Black cherry	1,013.73	7.60	- 61.52	- 6.63	- 0.51	951.75	7.14	1,897.33	14.23	(N/A)	5.77	3.33	4.74
Northern hackberry	898.45	6.74	- 54.75	- 7.41	- 0.47	1,523.82	11.43	2,360.11	17.70	(N/A)	5.77	4.15	5.90
Norway maple	771.90	5.79	- 34.79	- 3.90	- 0.29	790.02	5.93	1,523.22	11.42	(N/A)	3.85	2.68	5.71
Eastern cottonwood	957.73	7.18	- 537.43	- 11.70	- 4.12	1,625.88	12.19	2,034.48	15.26	(N/A)	3.85	3.57	7.63
American basswood	913.20	6.85	- 56.70	- 4.68	- 0.46	765.44	5.74	1,617.26	12.13	(N/A)	3.85	2.84	6.06
Southern magnolia	112.58	0.84	- 4.65	- 2.34	- 0.05	281.62	2.11	387.22	2.90	(N/A)	3.85	0.68	1.45
Elm	959.59	7.20	- 124.53	- 4.29	- 0.97	650.03	4.88	1,480.80	11.11	(N/A)	1.92	2.60	11.11
White oak	445.34	3.34	- 17.62	- 1.95	- 0.15	392.87	2.95	818.63	6.14	(N/A)	1.92	1.44	6.14
Littleleaf linden	514.25	3.86	- 17.26	- 1.95	- 0.14	336.84	2.53	831.89	6.24	(N/A)	1.92	1.46	6.24
Eastern red cedar	0.00	0.00	- 5.29	- 1.95	- 0.05	186.85	1.40	179.61	1.35	(N/A)	1.92	0.32	1.35
Boxelder	1,038.16	7.79	- 68.54	- 3.51	- 0.54	433.01	3.25	1,399.11	10.49	(N/A)	1.92	2.46	10.49
Black maple	38.73	0.29	- 1.05	- 0.59	- 0.01	60.38	0.45	97.48	0.73	(N/A)	1.92	0.17	0.73
Northern pin oak	385.95	2.89	- 17.40	- 1.95	- 0.15	395.01	2.96	761.61	5.71	(N/A)	1.92	1.34	5.71
Apple	37.94	0.28	- 0.85	- 0.59	- 0.01	37.19	0.28	73.69	0.55	(N/A)	1.92	0.13	0.55
Cottonwood	478.87	3.59	- 268.71	- 5.85	- 2.06	812.94	6.10	1,017.24	7.63	(N/A)	1.92	1.79	7.63
American elm	566.09	4.25	- 94.69	- 4.29	- 0.74	762.45	5.72	1,229.56	9.22	(N/A)	1.92	2.16	9.22
Citywide Total	36,248.67	271.87	- 3,412.52	- 155.42	- 26.76	24,255.44	181.92	56,936.18	427.02	(N/A)	100.00	100.00	8.21

Table 6: Annual Social and Aesthetic Benefits

Annual Aesthetic/Other Benefit of Public Trees by Species					
Species	Total (\$)	Stand. Error	% of Total Trees	% of Total \$	Avg. \$/tree
Green ash	816.43	(N/A)	28.85	27.50	54.43
Silver maple	1,099.37	(N/A)	17.31	37.03	122.15
Chinese elm	210.17	(N/A)	7.69	7.08	52.54
Black cherry	59.76	(N/A)	5.77	2.01	19.92
Northern hackberry	142.71	(N/A)	5.77	4.81	47.57
Norway maple	78.32	(N/A)	3.85	2.64	39.16
Eastern cottonwood	57.14	(N/A)	3.85	1.92	28.57
American basswood	76.23	(N/A)	3.85	2.57	38.12
Southern magnolia	43.86	(N/A)	3.85	1.48	21.93
Elm	66.60	(N/A)	1.92	2.24	66.60
White oak	45.86	(N/A)	1.92	1.54	45.86
Littleleaf linden	55.09	(N/A)	1.92	1.86	55.09
Eastern red cedar	0.00	(N/A)	1.92	0.00	0.00
Boxelder	65.43	(N/A)	1.92	2.20	65.43
Black maple	7.28	(N/A)	1.92	0.25	7.28
Northern pin oak	39.16	(N/A)	1.92	1.32	39.16
Apple	2.06	(N/A)	1.92	0.07	2.06
Cottonwood	28.57	(N/A)	1.92	0.96	28.57
American elm	74.47	(N/A)	1.92	2.51	74.47
Citywide Total	2,968.52	(N/A)	100.00	100.00	57.09


Table 7: Summary of Benefits in Dollars

Average Annual Benefits of Public Trees by Species (\$/tree)							
Species	Energy	CO2	Air Quality	Stormwater	Aesthetic/Other	Total	Stand.
Green ash	56.43	7.85	9.72	77.81	54.43	206.24	(N/A)
Silver maple	76.67	16.11	14.79	158.58	122.15	388.30	(N/A)
Chinese elm	59.97	7.88	10.96	97.43	52.54	228.78	(N/A)
Black cherry	40.80	4.74	7.15	22.65	19.92	95.27	(N/A)
Northern hackberry	62.43	5.90	10.51	58.47	47.57	184.88	(N/A)
Norway maple	46.78	5.71	7.92	38.19	39.16	137.75	(N/A)
Eastern cottonwood	98.63	7.63	22.55	196.17	28.57	353.55	(N/A)
American basswood	47.91	6.06	7.12	45.01	38.12	144.22	(N/A)
Southern magnolia	18.82	1.45	2.10	18.34	21.93	62.64	(N/A)
Elm	82.02	11.11	15.71	148.79	66.60	324.23	(N/A)
White oak	44.23	6.14	7.42	39.72	45.86	143.36	(N/A)
Littleleaf linden	38.70	6.24	6.42	34.14	55.09	140.59	(N/A)
Eastern red cedar	24.57	1.35	2.19	44.30	0.00	72.40	(N/A)
Boxelder	55.14	10.49	9.31	83.73	65.43	224.09	(N/A)
Black maple	7.85	0.73	1.12	3.72	7.28	20.71	(N/A)
Northern pin oak	46.78	5.71	7.92	38.19	39.16	137.75	(N/A)
Apple	5.40	0.55	0.71	1.86	2.06	10.58	(N/A)
Cottonwood	98.63	7.63	22.55	196.17	28.57	353.55	(N/A)
American elm	94.34	9.22	18.52	123.33	74.47	319.89	(N/A)
Citywide Total	57.85	8.21	10.52	87.25	57.09	220.91	(N/A)



Species	Percent
Green ash	28.8
Silver maple	17.3
Chinese elm	7.7
Black cherry	5.8
Northern hackberry	5.8
Norway maple	3.8
Eastern cottonwood	3.8
American basswood	3.8
Southern magnolia	3.8
Elm	1.9
Other Species	17.3
Total	100.0

Figure 1: Species Distribution



Species	DBH class (in)								
	0-3	3-6	6-12	12-18	18-24	24-30	30-36	36-42	> 42
Green ash	6.67	0.00	6.67	13.33	26.67	40.00	6.67	0.00	0.00
Silver maple	0.00	0.00	0.00	0.00	0.00	22.22	66.67	11.11	0.00
Chinese elm	0.00	0.00	25.00	0.00	25.00	25.00	0.00	25.00	0.00
Black cherry	0.00	0.00	0.00	66.67	33.33	0.00	0.00	0.00	0.00
Northern hackberry	0.00	0.00	0.00	66.67	0.00	33.33	0.00	0.00	0.00
Norway maple	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00
Eastern cottonwood	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
American basswood	0.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	0.00
Southern magnolia	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
Elm	0.00	0.00	0.00	0.00	0.00	0.00	100.00	0.00	0.00
Citywide Total	1.92	3.85	7.69	23.08	13.46	23.08	17.31	3.85	5.77

Figure 2: Relative Age Class

% Functional (Foliage) Condition of Public Trees




Figure 3: Foliage Condition

Structural (Woody) Condition of Public Trees (%)




Figure 4: Wood Condition




Figure 5: Canopy Cover in Acres




Figure 6: Land Use of city/park trees




Figure 7: Location of city/park trees

Appendix B: ArcGIS Mapping




Figure 1: Location of Ash Trees



Figure 3: Location of Ash with Epicormic Shoots

Figure 4: Location of Treatable Ash in Good Condition



Figure 5: Location of Trees with Recommended Maintenance





Appendix C: Otho Tree Ordinances

CHAPTER 150

TREES

150.01 Definition

150.02 Planting Restrictions

150.03 Duty to Trim Trees

150.04 Trimming Trees to Be Supervised

150.05 Disease Control

150.06 Inspection and Removal

150.01 DEFINITION. For use in this chapter, “parking” means that part of the street, avenue, or highway in the City not covered by sidewalk and lying between the lot line and the curb line; or, on unpaved streets, that part of the street, avenue, or highway lying between the lot line and that portion of the street usually traveled by vehicular traffic.

150.02 PLANTING RESTRICTIONS. No tree shall be planted in any parking or street except in accordance with the following:

1. Alignment. All trees planted in any street shall be planted in the parking midway between the outer line of the sidewalk and the curb. In the event a curb line is not established, trees shall be planted on a line ten (10) feet from the property line.
2. Spacing. Trees shall not be planted on any parking which is less than nine (9) feet in width, or contains less than eighty-one (81) square feet of exposed soil surface per tree. Trees shall not be planted closer than twenty (20) feet from street intersections (property lines extended) and ten (10) feet from driveways. If it is at all possible, trees should be planted inside the property lines and not between the sidewalk and the curb.
3. Prohibited Trees. No person shall plant in any street any fruit-bearing tree or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.

150.03 DUTY TO TRIM TREES. The owner or agent of the abutting property shall keep the trees on, or overhanging the street, trimmed so that all branches will be at least fifteen (15) feet above the surface of the street and eight (8) feet above the sidewalks. If the abutting property owner fails to trim the trees, the City may serve notice on the abutting property owner requiring that such action be taken within five (5) days. If such action is not taken within that time, the City may perform the required action and assess the costs against the abutting property for collection in the same manner as a property tax.

(Code of Iowa, Sec. 364.12[2c, d & e])

150.04 TRIMMING TREES TO BE SUPERVISED. Except as allowed in Section 150.03, it is unlawful for any person to trim or cut any tree in a street or public place unless the work is done under the supervision of the City.

150.05 DISEASE CONTROL. Any dead, diseased or damaged tree or shrub which may harbor serious insect or disease pests or disease injurious to other trees is hereby declared to be a nuisance.

150.06 INSPECTION AND REMOVAL. The Council shall inspect or cause to be inspected any trees or shrubs in the City reported or suspected to be dead, diseased or damaged, and such trees and shrubs shall be subject to the following:

1. City Property. If it is determined that any such condition exists on any public property, including the strip between the curb and the lot line of private property, the Council may cause

such condition to be corrected by treatment or removal. The Council may also order the removal of any trees on the streets of the City which interfere with the making of improvements or with travel thereon.

2. Private Property. If it is determined with reasonable certainty that any such condition exists on private property and that danger to other trees or to adjoining property or passing motorists or pedestrians is imminent, the Council shall notify by certified mail the owner, occupant or person in charge of such property to correct such condition by treatment or removal within fourteen (14) days of said notification. If such owner, occupant or person in charge of said property fails to comply within fourteen (14) days of receipt of notice, the Council may cause the condition to be corrected and the cost assessed against the property.

(Code of Iowa, Sec. 364.12[3b & h])

The State of Iowa is an Equal Opportunity Employer and provider of ADA services.

Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the Iowa Civil Rights Commission, 1-800-457-4416, or write to the Iowa Department of Natural Resources, Wallace State Office Bldg., 502 E. 9th St., Des Moines, IA 50319.

If you need accommodations because of disability to access the services of this Agency, please contact the Director at 515-725-8200.