# Coon Rapids, IA



2020 Urban Forest Management Plan Prepared by Vince Grube Iowa Department of Natural Resources



# **Table of Contents**

Executive Summary	1
Overview	1
Inventory and Results	1
Recommendations	1
Introduction	2
Inventory	2
Inventory Results	2
Annual Benefits	
Annual Energy Benefits	
Annual Stormwater Benefits	
Annual Air Quality Benefits	
Annual Carbon Benefits	
Annual Aesthetics Benefits	
Financial Summary of all Benefits	
Forest Structure	
Species Distribution	
Age Class	4
Condition: Wood and Foliage	4
Management Needs	4
Canopy Cover	5
Land Use and Location	5
Recommendations	5
Risk Management	5
Pruning Cycle	6
Planting	6
Continual Monitoring	6
Six Year Maintenance Plan with No Additional Funding	6
Emerald Ash Borer Plan	7
Ash Tree Removal	8
Treatment of Ash Trees	8
EAB Quarantines	
Wood Disposal	8
Canopy Replacement	8
Postponed Work	9
Monitoring	9
Private Ash Trees	9
Budget	9
Works Cited	
Appendix A: i-Tree Data	12
Table 1: Annual Energy Benefits	
Table 2: Annual Stormwater Benefits	
Table 3: Annual Air Quality Benefits	
Table 4: Annual Carbon Stored	
Table 5: Annual Carbon Sequestered	

Table 6: Annual Social and Aesthetic Benefits	. 17
Table 7: Summary of Benefits in Dollars	. 18
Figure 1: Species Distribution	. 19
Figure 2: Relative Age Class	. 19
Figure 3: Foliage Condition	. 20
Figure 4: Wood Condition	. 20
Figure 5: Canopy Cover in Acres	. 21
Figure 6: Land Use of city/park trees	. 21
Figure 7: Location of city/park trees	. 22
Appendix B: ArcGIS Mapping	. 23
Figure 1: Location of Ash Trees	. 23
Figure 2: Location of EAB symptoms	. 24
Figure 3: Location of Poor Condition Trees	. 25
Figure 4: Location of Trees with Recommended Maintenance	. 26
Figure 5: Maintenance Tasks *City ownership of the trees recommended for removal should be	
verified prior to any removal*	. 27
Appendix C: Coon Rapids Tree Ordinances	. 28

# **Executive Summary**

## Overview

This plan was developed to assist the City of Coon Rapids with managing its urban forest, including budgeting and future planning. Trees can provide a multitude of benefits to the community, and sound management allows a community to best take advantage of these benefits. Management is especially important considering the serious threats posed by forest pests such as the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees (this does not include mountain ash). There is a strong possibility that 31% of Coon Rapids' city owned trees (ash) will die once EAB becomes established in the community, unless preventative treatment is used. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

## **Inventory and Results**

In 2020, a tree inventory was conducted using Global Positioning System (GPS) data collectors. The inventory was a complete inventory of street and park trees. Below are some key findings of the 677 trees inventoried.

- Coon Rapids' trees provide \$116,376 of benefits annually, an average of \$171.90 a tree
- There are over 45 species of trees from across at least 24 genera.
- The top three genera are: Maple 31%, Ash 25%, and Oak 13%
- 14% of trees are in need of some type of management
- 33 trees are recommended for removal

#### Recommendations

The core recommendations are detailed in the Recommendations Section. The Emerald Ash Borer Plan includes management recommendations as well. Below are some key recommendations.

- Of the 33 trees needing removal, 8 trees are over 24 inches in diameter at 4.5 ft and must be addressed immediately \*City ownership of the trees recommended for removal should be verified prior to any removal\*
- 10 of the 168 ash trees should be carefully examined, as they have one or more symptoms that could be related to an EAB infestation
- All trees should be pruned on a routine schedule- one sixth of the city every year.
- Plant a diverse mix of trees that do not include: ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut
- Check ash trees with a visual survey yearly
- With the current budget it could take 36 years to remove ash Suggestion: request a budget increase to \$26,000 annually and apply for grants to plant replacement trees

# Introduction

This plan was developed to assist Coon Rapids with the management, budgeting and future planning of their urban forest. Across the state, forestry budgets continue to decrease with more and more of that money spent on tree removal. With the anticipated arrival of Emerald Ash Borer (EAB), an invasive pest that kills native ash trees, it is time to prepare for the increased costs of tree removal or treatment and replacement planting. With proper planning and management of the current canopy in Coon Rapids, these costs can be extended over years and public safety issues from dead and dying ash trees mitigated.

Trees are an important component of Coon Rapids' infrastructure and one of the greatest assets to the community. The benefits of trees are immense. Trees provide the community with improved air quality, stormwater runoff interception, energy conservation, lower traffic speeds, increased property values, reduced crime, improved mental health and create a desirable place to live, to name just a few benefits. It is essential that these benefits be maintained for the people of Coon Rapids and future generations through good urban forestry management.

Good urban forestry management involves setting goals and developing management strategies to achieve these goals. An essential part of developing management strategies is a comprehensive public tree inventory. The inventory supplies information that will be used for maintenance, removal schedules, tree planting and budgeting. Basing actions on this information will help meet Coon Rapids' urban forestry goals.

# Inventory

In 2020, a tree inventory was conducted that included 100% of the city owned trees on both streets and parks. The tree data was collected using a handheld Global Positioning System (GPS) receiver. The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in Arc GIS as an active GIS data layer. Because the inventory is a digital document the data can be updated with new information and become a working document.

The programming used to collect tree information on the data collectors was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide. The i-Tree suite is a public domain which can be accessed for free.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes: location, land use, species, diameter at 4.5 ft, recommended maintenance, priority of that maintenance, leaf health, and wood condition. Additionally, signs and symptoms associated with EAB were noted for all ash trees. The signs and symptoms noted were canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

# **Inventory Results**

The data collected for the 677 city trees was entered into the USDA Forest service program Street Tree Resource Analysis Tool for Urban forestry Management as part of the i-Tree suite. The following are results from the i-Tree STREETS analysis. Fin

# **Annual Benefits**

# **Annual Energy Benefits**

Trees conserve energy by shading buildings and blocking winds. Coon Rapids' trees reduce energy related costs by approximately \$31,878 annually (Appendix A, Table 1). These savings are both in Electricity (152.4 MWh) and in Natural Gas (20,728 Therms).

# **Annual Stormwater Benefits**

Coon Rapids' trees intercept about 1,587,951 gallons of rainfall or snow melt a year (Appendix A, Table 2). This interception provides \$43,033 of benefits to the city.

# **Annual Air Quality Benefits**

Air quality is a persistent public health issue in Iowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and emitting volatile organic matter (ozone). In Coon Rapids, it is estimated that trees remove 1,924.3 lbs of air pollution (ozone (O<sub>3</sub>), particulate matter less than 10 microns (PM10), carbon monoxide (CO), nitrogen dioxide (NO<sub>2</sub>), and sulfur dioxide (SO<sub>2</sub>)) per year with a net value of \$5,411 (Appendix A, Table 3).

## **Annual Carbon Benefits**

Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Coon Rapids, trees sequester about 344,524 lbs of carbon a year with an associated value of \$2,584 (Appendix A, Table 5). In addition, the trees store 5,913,246 lbs of carbon, with a yearly benefit of \$44,349 (Appendix A, Table 4).

## **Annual Aesthetics Benefits**

Social benefits of trees are hard to capture. The analysis does have a calculation for this area that includes: aesthetic value, property values, lowered rates of mental illness and crime, city livability and much more. Coon Rapids receives \$31,778 in annual social benefits from trees (Appendix A, Table 6).

# **Financial Summary of all Benefits**

According to the USDA Forest Service i-Tree STREETS analysis, Coon Rapids' trees provide \$116,376 of benefits annually. Benefits of individual trees vary based on size, species, health and location, but on average each of the 677 trees in Coon Rapids provide approximately \$171.90 annually (Appendix A, Table 7).

# **Forest Structure**

## **Species Distribution**

Coon Rapids has over 45 different tree species along city streets and parks (Appendix A, Figure 1). The distribution of trees by genera is as follows:

Genus	Count	Percent
Maple	211	31%
Ash	168	25%
Oak	86	13%
Basswood	53	8%
Spruce	26	4%
Apple	23	3%
Honeylocust	19	3%
Walnut	16	2%
Pear	14	2%
Cedar	13	2%
Hackberry	9	1%
Cottonwood	7	1%
Broadleaf Deciduous		
S/M/L	7	1%
Pine	5	1%
Ginkgo	5	1%
Elm	3	0%
Lilac	3	0%
Sycamore	2	0%
Black Cherry	2	0%
Catalpa	1	0%
Redbud	1	0%
Hickory	1	0%
Birch	1	0%
Magnolia	1	0%

## Age Class

Most of Coon Rapids' trees (55%) are between 6 and 24 inches in diameter at 4.5 ft (Appendix A, Figure 2). For age, it is preferred that the highest amounts of trees are in the smallest size category (a downward slope) to prepare for natural mortality and to maintain canopy cover. This downward trajectory is observed in Coon Rapids' tree stand, however only 12% of trees in Coon Rapids had a DBH of less than 6 inches.

## **Condition: Wood and Foliage**

Both wood condition and leaf condition are good indicators of the overall health of the urban forest. The foliage condition results for Coon Rapids indicate that 89% of the trees are in good health, with only 2% of the foliage in poor health, dead or dying (Appendix A, Figure 3 & Appendix B, Figure 3). Similarly, 38% of Coon Rapids' trees are in good health for wood condition (appendix A, Figure 4 & Appendix B, Figure 3). Wood condition that is in poor health, dead or dying is about 14% of the population. This 14% is an estimate of trees that need management follow up.

#### **Management Needs**

The following outlines the specific management needs of the street and park trees by number of trees and percent of canopy (Appendix B, Figure 3).

Priority Task	Count	Percent
Crown Cleaning	56	8.27%

Crown Raising	7	1.03%
Stake/train	2	<1%
Remove	33	4.87%

## **Canopy Cover**

The total canopy with both private and public trees is 27%, 312 acres. The canopy cover included in the Coon Rapids inventory includes approximately 16.68 acres (Appendix A, Figure 4). The City's Canopy goal is to increase canopy by 3%, in 30 years. To achieve this goal it is estimated that 83 trees need to be planted annually on public and private lands.

## Land Use and Location

The majority of Coon Rapids' city and park trees are in planting strips in single family residential neighborhoods (Appendix A, Figure 6 & Appendix A, Figure 7). The following describes the land use and locations for the street and park trees.

Land Use	
Single family residential	73%
Park/vacant/other	22%
Industrial/Large commercial	3%
Small commercial	1%
Multifamily residential	1%
Location	
Planting strip	64%
Cutout (surrounded by pavement)	1%
Front yard	35%
Median	<1%

# Recommendations

## **Risk Management**

Hazardous trees can be a significant threat to both people and property. Trees that are dead or dying, or that have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorist's vision of pedestrians, vehicles, traffic signs and signals, etc should be removed.

## Hazardous trees

Coon Rapids has 6 critical concern trees that need immediate removal. These trees can be seen on the Location of Trees with Recommended Maintenance map (Appendix B, Figure 4). It is recommended to start with the large diameter critical concern trees first. There are 2 trees over 24 inches in diameter at 4.5 ft that should be addressed immediately. Please refer to the six year maintenance plan at the end of this section. After all of the critical concern trees are addressed, there should be follow up on the trees marked as needing maintenance. There are a total of 13 trees with these needs.

#### Poor tree species

After the removal of the critical concern trees, ash trees in poor health should be assessed for removal (Appendix B, Figure 3 & Appendix B, Figure 4). Of the 33 removals, 7 are ash trees. There are a total of 168 ash trees, and 10 of those have signs and symptoms that have been associated with EAB. In addition, there are 95 trees that are in poor health. \*City ownership of the trees recommended for removal should be verified prior to any removal\*

# **Pruning Cycle**

Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles. Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years. Please refer to the six year maintenance plan for further information.

# Planting

Most of the planting over the next 5 years will replace the trees that are removed. It is recommended to plant 1.2 trees for every tree removed, since survival rates will not be 100%. Please refer to the six year maintenance plan at the end of this section. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Coon Rapids.

It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with maple (31%) (Appendix A, Figure 1). Maples should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid because they are public nuisances include: cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut, as outlined in section 151.02 of the city ordinance (Appendix C). All trees planted must meet the restrictions in city ordinance 151.02 (Appendix C).

# **Continual Monitoring**

Due to the threat of EAB, it is important to continuously check the health of ash trees. It is recommended that ash trees be checked with a visual survey every year for tree decline and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

# Six Year Maintenance Plan with No Additional Funding

Year 1 Removal: 3 largest critical concern trees Planting and Replacement: 4 trees to be planted in open locations Young Tree Pruning & Maintenance: Visual Survey for signs and symptoms of EAB

## Year 2

Removal: 2 critical concern trees

\*Or saving for ash tree treatment and/or future ash removal

Planting and Replacement: 3 trees in open locations from year one removals

Young Tree Pruning & Maintenance:

Routine trimming: Contract to trim 1/3 of the city trees

Visual Survey for signs and symptoms of EAB

# Year 3

Removal: 3 trees - removal of any new critical concern trees and ash in poor health

\*Or saving for ash tree treatment and/or future ash removal

Planting and Replacement: 4 trees to be planted in open locations and locations from previous removals

Young Tree Pruning & Maintenance:

Visual Survey for signs and symptoms of EAB

# Year 4

Removal: 2 trees - removal of any new critical concern trees and ash in poor health

\*Or saving for ash tree treatment and/or future ash removal

Planting and Replacement: 3 trees in open locations from previous removals

Routine trimming: Contract to trim 1/3 of the city trees

Young Tree Pruning & Maintenance:

Visual Survey for signs and symptoms of EAB

# Year 5

Removal: 3 trees - removal of any new critical concern trees and ash in poor health

\*Or saving for ash tree treatment and/or future ash removal

Planting and Replacement: 4 trees to be planted in open locations and locations from previous removals

Young Tree Pruning & Maintenance:

Visual Survey for signs and symptoms of EAB

# Year 6

Removal: 2 trees - removal of any new critical concern trees and ash in poor health \*Or saving for ash tree treatment and/or future ash removal Planting and Replacement: 3 trees in open locations from previous removals Routine trimming: Contract to trim 1/3 of the city trees Young Tree Pruning & Maintenance: Visual Survey for signs and symptoms of EAB

# **Emerald Ash Borer Plan**

# Ash Tree Removal

Tree removal will be prioritized with dead, dying, hazardous trees to be removed first (Appendix B, Figure 4). Next will be all ash in poor condition and displaying signs and symptoms of EAB (Appendix B, Figure 2 & Appendix B, Figure 3). \*City ownership of the tree recommended for removal should be verified prior to any removal\*

# **Treatment of Ash Trees**

Chemical treatment can be effective tool for communities to spread removal costs out over several years while allowing trees to continue to provide benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit <u>http://extension.entm.purdue.edu/treecomputer/</u>

# **EAB Quarantines**

EAB is an extremely destructive plant pest and it is responsible for the death and decline of millions of ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's quarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- nursery stock and green lumber of ash
- any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

# Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees? Is there an accessible, secured site big enough to store and sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website <a href="http://www.aphis.usda.gov/plant">http://www.aphis.usda.gov/plant</a> health/plant pest info/emerald ash b/regulatory.shtml. Wood waste can be disposed of as you normally would if your county is not part of a quarantine.

## **Canopy Replacement**

As budget permits, all removed trees will be replaced. All trees will meet the restrictions in city ordinance 151.02 (Appendix C). The new plantings will be a diverse mix and will not include ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.

#### **Postponed Work**

While finances, staffing and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genera other than ash will be prioritized by hazardous or emergency situations only.

#### Monitoring

It is recommended that ash trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

#### **Private Ash Trees**

It is strongly recommended that private property owners start removing ash trees on their property upon arrival of EAB if preventative treatments are not being used. City Code 151.06 states "If it is determined with reasonable certainty that any such condition exists (trees or shrubs in the City reported or suspected to be infected with or damaged by any disease or insect or disease pests) on private property and that the danger to other trees or to adjoining property or passing motorists or pedestrians is imminent, the Council shall notify by certified mail the owner, occupant or person in charge of such property to correct such condition by treatment or removal within fourteen (14) days of said notification. If such owner, occupant or person in charge of said property fails to comply within 14 days of receipt of notice, the Council may cause the condition to be corrected and the cost assessed against the property."

# Budget

## Current Budget

Total \$30,000 over 6 years (\$5,000/year)

#### FY 2020 Budget

Removal: \$4,200 \*Or saving for ash tree treatment and/or future ash removal Planting: \$800 Watering

#### FY 2021 Budget

Removal: \$2,800 \*Or saving for ash tree treatment and/or future ash removal Planting: \$600 Routine trimming: \$1400 Watering & Maintenance: \$200

#### FY 2022 Budget

Removal: \$4,200 \*Or saving for ash tree treatment and/or future ash removal Planting: \$800 Watering

#### FY 2023 Budget

Removal: \$2,800 \*Or saving for ash tree treatment and/or future ash removal Planting: \$600 Routine trimming: \$1400 Watering & Maintenance: \$200

#### FY 2024 Budget

Removal: \$4,200 \*Or saving for ash tree treatment and/or future ash removal Planting: \$800 Watering

#### FY 2025 Budget

Removal: \$2,800 \*Or saving for ash tree treatment and/or future ash removal Planting: \$600 Routine trimming: \$1400 Watering & Maintenance: \$200

\*Reduction of ash over 6 years: approximately 7 ash trees removed (approximately 4% of ash). It will take approximately 36 years to remove all ash with the current budget.

#### Proposed Budget Increase

EAB could potentially kill all ash trees in Coon Rapids within 4 years of its arrival. To remove all ash trees within 6 years the budget would need to be increased to \$26,000 a year. If the budget were increased to \$10,000 a year all ash could be removed within 13 years. Additionally, it is recommended that Coon Rapids apply for grants to fund replacement trees. Utility Company grants are usually between \$500 and \$10,000 for community-based, tree-planting projects that include parks, gateways, cemeteries, nature trails, libraries, nursing homes, and schools.

Another option being considered by many communities is treating a number of selected trees, either to maintain those trees in the landscape or to delay their removal – to spread out the costs and number of trees needing removed all at once. Trunk injection is administered every two years for the life of the tree. If treatment is discontinued, the tree dies. For instance, in this treatment scenario, the average ash diameter is 20 inches and at \$15 per inch, about 4 trees could be treated per year (every other year treatment). This would be 8 trees selected for treatment for \$1,200, and Coon Rapids would still need to find \$112,000 for removal. Alternatively, if there are 20 treatable trees, it would cost approximately \$3,000 a year for treatment and leave \$103,600 for removal. These are alternatives to straight removal of ash trees. However, whether or not the treatment option is selected, there will be an increased cost of dealing with ash trees if EAB is found in Coon Rapids. It is suggested to consider increasing the budget to plan for this.

# Works Cited

Census Bureau. 2010. http://censtats.census.gov/data/IA/1601964290.pdf (April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

- McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57
- Nowak, DJ and JF Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.
- Peper, Paula J; McPherson, E Gregory; Simpson, James R; Vargas, Kelaine E; Xiao, Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting. Gen. Tech. Rep. PSW-GTR-219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115

# **Table 1: Annual Energy Benefits**

## **Coon Rapids**

# Annual Energy Benefits of Public Trees

	Total Electricity	Electricity	Total Natural	Natural	Total Standard	% of Total	% of	Avg.
Species	(MWh)	(\$)	Gas (Therms)	Gas (\$)	(\$) Error	Trees	Total \$	\$/tree
Green ash	43.4	3,291	5,849.8	5,733	9,023 (N/A)	23.5	28.3	56.75
Norway maple	16.1	1,222	2,267.7	2,222	3,445 (N/A)	13.0	10.8	39.14
Silver maple	19.8	1,499	2,559.0	2,508	4,007 (N/A)	9.6	12.6	61.65
Northern red oak	8.4	639	1,182.3	1,159	1.798 (N/A)	5.9	5.6	44.94
Littleleaf linden	7.3	556	987.7	968	1.524 (N/A)	5.0	4.8	44.81
Sugar maple	7.2	547	958.4	939	1.486 (N/A)	3.8	4.7	57.17
Apple	2.2	171	331.9	325	496 (N/A)	3.4	1.6	21.56
Honeylocust	5.9	449	764.0	749	1.198 (N/A)	2.8	3.8	63.06
Black walnut	41	309	578.0	566	876 (N/A)	2.4	2.7	54 72
Sprice	0.6	48	93.8	92	139 (N/A)	2.4	0.4	8.71
Swamp white oak	3.9	295	562.1	551	846 (N/A)	2.1	2.7	56 38
Bur oak	31	237	427.5	419	656 (N/A)	2.2	2.1	43 75
Manle	1.2	90	168.0	165	254 (N/A)	2.2	0.8	1817
Pear	0.5	30	78.0	77	115 (N/A)	2.1	0.4	8 21
American basswood	2.9	201	540 1	538	829 (N/A)	1.0	2.6	63 76
Northern white cedar	0.3	271	47 7	47	67 (N/A)	1.9	0.2	5.61
White oak	3.4	260	470.1	470	730 (N/A)	1.6	2.2	66.35
Pad monle	0.0	200	479.1	119	194 (N/A)	1.0	2.5	20.40
Northern backhorn	0.9	220	120.1	118	104 (IN/A)	1.5	0.0	20.49
White only	3.0	152	430.7	422	$\frac{1}{201} \frac{1}{01/A}$	1.5	2.0	/2.51
white ash	2.0	155	245.0	239	391 (N/A)	1.5	1.2	45.48
Blue spruce	0.8	62	107.7	106	16/ (N/A)	1.3	0.5	18.60
Black maple	2.1	157	286.0	280	438 (N/A)	1.2	1.4	54.70
Broadleaf Deciduous Sma	all 0.1	10	23.4	23	33 (N/A)	1.0	0.1	4.75
Basswood	1.7	125	223.9	219	345 (N/A)	0.9	1.1	57.49
Ginkgo	1.1	85	146.9	144	229 (N/A)	0.7	0.7	45.71
Pin oak	1.7	132	228.4	224	356 (N/A)	0.7	1.1	71.14
Eastern white pine	0.5	39	68.9	68	107 (N/A)	0.4	0.3	35.61
Japanese tree lilac	0.4	34	62.2	61	94 (N/A)	0.4	0.3	31.49
Cottonwood	1.1	87	156.8	154	240 (N/A)	0.4	0.8	80.15
American elm	0.9	69	119.8	117	186 (N/A)	0.3	0.6	92.98
American sycamore	0.7	54	100.5	99	153 (N/A)	0.3	0.5	76.46
Black poplar	0.9	66	118.0	116	182 (N/A)	0.3	0.6	91.02
Eastern cottonwood	0.7	51	86.0	84	135 (N/A)	0.3	0.4	67.63
Scotch pine	0.3	20	29.3	29	48 (N/A)	0.3	0.2	24.14
Cherry plum	0.2	14	24.7	24	38 (N/A)	0.1	0.1	38.13
Eastern redbud	0.0	0	0.6	1	1 (N/A)	0.1	0.0	0.87
Siberian elm	0.4	30	53.2	52	82 (N/A)	0.1	0.3	82.09
River birch	0.1	8	16.9	17	24 (N/A)	0.1	0.1	24.47
Black cherry	0.0	2	3.8	4	5 (N/A)	0.1	0.0	5.40
Hickory	0.4	29	53.7	53	82 (N/A)	0.1	0.3	82.02
Catalpa	0.5	37	63.1	62	99 (N/A)	0.1	0.3	98.63
Amur maple	0.2	14	24.7	24	38 (N/A)	0.1	0.1	38.13
Southern magnolia	0.2	18	24.2	24	41 (N/A)	0.1	0.1	41.29
Norway spruce	0.1	4	9.5	9	14 (N/A)	0.1	0.0	13.58
Eastern red cedar	0.1	8	16.4	16	25 (N/A)	0.1	0.1	24.57
Total	152.4	11 565	20 728 0	20 31 3	31 878 (N/A)	100.0	100.0	47.09

# **Table 2: Annual Stormwater Benefits**

#### **Coon Rapids**

## Annual Stormwater Benefits of Public Trees

	Total rainfall	Total	Standard	% of Total	% of Total	Ave.
Species	interception (Gal)	(\$)	Error	Trees	\$	\$/tree
Green ash	457 246	12 391	(N/A)	23.5	28.8	77 93
Norway maple	119,498	3.238	(N/A)	13.0	7.5	36.80
Silver maple	262.023	7,101	(N/A)	9.6	16.5	109.24
Northern red oak	88 868	2 408	(N/A)	5.9	5.6	60.21
Littleleaf linden	66,095	1,791	(N/A)	5.0	4.2	52.68
Sugar manle	76 653	2.077	(N/A)	3.8	4.8	79.90
Annle	8.076	219	(N/A)	3.4	0.5	9.52
Honeylocust	61.588	1.669	(N/A)	2.8	3.9	87.84
Black walnut	42,491	1,152	(N/A)	2.4	2.7	71.97
Sprice	9.177	249	(N/A)	2.4	0.6	15.54
Swamp white oak	38,764	1.051	(N/A)	2.2	2.4	70.03
Bur oak	35.612	965	(N/A)	2.2	2.2	64.34
Maple	6.553	178	(N/A)	2.1	0.4	12.69
Pear	1.718	47	(N/A)	2.1	0.1	3.33
American basswood	44.142	1.196	(N/A)	1.9	2.8	92.02
Northern white cedar	2 5 5 3	69	(N/A)	1.8	0.2	5 77
White oak	40.324	1.093	(N/A)	1.6	2.5	99.34
Red manle	6157	167	(N/A)	1.3	0.4	18 54
Northern backberry	29 276	793	(N/A)	13	1.8	88.15
White ash	18,550	503	(N/A)	1.3	1.2	55.86
Blue spruce	11.684	317	(N/A)	1.3	0.7	35.18
Black manle	19.431	527	(N/A)	1.2	1.2	65.82
Broadleaf Deciduous Small	419	11	(N/A)	1.0	0.0	1.62
Basswood	15 998	434	(N/A)	0.9	1.0	72.26
Ginkgo	8147	221	(N/A)	0.7	0.5	44 16
Pin oak	19.914	540	(N/A)	0.7	1.3	107.93
Eastern white nine	12,178	330	(N/A)	0.4	0.8	110.01
Japanese tree lilac	1 598	43	(N/A)	0.4	0.0	14 43
Cottonwood	15 1 25	410	(N/A)	0.4	1.0	136.63
American elm	9.102	247	(N/A)	0.3	0.6	123.33
American sy camore	9 4 3 3	256	(N/A)	0.3	0.6	127.82
Black poplar	14.478	392	(N/A)	0.3	0.9	196.17
Eastern cottonwood	8 704	236	(N/A)	0.3	0.5	117.95
Scotch nine	3 077	83	(N/A)	0.3	0.2	41 70
Cherry plum	667	18	(N/A)	0.1	0.0	18.06
Eastern redbud	7	10	(N/A)	0.1	0.0	0.20
Siberian elm	4 567	124	(N/A)	0.1	0.3	123 78
River birch	586	16	(N/A)	0.1	0.0	15.88
Black cherry	60	20	(N/A)	0.1	0.0	1.86
Hickory	5 4 9 1	149	(N/A)	0.1	0.3	148 79
Catalna	7 239	196	(N/A)	0.1	0.5	19617
Amur manle	667	190	(N/A)	0.1	0.0	18.06
Southern magnolia	1 775	10	(N/A)	0.1	0.0	48 11
Norway spruce	596	16	(N/A)	0.1	0.0	16 14
Eastern red cedar	1 635	44	(N/A)	0.1	0.0	44 30
Citravide total	1 507 051	12 022		100.0	100.0	62 56

# **Table 3: Annual Air Quality Benefits**

**Coon Rapids** 

Annual Air Quality Benefits of Public Trees

8	3/2020	

		D	eposition	(lb)	Total		Avoid	ed (lb)		Total	BVOC	BVOC	Total	Total Standard	% of Total	Avo.
Species	03	NO <sub>2</sub>	PM 10	so 2	Depos. (\$)	NO <sub>2</sub>	PM 10	VOC	so <sub>2</sub>	(\$)	Emissions (lb)	Emissions (\$)	(lb)	(\$) Error	Trees	\$/tree
Green ash	55.5	8.9	26.8	2.5	296	206.2	30.1	28.7	196.5	1.287	0.0	0	555.2	1.583 (N/A)	23.5	9.96
Norway maple	20.8	3.6	10.8	0.9	114	77.6	11.3	10.7	73.1	482	-5.2	-20	203.5	576 (N/A)	13.0	6.55
Silver maple	42.9	7.3	21.3	1.9	232	92.8	13.6	13.0	89.4	581	-22.8	-86	259.3	728 (N/A)	9.6	11.20
Northern red oak	19.0	3.3	9.2	0.8	102	40.4	5.9	5.6	38.1	251	-27.3	-102	95.0	251 (N/A)	5.9	6.27
Littleleaf linden	10.6	1.8	5.3	0.5	58	34.9	5.1	4.9	33.2	218	-5.3	-20	91.1	256 (N/A)	5.0	7.52
Sugar maple	10.0	1.7	5.0	0.4	54	34.1	5.0	4.8	32.6	213	-7.9	-29	85.8	238 (N/A)	3.8	9.15
Apple	2.1	0.3	1.0	0.1	11	10.9	1.6	1.5	10.2	68	0.0	0	27.8	79 (N/A)	3.4	3.44
Honeylocust	11.9	2.0	5.5	0.5	63	27.8	4.1	3.9	26.8	174	-9.1	-34	73.3	203 (N/A)	2.8	10.69
Black walnut	4.7	0.8	2.4	0.2	25	19.6	2.8	2.7	18.5	122	0.0	0	51.7	147 (N/A)	2.4	9.21
Spruce	0.9	0.2	0.8	0.1	6	3.1	0.4	0.4	2.8	19	-4.2	-16	4.5	9 (N/A)	2.4	0.56
Swamp white oak	8.2	1.4	4.0	0.4	44	18.8	2.7	2.6	17.6	117	-1.9	-7	53.9	154 (N/A)	2.2	10.27
Bur oak	4.5	0.7	2.1	0.2	24	14.9	2.2	2.1	14.2	93	0.0	0	40.8	117 (N/A)	2.2	7.78
Maple	0.9	0.2	0.5	0.0	5	5.7	0.8	0.8	5.4	35	-0.4	-1	13.9	39 (N/A)	2.1	2.78
Pear	0.4	0.1	0.2	0.0	2	2.5	0.4	0.3	2.2	15	0.0	0	6.0	17 (N/A)	2.1	1.22
American basswood	6.1	1.0	3.0	0.3	33	18.5	2.7	2.6	17.4	115	-5.2	-19	46.4	129 (N/A)	1.9	9.89
Northern white cedar	0.1	0.0	0.2	0.0	1	1.4	0.2	0.2	1.2	8	-0.7	-3	2.6	7 (N/A)	1.8	0.56
White oak	5.1	0.8	2.4	0.2	27	16.5	2.4	2.3	15.5	102	0.0	0	45.2	129 (N/A)	1.6	11.77
Red maple	1.3	0.2	0.6	0.1	7	4.2	0.6	0.6	4.0	26	-0.4	-2	11.1	31 (N/A)	1.3	3.47
Northern hackberry	4.6	0.8	2.3	0.2	25	14.6	2.1	2.0	13.7	90	0.0	0	40.2	115 (N/A)	1.3	12.80
White ash	2.7	0.4	1.3	0.1	14	9.3	1.4	1.3	9.1	59	0.0	0	25.7	73 (N/A)	1.3	8.13
Blue spruce	1.6	0.3	1.3	0.2	11	3.8	0.6	0.5	3.7	24	-4.3	-16	7.8	18 (N/A)	1.3	2.05
Black maple	4.9	0.8	2.3	0.2	26	9.9	1.4	1.4	9.4	62	-1.6	-6	28.7	82 (N/A)	1.2	10.20
Broadleaf Deciduous Small	0.0	0.0	0.0	0.0	0	0.7	0.1	0.1	0.6	4	0.0	0	1.6	4 (N/A)	1.0	0.62
Basswood	1.7	0.3	0.9	0.1	9	7.9	1.1	1.1	7.5	49	0.0	0	20.6	58 (N/A)	0.9	9.75
Ginkgo	2.3	0.4	1.1	0.1	12	5.3	0.8	0.7	5.0	33	-0.7	-3	15.0	43 (N/A)	0.7	8.52
Pin oak	3.6	0.6	1.8	0.2	20	8.2	1.2	1.1	7.9	51	-6.7	-25	18.0	46 (N/A)	0.7	9.20
Eastern white pine	1.5	0.3	1.2	0.2	10	2.4	0.4	0.3	2.3	15	-7.1	-27	1.5	-2 (N/A)	0.4	-0.57
Japanese tree lilac	0.5	0.1	0.2	0.0	2	2.1	0.3	0.3	2.0	13	0.0	0	5.5	16 (N/A)	0.4	5.22
Cottonwood	2.6	0.4	1.2	0.1	13	5.5	0.8	0.8	5.2	34	0.0	0	16.4	48 (N/A)	0.4	15.83
American elm	2.0	0.3	1.0	0.1	11	4.3	0.6	0.6	4.1	27	0.0	0	13.0	38 (N/A)	0.3	18.79
American sy camore	1.3	0.2	0.6	0.1	7	3.4	0.5	0.5	3.2	21	0.0	0	9.8	28 (N/A)	0.3	14.09
Black poplar	2.3	0.4	1.0	0.1	12	4.2	0.6	0.6	4.0	26	0.0	0	13.1	38 (N/A)	0.3	19.04
Eastern cottonwood	1.3	0.2	0.6	0.1	7	3.2	0.5	0.4	3.0	20	0.0	0	9.2	26 (N/A)	0.3	13.23
Cherry plum	0.3	0.1	0.3	0.0	2	1.2	0.2	0.2	1.2	5	-1.1	-4	2.3	6 (N/A) 7 (N/A)	0.3	2.82
Entry paint	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0	0.0	0	2.5	0.01(1)	0.1	0.11
Eastern redoud	0.0	0.0	0.0	0.0	0	0.0	0.0	0.0	0.0	0	0.0	0	0.0	0 (N/A)	0.1	0.11
Siberian eim	0.8	0.1	0.4	0.0	4	1.9	0.5	0.5	1.8	12	0.0	0	5.6	16 (N/A)	0.1	10.11
River birch	0.1	0.0	0.0	0.0	0	0.5	0.1	0.1	0.5	3	0.0	0	1.2	3 (N/A)	0.1	5.47
black cherry	0.0	0.0	0.0	0.0	0	0.1	0.0	0.0	0.1	1	0.0	0	0.3	1 (N/A)	0.1	0.71
Catalna	0.8	0.1	0.4	0.0	4	1.9	0.3	0.5	1.8	12	0.0	0	5.5	10 (N/A)	0.1	13.71
Cataipa A mur monte	1.0	0.5	0.7	0.1	8 1	2.5	0.3	0.5	2.2	14	0.0	0	1.1	25 (N/A)	0.1	6.56
Southern magnolia	0.2	0.0	0.1	0.0	1	1.0	0.1	0.1	0.8	2	-0.5	-2	2.5	7 (IN/A)	0.1	5.40
Norway sprice	0.1	0.0	0.1	0.0	1	0.3	0.2	0.1	0.3	2	-0.3	-2	2.1	$\frac{1}{1}$ (IN/A)	0.1	1.49
Fastern red cedar	0.1	0.0	0.1	0.0	2	0.5	0.0	0.0	0.5	2	-0.2	-1	1.0	2 (N/A)	0.1	2 10
Citraride total	242.4	10.1	120.3	11.2	1 310	726.2	105.9	100.0	600 5	1 5 2 7	-0.9	-5	1.024.2	~ (IN/A)	100.0	7.00
City wide total	242.4	40.0	120.5	11.2	1,510	120.2	105.8	100.9	090.5	4,34/	-115.6	-420	1,924.3	3,411 (IN/A)	100.0	1.99

# Table 4: Annual Carbon Stored

**Coon Rapids** 

# Stored CO2 Benefits of Public Trees

	Total Stored	Total	Standard	% of Total	% of	Avg.
Species	CO2 (lbs)	(\$)	Error	Trees	Total \$	\$/tree
Green ash	1,813,856	13,604	(N/A)	23.5	30.7	85.56
Norway maple	348,151	2,611	(N/A)	13.0	5.9	29.67
Silver maple	962,970	7,222	(N/A)	9.6	16.3	111.11
Northern red oak	416,936	3,127	(N/A)	5.9	7.1	78.18
Littleleaf linden	228,560	1,714	(N/A)	5.0	3.9	50.42
Sugar maple	285,973	2,145	(N/A)	3.8	4.8	82.49
Apple	33,609	252	(N/A)	3.4	0.6	10.96
Honey locust	152,374	1,143	(N/A)	2.8	2.6	60.15
Black walnut	152,158	1,141	(N/A)	2.4	2.6	71.32
Spruce	9,342	70	(N/A)	2.4	0.2	4.38
Swamp white oak	135,989	1,020	(N/A)	2.2	2.3	67.99
Bur oak	146,269	1,097	(N/A)	2.2	2.5	73.13
Maple	12,236	92	(N/A)	2.1	0.2	6.56
Pear	6,391	48	(N/A)	2.1	0.1	3.42
American basswood	227,475	1,706	(N/A)	1.9	3.8	131.24
Northern white cedar	458	3	(N/A)	1.8	0.0	0.29
White oak	165,506	1,241	(N/A)	1.6	2.8	112.84
Red maple	14,460	108	(N/A)	1.3	0.2	12.05
Northern hackberry	68,561	514	(N/A)	1.3	1.2	57.13
White ash	49,554	372	(N/A)	1.3	0.8	41.30
Blue spruce	11,345	85	(N/A)	1.3	0.2	9.45
Black maple	52,397	393	(N/A)	1.2	0.9	49.12
Broadleaf Deciduous	1,081	8	(N/A)	1.0	0.0	1.16
Basswood	55,805	419	(N/A)	0.9	0.9	69.76
Ginkgo	32,988	247	(N/A)	0.7	0.6	49.48
Pin oak	96,641	725	(N/A)	0.7	1.6	144.96
Eastern white pine	18,323	137	(N/A)	0.4	0.3	45.81
Japanese tree lilac	6,982	52	(N/A)	0.4	0.1	17.46
Cottonwood	87,528	656	(N/A)	0.4	1.5	218.82
American elm	41,598	312	(N/A)	0.3	0.7	155.99
American sy camore	41,716	313	(N/A)	0.3	0.7	156.43
Black poplar	78,517	589	(N/A)	0.3	1.3	294.44
Eastern cottonwood	42,930	322	(N/A)	0.3	0.7	160.99
Scotch pine	2,340	18	(N/A)	0.3	0.0	8.78
Cherry plum	3,037	23	(N/A)	0.1	0.1	22.78
Eastern redbud	14	0	(N/A)	0.1	0.0	0.10
Siberian elm	19,728	148	(N/A)	0.1	0.3	147.96
River birch	1,101	8	(N/A)	0.1	0.0	8.26
Black cherry	178	1	(N/A)	0.1	0.0	1.33
Hickory	25,943	195	(N/A)	0.1	0.4	194.57
Catalpa	55,982	420	(N/A)	0.1	0.9	419.86
Amur maple	3,037	23	(N/A)	0.1	0.1	22.78
Southern magnolia	1,851	14	(N/A)	0.1	0.0	13.88
Norway spruce	257	2	(N/A)	0.1	0.0	1.93
Eastern red cedar	1,102	8	(N/A)	0.1	0.0	8.27
Citywide total	5,913.246	44.349	(N/A)	100.0	100.0	65.51

# Table 5: Annual Carbon Sequestered

Coon Rapids

Annual CO Benefits of Public Trees	Annual CO	Benefits of Public Trees	
------------------------------------	-----------	--------------------------	--

Species	Sequestered (lb)	Sequestered (\$)	Decomposition Release (lb)	Maintenance Release (lb)	Total Released (\$)	Avoided (lb)	Avoided (\$)	Net Total (lb)	Total Standard (\$) Error	% of Total Trees	% of Total \$	Avg. \$/tree
Green ash	100.383	753	-8,707	-444	-69	72,720	545	163.952	1.230 (N/A)	23.5	28.8	7.73
Norway maple	26,567	199	-1.675	-159	-14	27.014	203	51,747	388 (N/A)	13.0	9.1	4.41
Silver manle	75,782	568	-4.623	-210	-36	33,133	248	104.083	781 (N/A)	9.6	18.3	12.01
Northern red oak	9.628	72	-2.001	-111	-16	14.119	106	21.634	162 (N/A)	5.9	3.8	4.06
Littleleaf linden	19.647	147	-1.097	-83	-9	12.280	92	30,746	231 (N/A)	5.0	5.4	6.78
Sugar maple	15.523	116	-1.373	-76	-11	12.090	91	26.164	196 (N/A)	3.8	4.6	7.55
Apple	3,353	25	-162	-29	-1	3,769	28	6,931	52 (N/A)	3.4	1.2	2.26
Honeylocust	9.099	68	-731	-45	-6	9,934	75	18.256	137 (N/A)	2.8	3.2	7.21
Black walnut	10,171	76	-730	-43	-6	6.831	51	16.229	122 (N/A)	2.4	2.8	7.61
Spruce	629	5	-45	-13	0	1,050	8	1.621	12 (N/A)	2.4	0.3	0.76
Swamp white oak	3,627	27	-653	-44	-5	6,516	49	9,445	71 (N/A)	2.2	1.7	4.72
Bur oak	7,476	56	-702	-34	-6	5,244	39	11,985	90 (N/A)	2.2	2.1	5.99
Maple	1,801	14	-59	-13	-1	1,985	15	3,714	28 (N/A)	2.1	0.7	1.99
Pear	784	6	-31	-9	0	832	6	1,576	12 (N/A)	2.1	0.3	0.84
American basswood	13.022	98	-1.092	-45	-9	6,425	48	18.310	137 (N/A)	1.9	3.2	10.56
Northern white cedar	216	2	-2	-7	0	454	3	660	5 (N/A)	1.8	0.1	0.41
White oak	8,439	63	-794	-36	-6	5,752	43	13,360	100 (N/A)	1.6	2.3	9.11
Red maple	936	7	-70	-9	-1	1,474	11	2,331	17 (N/A)	1.3	0.4	1.94
Northern hackberry	3,806	29	-329	-28	-3	5,055	38	8,503	64 (N/A)	1.3	1.5	7.09
White ash	4,977	37	-238	-18	-2	3,373	25	8,094	61 (N/A)	1.3	1.4	6.75
Blue spruce	718	5	-54	-15	-1	1,367	10	2,017	15 (N/A)	1.3	0.4	1.68
Black maple	648	5	-252	-20	-2	3,478	26	3,856	29 (N/A)	1.2	0.7	3.61
Broadleaf Deciduous Smal	236	2	-5	-4	0	229	2	456	3 (N/A)	1.0	0.1	0.49
Basswood	3,924	29	-268	-16	-2	2,773	21	6,413	48 (N/A)	0.9	1.1	8.02
Ginkgo	1,410	11	-158	-16	-1	1,870	14	3,106	23 (N/A)	0.7	0.5	4.66
Pin oak	8,563	64	-464	-18	-4	2,914	22	10,995	82 (N/A)	0.7	1.9	16.49
Eastern white pine	699	5	-88	-10	-1	868	7	1,470	11 (N/A)	0.4	0.3	3.68
Japanese tree lilac	649	5	-34	-5	0	741	6	1,352	10 (N/A)	0.4	0.2	3.38
Cottonwood	2,193	16	-420	-13	-3	1,917	14	3,677	28 (N/A)	0.4	0.6	9.19
American elm	1,109	8	-200	-9	-2	1,515	11	2,416	18 (N/A)	0.3	0.4	9.06
American sycamore	1,816	14	-200	-8	-2	1,202	9	2,811	21 (N/A)	0.3	0.5	10.54
Black poplar	1,824	14	-377	-10	-3	1,469	11	2,906	22 (N/A)	0.3	0.5	10.90
Eastern cottonwood	1,357	10	-206	-7	-2	1,127	8	2,272	17 (N/A)	0.3	0.4	8.52
Scotch pine	231	2	-11	-4	0	433	3	649	5 (N/A)	0.3	0.1	2.43
Cherry plum	268	2	-15	-2	0	308	2	560	4 (N/A)	0.1	0.1	4.20
Eastern redbud	9	0	0	0	0	6	0	14	0 (N/A)	0.1	0.0	0.10
Siberian elm	797	6	-95	-4	-1	662	5	1,359	10 (N/A)	0.1	0.2	10.20
River birch	224	2	-5	-1	0	176	1	393	3 (N/A)	0.1	0.1	2.95
Black cherry	38	0	-1	-1	0	37	0	74	1 (N/A)	0.1	0.0	0.55
Hickory	960	7	-125	-4	-1	650	5	1,481	11 (N/A)	0.1	0.3	11.11
Catalpa	479	4	-269	-6	-2	813	6	1,017	8 (N/A)	0.1	0.2	7.63
Amur maple	268	2	-15	-2	0	308	2	560	4 (N/A)	0.1	0.1	4.20
Southern magnolia	143	1	-9	-2	0	388	3	520	4 (N/A)	0.1	0.1	3.90
Norway spruce	53	0	-1	-1	0	94	1	145	1 (N/A)	0.1	0.0	1.08
Eastern red cedar	43	0	-5	-2	0	187	1	222	2 (N/A)	0.1	0.0	1.67
Citywide total	344,524	2,584	-28,390	-1,634	-225	255,581	1,917	570,081	4,276 (N/A)	100.0	100.0	6.32

# **Table 6: Annual Social and Aesthetic Benefits**

#### Coon Rapids

## Annual Aesthetic/Other Benefits of Public Trees

5					
		Standard	% of Total	% of Total	Avg.
Species	Total (\$)	Error	Trees	\$	\$/tree
Green ash	8,491	(N/A)	23.5	26.7	53.41
Norway maple	2,736	(N/A)	13.0	8.6	31.09
Silver maple	6,137	(N/A)	9.6	19.3	94.42
Northern red oak	701	(N/A)	5.9	2.2	17.52
Littleleaf linden	2,050	(N/A)	5.0	6.5	60.31
Sugar maple	1,630	(N/A)	3.8	5.1	62.69
Apple	190	(N/A)	3.4	0.6	8.26
Honeylocust	2,070	(N/A)	2.8	6.5	108.95
Black walnut	871	(N/A)	2.4	2.7	54.45
Spruce	161	(N/A)	2.4	0.5	10.04
Swamp white oak	349	(N/A)	2.2	1.1	23.24
Bur oak	636	(N/A)	2.2	2.0	42.41
Maple	304	(N/A)	2.1	1.0	21.71
Pear	41	(N/A)	2.1	0.1	2.94
American basswood	918	(N/A)	1.9	2.9	70.63
Northern white cedar	82	(N/A)	1.8	0.3	6.83
White oak	666	(N/A)	1.6	2.1	60.57
Red maple	147	(N/A)	1.3	0.5	16.39
Northern hackberry	511	(N/A)	1.3	1.6	56.81
White ash	611	(N/A)	1.3	1.9	67.87
Blue spruce	151	(N/A)	1.3	0.5	16.74
Black maple	96	(N/A)	1.2	0.3	11.97
Broadleaf Deciduous Small	12	(N/A)	1.0	0.0	1.77
Basswood	338	(N/A)	0.9	1.1	56.38
Ginkgo	104	(N/A)	0.7	0.3	20.76
Pin oak	643	(N/A)	0.7	2.0	128.61
Eastern white pine	100	(N/A)	0.4	0.3	33.20
Japanese tree lilac	37	(N/A)	0.4	0.1	12.46
Cottonwood	160	(N/A)	0.4	0.5	53.25
American elm	147	(N/A)	0.3	0.5	73.34
American sycamore	132	(N/A)	0.3	0.4	66.10
Black poplar	117	(N/A)	0.3	0.4	58.34
Eastern cottonwood	104	(N/A)	0.3	0.3	52.10
Scotch pine	65	(N/A)	0.3	0.2	32.32
Cherry plum	15	(N/A)	0.1	0.0	15.48
Eastern redbud	0	(N/A)	0.1	0.0	0.03
Siberian elm	51	(N/A)	0.1	0.2	50.67
River birch	26	(N/A)	0.1	0.1	26.22
Black cherry	2	(N/A)	0.1	0.0	2.06
Hickory	67	(N/A)	0.1	0.2	66.60
Catalpa	29	(N/A)	0.1	0.1	28.57
Amur maple	15	(N/A)	0.1	0.0	15.48
Southern magnolia	35	(N/A)	0.1	0.1	34.98
Norway spruce	15	(N/A)	0.1	0.0	15.42
Eastern red cedar	14	(N/A)	0.1	0.0	13.68
Citywide total	31,778	(N/A)	100.0	100.0	46.94

# **Table 7: Summary of Benefits in Dollars**

Coon Rapids

# Total Annual Benefits of Public Trees by Species (\$)

Species	Energy	CO <sub>2</sub>	Air Quality	Stormwater	Aesthetic/Other	Total Standar (\$) Error	d % of Total \$
Green ash	9,023	1,230	1,583	12,391	8,491	32,719 (N/A)	28.1
Norway maple	3,445	388	576	3,238	2,736	10,383 (N/A)	8.9
Silver maple	4,007	781	728	7,101	6,137	18,753 (N/A)	16.1
Northern red oak	1,798	162	251	2,408	701	5,320 (N/A)	4.6
Littleleaf linden	1,524	231	256	1,791	2,050	5,851 (N/A)	5.0
Sugar maple	1,486	196	238	2,077	1,630	5,627 (N/A)	4.8
Apple	496	52	79	219	190	1,036 (N/A)	0.9
Honeylocust	1,198	137	203	1,669	2,070	5,277 (N/A)	4.5
Black walnut	876	122	147	1,152	871	3,167 (N/A)	2.7
Spruce	139	12	9	249	161	570 (N/A)	0.5
Swamp white oak	846	71	154	1,051	349	2,470 (N/A)	2.1
Bur oak	656	90	117	965	636	2,464 (N/A)	2.1
Maple	254	28	39	178	304	803 (N/A)	0.7
Pear	115	12	17	47	41	232 (N/A)	0.2
American basswood	829	137	129	1,196	918	3,209 (N/A)	2.8
Northern white cedar	67	5	7	69	82	230 (N/A)	0.2
White oak	730	100	129	1,093	666	2,719 (N/A)	2.3
Red maple	184	17	31	167	147	547 (N/A)	0.5
Northern hackberry	651	64	115	793	511	2,134 (N/A)	1.8
White ash	391	61	73	503	611	1,639 (N/A)	1.4
Blue spruce	167	15	18	317	151	668 (N/A)	0.6
Black maple	438	29	82	527	96	1,171 (N/A)	1.0
Broadleaf Deciduous Sn	33	3	4	11	12	65 (N/A)	0.1
Basswood	345	48	58	434	338	1,223 (N/A)	1.1
Ginkgo	229	23	43	221	104	619 (N/A)	0.5
Pin oak	356	82	46	540	643	1,667 (N/A)	1.4
Eastern white pine	107	11	-2	330	100	546 (N/A)	0.5
Japanese tree lilac	94	10	16	43	37	201 (N/A)	0.2
Cottonwood	240	28	48	410	160	885 (N/A)	0.8
American elm	186	18	38	247	147	635 (N/A)	0.5
American sy camore	153	21	28	256	132	590 (N/A)	0.5
Black poplar	182	22	38	392	117	751 (N/A)	0.6
Eastern cottonwood	135	17	26	236	104	519 (N/A)	0.4
Scotch pine	48	5	6	83	65	207 (N/A)	0.2
Cherry plum	38	4	7	18	15	82 (N/A)	0.1
Eastern redbud	1	0	0	0	0	1 (N/A)	0.0
Siberian elm	82	10	16	124	51	283 (N/A)	0.2
River birch	24	3	3	16	26	73 (N/A)	0.1
Black cherry	5	1	1	2	2	11 (N/A)	0.0
Hickory	82	11	16	149	67	324 (N/A)	0.3
Catalna	99	8	23	196	29	354 (N/A)	0.3
Amur maple	38	4		18	15	82 (N/A)	0.1
Southern magnolia	41	4	5	48	35	134 (N/A)	0.1
Norway spruce	14	1	1	16	15	48 (N/A)	0.0
Eastern red cedar	25	2	2	44	14	86 (N/A)	0.1
Citywide Total	31 878	4 276	5 411	43 033	31 778	116 376 (N/A)	100.0



Green ash

**Figure 1: Species Distribution** 



# Figure 2: Relative Age Class



Figure 3: Foliage Condition



Figure 4: Wood Condition



**Canopy Cover of Public Trees (Acres)** 

Figure 5: Canopy Cover in Acres



Figure 6: Land Use of city/park trees



Figure 7: Location of city/park trees

# Figure 1: Location of Ash Trees



Figure 2: Location of EAB symptoms



**Figure 3: Location of Poor Condition Trees** 





Figure 4: Location of Trees with Recommended Maintenance

Figure 5: Maintenance Tasks \*City ownership of the trees recommended for removal should be verified prior to any removal\*



# Appendix C: Coon Rapids Tree Ordinances

CHAPTER 151 TREES

151.01 Definition 151.04 Disease Control

151.02 Planting Restrictions 151.05 Inspection and Removal

151.03 Duty to Trim Trees 151.06 Trees, Shrubs, Hedges, and Fence Posts

151.01 DEFINITION. For use in this chapter, "parking" means that part of the street, avenue or highway in the City not covered by sidewalk and lying between the lot line and the curb line; or, on unpaved streets, that part of the street, avenue or highway lying between the lot line and that portion of the street usually traveled by vehicular traffic.

151.02 PLANTING RESTRICTIONS. No tree shall be planted in any parking or street except in accordance with the following:

1. Alignment. All trees planted in any street shall be planted in the parking midway between the outer line of the sidewalk and the curb. In the event a curb line is not established, trees shall be planted on a line 10 feet from the property line.

2. Spacing. Trees shall not be planted on any parking which is less than nine feet in width, or contains less than 81 square feet of exposed soil surface per tree. Trees shall not be planted closer than 20 feet from street intersections (property lines extended) and 10 feet from driveways. If it is at all possible trees should be planted inside the property lines and not between the sidewalk and the curb.

3. Prohibited Trees. No person shall plant in any street any fruit-bearing tree or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut. 151.03 DUTY TO TRIM TREES. The owner or agent of the abutting property shall keep the trees on, or overhanging the street, trimmed so that all branches will be at least 15 feet above the surface of the street and eight feet above the sidewalks. If the abutting property owner fails to trim the trees, the City may serve notice on the abutting property owner requiring that such action be taken within five days. If such action is not taken within that time, the City may perform the required action and assess the costs against the abutting property for collection in the same manner as a property tax. (Code of Iowa, Sec. 364.12[2c, d & e])

151.04 DISEASE CONTROL. Any dead, diseased or damaged tree or shrub which may harbor serious insect or disease pests or disease injurious to other trees is hereby declared to be a nuisance.

151.05 INSPECTION AND REMOVAL. The Council shall inspect or cause to be inspected any trees or shrubs in the City reported or suspected to be dead, diseased or damaged, and such trees and shrubs shall be subject to the following:

1. City Property. If it is determined that any such condition exists on any public property, including the strip between the curb and the lot line of private property, the

Council may cause such condition to be corrected by treatment or removal. The Council may also order the removal of any trees on the streets of the City which interfere with the making of improvements or with travel thereon.

2. Private Property. If it is determined with reasonable certainty that any such condition exists on private property and that danger to other trees or to adjoining property or passing motorists or pedestrians is imminent, the Council shall notify by certified mail the owner, occupant or person in charge of such property to correct such condition by treatment or removal within 14 days of said notification. If such owner, occupant or person in charge of said property fails to comply within 14 days of receipt of notice, the Council may cause the condition to be corrected and the cost assessed against the property. (Code of Iowa, Sec. 364.12[3b & h])

151.06 TREES, SHRUBS, HEDGES, AND FENCE POSTS. All trees, shrubs, hedges, landscaping and decorative items placed or planted along any street or alley shall be placed or planted at least five feet from the property line. In no event shall trees, shrubs, hedges, landscaping or any other decorative items be placed or planted between the property line and the street curb or the traveled portion of the street or roadway or in any public right-of-way, without written approval of the City Council, Mayor, or designated committee. All trees, shrubs, hedges, landscaping and decorative items are prohibited within any easement without permission of the City Council, Mayor, or designated committee.

The State of Iowa is an Equal Opportunity Employer and provider of ADA services.

Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the lowa Civil Rights Commission, 1-800-457-4416, or write to the lowa Department of Natural Resources, Wallace State Office Bldg., 502 E 9<sup>th</sup> St, Des Moines IA 50319.

If you need accommodations because of disability to access the services of this Agency, please contact the Director at 515-725-8200.